# FOURTEENTH ANNUAL REPORT ON BIRTHS, MARRIAGES, DIVORCES, AND DEATHS,

IN THE

STATE OF MAINE

1905

974.1 M284m 14th rept 1905 1759936

Gc

REYNOLDS HISTOPICAL GENEALOGY COLLECTION









# FOURTEENTH ANNUAL REPORT

UPON THE

# BIRTHS, MARRIAGES, DIVORCES AND DEATHS

IN THE

# STATE OF MAINE

FOR THE

Year Ending December 31, 1905.

AUGUSTA
KENNEBEC JOURNAL PRINT
1907



# 1759936

# DEPARTMENT OF VITAL STATISTICS.

Office of the Registrar, Augusta, Maine, April 16, 1907.

To His Excellency, William T. Cobb, Governor, and the Honorable Executive Council:

GENTLEMEN:—In accordance with the provisions of the law, I have the honor of submitting to you the Fourteenth Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1905.

Very respectfully,

A. G. YOUNG, M. D.,

Registrar of Vital Statistics.



# REGISTRATION REPORT, 1905.

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1905.

The number of births registered in that year is 600 more than in the preceding year. The number of births recorded in each of the registration years, 1892-1905, is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, 14,709, 14,615, 15,166, 15,130, 15,405, and 16,005, respectively.

The number of marriages (number of couples married) in 1905 was 6,264 more than in the preceding year. The number of marriages registered in the State in each of the years 1892-1905 is respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, 5,482, 5,735, 5,905, 6,200, 6,208, and 6,264.

The number of deaths recorded in the State for the same year was 11,381, a number 35 more than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; in 1900, 11,389; in 1901, 11,133; in 1902, 10,673; in 1903, 11,009; in 1904, 11,346, and in 1905, 11,381.

Compared with 1904, among the chief causes of death there were in 1905, 197 more from diarrheal diseases, 77 more from influenza, 71 more from diseases of the nervous system, 51 more from cancer, 31 more from diseases of heart, 27 more from peritonitis, 24 more from diabetes, 17 more from nephritis and Bright's disease, 10 more from measles, and 3 more from pneumonia.

On the other hand there was a smaller number of deaths from the following causes: from tuberculosis in all forms 108 fewer; from typhoid fever, 86; from diphtheria and croup, 52: from whooping cough, 16; from bronchitis, 5; and from scarlet fever, 3.

Bertillon Classification. The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in August, 1900.

Table No. 1 gives a cursory view of the relative mortality in 1904 and 1905 from some of the leading causes of death.

TABLE No. 1.

Deaths from Some of the Leading Causes.

Diseases.	1904.	1905.	More in 1904.	More in 1905.
Measles	22	32	-	10
Scarlet fever	10	7	3	-
Influenza	166	243	-	77
Whooping cough	54	38	16	-
Diphtheria and croup	162	110	52	-
Typhoid fever	242	156	86	-
Tuberculosis	1,217	1,109	108	-
Diarrheal diseases	475	672	-	197
Rheumatism	60	60	-	-
Cancer	611	662	-	51
Diabetes	91	115	-	24
Diseases of nervous system	1,576	1,647	-	71
Diseases of heart	1,191	1,222	-	31
Pneumonia	1,050	1,053	-	3
Bronchitis	223	218	5	-
Peritonitis	63	90	-	27
Nephritls and Bright's disease	629	646	-	17

Population. The population of the State of Maine in 1900, as given by the twelfth census, was 694,466. In 1890, the population of the State was 661,086. There was therefore, a gain of 33,380 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1890 and in 1900, and the estimated population in 1905.

TABLE No. 2.
Population in 1890, and 1900, and Estimated Population for 1905.

Counties.	Population in 1890.	Population in 1900.	Estimated population for 1965,
Androscoggin	48,968	54,242	56,879
Aroostook	49,589	60,744	66,322
Cumberland	90,949	100,689	105,559
Franklin	17,053	18,444	19,140
Hancock	37,312	37,241	37,241
Kennebec	57,012	59,117	60,170
Knox	31,473	30,406	30,406
Lincoln	21,996	19,669	19,669
Oxford	30,586	32,238	33,064
Penobscot	72,865	76,246	77,937
Piscataquis	16,134	16,949	17,357
Sagadahoc	19,452	20,330	20,769
Somerset	32,627	33,849	34,460
Waldo	27,759	24,185	24,185
Washington	44,482	45,232	45,607
York	62,829	64,885	65,913
Total	661,086	694,466	714,578

TABLE No. 3. Births, Marriages and Deaths, 1897-1905.

State.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.
Number of births	14,430	14,473	13,895	14,095	14,021	14,508	14,453	14,673	15,29
Number of marriages	5,331	5,144	5,329	5,482	5,735	5,905	6,200	6,208	6,26
Number of deaths	11,286	10,956	11,370	11,389	11,133	10,673	11,009	11,346	11,38
Birth-rate	21.83	21.89	20.10	20.30	20.19	20.89	20.81	21.13	21.4
Marriage-rate	8.07	7.78	7.71	7.89	8.26	8.50	8.93	8.94	8.7
Death-rate	16.99	16.57	16.45	16.40	16 03	15.37	15.85	16.34	15.9

Birth, Marriage, and Death-Rates. In this report the birthrates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the estimated population for 1905, excepting Tables No. 7 and 8.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 4.
Estimated Population for 1905, Births, Marriages and Deaths with rate of each to 1,000 of Population for the Year ending December 31, 1905.

Counties.	Estimated population for 1905.	Births.	Birth rate per 1,000.	Marriages.	Marriage rate per 1,006.	Deaths.	Death-rate per 1,000.
Androscoggin	56,879	1,164	20.47	500	8.79	900	15.83
Aroostook	66,322	2,241	34.60	564	8.70	802	12.38
Cumberland	105,559	2,066	19.03	876	8.07	1,788	16.47
Franklin	19,140	432	22.72	177	9.32	283	14.89
Hancock	37,241	733	19.04	337	8.75	544	14.13
Kennebec	60,170	1,177	19.14	529	8.70	1,115	18.13
Knox	30,406	465	15.32	282	9.29	478	15.75
Lincoln	19,669	345	17.42	117	5.91	269	13.58
Oxford	33,064	792	23.36	371	10.94	506	14.92
Penobscot	77,937	1,578	20.04	732	9.29	1,305	16.57
Piscataquis	17,357	353	20.29	157	9.03	270	15.52
Sagadahoc	20,769	344	15.95	152	7.05	322	14.93
Somerset	34,460	698	19.95	350	10.00	561	16.03
Waldo	24,185	352	14.52	206	8.50	407	16.79
Washington	45,607	1,013	21.87	368	7.95	673	14.53
York	65,913	1,541	23.03	546	8.16	1,158	17.30
State	714,678	15,294	21.40	6,264	8.76	11,381	15.92

The following is a general summary of the births, marriages, and deaths in 1905.

#### BIRTHS.

Sex.		Parentage.	
Males	7,794	American	9,189
Females	7,483	Foreign	3,179
Not stated	17	One parent foreign	2,75
-	15,294	Not stated	175
			15,29
-			21.40
		IAGES.	
			4,479
			51
			56
Not stated		•••••	3
Whole number of marriages			6,26
Marriage, rate per 1.000			8.7

### DEATHS.

Sex.		Parentage.	
Iales	5,835	American	9,670
remales	5,545	Foreign	1,538
Not stated	1 .	Not stated	173
-	11,381	-	11,381

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1905 was 16,005, and the number of deaths was 11,381, the natural increase of births over deaths was 4,624.

The following table shows the number of births and deaths in each county, and the preponderance of births over deaths, or vice versa:

TABLE No. 5.

Counties.	Estimated population for 1905.	Births.	Deaths.	Difference.
Androscoggin	56,879	1,164	900	264 gain
Aroostook	66,322	2,241	802	1,439 gair
Cumberland	105,559	2,066	1,788	278 gair
Franklin	19,140	432	283	149 gair
Hancock	37,241	733	544	189 gair
Kennebec	60,170	1,177	1,115	62 gair
Knox	30,406	465	478	13 loss
Lincoln	19,669	345	269	76 gair
Oxford	33,064	792	506	286 gair
Penobscot	77,937	1,578	1,305	273 gair
Piscataquis	17,357	353	270	82 gair
Sagadahoc	20,769	344	322	22 gair
Somerset	34,460	698	561	137; gair
Waldo	24,185	352	407	55,1088
Washington	45,607	1,013	673	340 gair
York	65,913	1,541	1,158	353 gair
State	714,678	15,294	11,381	3,913 gair

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following table, together with the birth-rate and the death-rate per 1,000 of the estimated population in each city. [The discrepancy in the death-rates in the cities which may be noted in comparing this table with Table No. 7 is due to the fact that in this table the death-rates are based upon estimated populations, while in Table No. 7 the death-rates are per 1,000 of population as shown by the census of 1900.]

TABLE No. 6.

Cities.	Population in 1900.	Estimated population in 1905.	Births.	Deaths.	Dlfference.	Birth-rate.	Death-rate.
Auburn	12,951	13,802	208	173	35 gain	15.07	12.53
Augusta	11,683	12,261	251	284	33 loss	20.47	*15.90
Bangor	21,850	23,224	311	419	108 loss	13.39	*15.50
Bath	10,477	11,354	204	161	43 gain	17.97	14.18
Belfast	4,615	4,615	53	68	15 loss	11.48	14.73
Biddeford	16,145	16,996	531	270	261 gain	31.24	15.89
Brewer	4,835	5,156	148	88	60 gain	28.70	17.07
Calais	7,655	7,838	164	133	31 gain	20.92	16.97
Eastport	5,311	5,513	125	81	44 gain	22.67	14.69
Ellsworth	4,297	4,297	65	66	1 loss	15.13	15.36
Gardiner	5,501	5,506	106	100	6 gain	19.25	18.16
Hallowell	2,714	2,714	44	42	2 gain	16.21	15.48
Lewiston	23,761	24,791	621	175	146 gain	25.05	*17.75
Old Town	5,763	5,989	187	135	52 gain	31.22	22.54
Portland	50,145	57,005	1,051	938	113 gair	18.44	*15.86
Rockland	8,150	8,150	141	152	11 loss	17.31	18.65
Saco	6,122	6,146	126	114	12 gain	20.50	18.54
South Portland	6,287	6,287	126	85	41 gain	20.04	13.52
Waterville	9,477	10,662	290	141	149 gain	27.20	13.22
Westbrook	7,283	7,609	185	102	83 gain	24.31	13.41
Total	225,022	239,915	4,937	4,027	910 gain	20.58	16.79

<sup>\*</sup> Deaths of nou-residents in public institutions: Augusta, 89; Bangor, 59; Lewiston, 35; Portland, 34; deducted from total in estimating death-rate.

TABLE
Births, Marriages, and Deaths
ANDROSCOGGIN

					В	IRTHS					
				Sex.				Paren	tag	е.	
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn	12,951	109	99	-	208	16.06	83	78	27	19	1
Durham	1,230	11	19	-	30	24.39	15	9	4	2	-
East Livermore	2,129	25	30	-	55	25.83	36	12	5	2	-
Greene	826	5	7	-	12	14.53	10	2	-	-	-
Leeds	1,065	8	13	-	21	19.72	16	1	2	2	-
Lewiston	23,761	322	299	-	621	26.56	139	326	84	64	s
Lisbon	3,603	39	41	1	81	<b>2</b> 2.48	42	23	9	7	-
Livermore	1,125	12	10	-	22	19.56	15	5	1	1	-
Mechanic Falls	1,687	11	6	-	17	10.08	13	1	-	2	1
Minot	808	5	7	-	12	14.85	9	-	1	1	1
Poland	1,648	14	8	-	22	13.35	19	1	-	1	1
Turner	1,842	25	8	-	33	17.92	29	-	1	3	-
Wales	436	6	2	-	8	18.35	6	1	1	-	-
Webster	1,131	14	8	-	22	19.45	16	2	2	2	-
Total	54,242	606	557	1	1,164	21.46	448	461	137	106	12

No. 7. for the Year 1905. COUNTY.

									DEA	тня.			
		MARR	IAGES.				Se	x.		N	у.		
Both American.	Both forelgn.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
90	20	7	13	1	131	91	82	-	173	149	23	1	13.36
12	1	-	2	-	15	15	16	-	31	27	4	-	24.39
16	6	1	3	-	26	19	12	-	31	28	3	-	14.56
4	1	-	-	-	5	10	8	-	18	18	-	~	21.79
10	-	-	-	-	10	7	10	-	17	17	-	-	15.96
84	81	31	32	1	229	244	231	-	475	325	145	5	20.00
22	10	2	1	-	35	16	17	-	33	24	7	2	9.16
9	-	-	-	-	9	9	4	-	13	12	1	-	11.56
12	-	-	1	-	13	9	15	-	24	20	4	-	14.23
2	-	-	-	-	2	6	4	-	10	10	-	- 1	12.38
4	-	-	1	-	5	7	14	-	21	19	2	-	12.74
10	-	ι	-	-	11	23	16	-	39	37	2	-	21.17
1	-	-	-	-	1	2	1	-	3	3	-	-	6.88
2	-	3	2	1	8	4	8	-	12	10	2	-	10.61
278	119	45	55	3	500	462	438	_	900	699	193	8	16.59

 $\begin{tabular}{ll} TABLE \\ Births, Marriages, and Deaths \\ & aroostoox \\ \end{tabular}$ 

					I	BIRTH	3.				
				Sex.				Parei	ntag	e.	
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity	404	9	7	-	16	39.60	7	_	3	6	_
Ashland	1,080	17	24	-	41	37.96	25	7	5	4	~
Bancroft	318	5	2	-	7	22.01	2	2	2	1	-
Benedicta	350	3	9	- '	12	34.29	12	-	-	-	-
Blaine	954	8	20	-	28	29.35	13	6	4	5	-
Bridgewater	1,179	14	22	-	36	30.53	8	11	7	9	1
Caribou	4,758	89	70	-	159	33,42	64	39	27	27	2
Castle Hill	567	5	10	-	15	26.46	6	2	4	3	-
Crystal	370	4	5	-	9	24.32	5	2	1	-	1
Dyer Brook	280	4	4	-	8	28.57	7	-	1	-	-
Easton	1,215	18	12	-	30	24.69	11	7	10	2	-
Fort Fairfield	4,181	58	74	1	133	31.81	51	31	13	30	8
Fort Kent	2,528	86	74	-	160	63.29	113	14	18	15	-
Frenchville	1,316	51	56	-	107	81.31	107	-	-	-	-
Grand Isle	1,104	24	21	-	45	40.76	27	2	9	7	-
Haynesville	316	4	5	-	9	28.48	6	-	3	-	-
Hersey	199	2	3	-	5	25.12	1	2	1	1	-
Hodgdon	1,130	13	9	1	23	20.35	16	1	2	3	1
Houlton	4,686	62	49	1	112	23.90	25	38	24	20	5
Island Falls	1,063	23	25	-	48	45.16	18	10	14	5	1
Limestone	1,131	31	13	-	44	38.90	13	7	8	16	-
Linneus	834	10	12	-	22	26.38	10	2	6	4	-
Littleton	956	7	10	-	17	17.78	8	3	2	4	-
Ludlow	394	7	8	-	15	38.07	6	1	4	4	-
Madawaska	1,698	26	37	-	63	37.10	57	-	1	5	-
$_{ m M^aple}^{ m ton}$	853	8	3	-	11	12.90	8	2	-	1	_

No. 7—Continued. for the Year 1905. COUNTY.

									DEA	THS.			
	1	MARR	IAGES.				Se	х.		N	ativit	y.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	Ашегісап.	Foreign.	Not stated.	Death-rate per 1,000.
2	-	1	-	-	3	5	2	-	7	4	3	-	17.3
8	1	1	-	-	10	4	7	-	11	10	1	-	10.1
2	-	-	-	-	2	1	4	~	5	3	2	-	15.7
2	-	-	-	-	2	3	1	-	4	3	1	-	11.4
6	-	1	3	-	10	6	11	-	17	13	4	-	17.8
2	1	3	5	-	11	3	5	-	s	5	3	-	6.3
24	5	6	10	-	45	41	27	-	68	47	21	-	14.5
4	-	1	-	-	5	3	2	-	5	2	3	-	8.8
1	-	1	1	-	3	1	3	-	4	1	3	-	10.8
1	-	-	-	-	1	2	1	-	3	3	- 1	-	10.7
4	1	1	1	-	7	5	10	-	15	15	-	-	12.8
15	3	7	4	1	30	3	5	-	8	5	2	1	1.9
22	2	2	9	-	35	17	16	-	33	25	8	-	13.
10	-	-	-	-	10	19	21	-	40	40	-	-	30.4
5	)	2	1	-	9	9	10	-	19	17	2	-	17.5
2	-	-	-	-	2	2	3	-	5	4	. 1	-	15.8
2	-	- i	1	- 1	3	1	2	-	3	2	1	- 1	15.0
5	-	1	1	-	7	5	4	-	9	4	5	_	7.9
11	9	1	10	1	32	22	19	-	41	2.2	18	1	8.7
8	2	2	2	-	14	8	2	-	10	7	2	1	9.4
10	1	6	4	-	21	10	5	-	15	10	5	-	13.5
2	-	1	4	-	7	5	10	~	15	11	4	- 1	17.9
3	-	1	1	1	6	3	4	_	7	4	3	-	7.3
-	-	1	1	-	2	4	2	-	6	2	4	-	15.2
12	-	-	3	-	15	7	s	-	15	14	1	-	8.8
5	1	2	2	-	10	4	7	-	11	8	2	1	12.9

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Births, Marriages, and Deaths} \\ \textbf{AROOSTOOK} \end{array}$ 

					1	Зіктня	s.				
				Sex.				Pare	ntag	e.	
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated,
Mars Hill	1,183	19	26	-	45	38.04	15	12	9	9	_
Masardis	438	9	10	-	19	43.38	11	4	-	4	-
Monticello	1,332	28	18	-	46	34.53	13	14	11	8	-
New Limerick	600	4	1	-	5	8.33	3	-	2	-	-
New Sweden	867	13	15	_	28	32.30	-	18	6	4	-
Oakfield	860	11	17	-	28	32.56	17	2	7	1	3
Orient	208	5	1	-	6	28.84	4	-	1	1	-
Perham	580	9	19	-	28	48.28	17	4	1	6	-
Presque Isle	3,804	64	63	-	127	33.39	61	22	24	16	4
St. Agatha	1,396	46	44	-	90	64.47	82	2	2	4	-
Sherman	980	19	14	-	33	33.67	25	-	8	-	~
Smyrna	411	6	12	-	18	43.80	7	4	6	1	-
Van Buren	1,878	66	53	-	119	63.37	60	26	16	15	2
Washburn	1,225	23	25	-	48	39.18	30	4	7	5	2
Westfield	259	5	5	-	10	38.61	5	2	2	1	-
Weston	367	4	6	_	10	27.25	5	1	1	3	-
Woodland	1,096	13	17	-	30	27.37	15	4	6	5	-
Cary P1	400	2	1	-	3	7.50	2	-	-	-	1
Caswell Pl	368	12	4	-	16	43.48	9	2	2	3	-
Chapman Pl	285	4	5	-	9	31.58	6	-	2	1	_
Connor Pl	453	6	7	-	13	28.70	8	-	5	-	-
Cyr P1	502	16	19	-	35	69.72	25	3	3	4	-
E Pl	44	1	2	-	3	68.18	2	-	-	1	-
Eagle Lake Pl	406	30	34	-	64	157.64	48	1	13	2	~
Garfield Pl	111	1	1	_	2	18.02	2	-	-	-	-

No. 7—Continued. for the Year 1905. COUNTY—CONTINUED.

									DEA	THS.			
	1	MARR	IAGES.				Se	ex.		N	ativit	7.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
s	2	4	3	-	17	11	3	_	14	4	10	-	11.8
1	-	3	-	-	4	2	3	-	5	4	1	-	11.4
-	-	2	3	-	5	13	6	-	19	13	6	~	14.26
-	-	1	3	-	4	6	2	-	8	7	1	- ,	13.38
-	-	1	3	-	4	8	3	-	11	9	2	- 1	12.69
4	-	2	1	-	7	10	4	-	14	10	2	2	16.28
1	-	-	2	-	3	2	2	-	4	4	-	-	19.28
6	-	1	1	-	8.	6	5	-	11	8	3	-	18.97
22	7	4	12	-	45	34	29	-	63	46	17	_ '	16.56
11	~	-	1	-	12	16	17	-	33	25	s	-	23.64
6	- 1	1	2	-	9	6	7	-	13	11	2	-	13.27
-	-	-	-	-	-	1	2	-	3	2	1	-	7.30
10	3	2	2	-	17	27	20	-	47	44	3	-	25.02
10	-	2	-	-	12	4	5,	-	9	5	3	1	7.34
2	-	1	-	-	3	1	4	-	5	4	1	-	19.31
3	2	-	-	-	5	8,	1	-	4	3	1	-	10.90
2	1	1	3	-	7	7	5	-	12	ь	ā	1	10.95
1	-	-	-	-	1	-	-	-	-	-	- 1	-	-
3	2	-	-	-	5	4	4	-	8	5	3	~	21.74
1	-	-	-	-	1		1	-	1	1	-	-	3.51
4	-	1	3	-	8	2	6,	~	8	~	_ :	-	17.66
1	- ,		-	-	1	8	6	-	14	11	3	- '	27.89
1	-	1	-	-	2	-		-	-	- 1	-	- :	-
15	-	-	4	-	19	15	7		22	21	1	- 1	54.19
-	-	-	-		-	1	-	-	1	1	_	_	9.01

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Births, Marriages, and Deaths} \\ \textbf{AROOSTOOK} \end{array}$ 

						BIRTHS	3.				
				Sex.				Parei	ntag	e.	
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Glenwood Pl	178	7	3	-	10	56.18	9	-	-	1	_
Hamlin Pl	574	9	17	- 1	26	45.30	11	2	2	11	-
Hammond Pl	116	-	-	-	-	-	-	-	-	-	-
Hill Pl	124	6	10	-	16	129.03	11	-	2	2	1
Macwahoc Pl	153	-	1	-	1	6.54	1	-	-	-	-
Merrill Pl	298	s	9	-	17	57.04	12	1	3	3	-
Moro Pl	217	-	-	-	-	-	-	-	-	-	-
Nashville Pl	32	-	1	-	1	31.25	1	-	-	-	-
New Canada Pl	419	10	11	-	21	50.12	s	-	3	8	2
Oxbow P1	153	3	4	-	7	45.75	7	-	-	- 1	-
Portage Lake Pl	241	4	4	-	8	33.20	3	3	1	-	1
Reed Pi	399	9	3	-	12	30.08	7	-	3	2	-
St. Francis Pl	568	8	18	-	26	45.77	16	-	6	4	-
St. Jonn Pl	371	7	8	-	15	40.43	9	1	-	5	-
Silver Ridge P1	168	1	1	-	2	11.90	1	-	-	1	-
Stockholm Pl	191	4	4	-	8	41.88	4	3	1	-	-
Wade P1	271	7	6	-	13	47.97	7	2	3	1	-
Wallagrass Pl	784	23	20	-	43	54.85	35	-	2	2	4
Westmanland Pl	100	1	1	-	2	20.00	2	-	-	-	-
No. 8, R. 4	111	2	1	-	3	27.03	-	1	-	2	-
Total	*59,385	1,113	1,125	3	2,241	37.74	1,242	327	329	336	37

<sup>\*</sup>Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued. for the Year 1905. COUNTY—CONCLUDED.

									DE	ATHS.			
	1	MARRI	AGES.				Se	x.		N	ativit	y.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
1	-	-	-	-	1	2	1	-	3	3	-	-	16.8
3	-	-	- 1	-	3	9	12	-	21	20	1	-	36.5
- 1	-	-	-	-	-	-	3	-	3	2	1	-	25.86
1	-	-	2	-	3	2	-	-	2	1	1	-	16.13
2	-	-	-	-	2	-	-	-	-	-	-	-	-
2	-	1	-	-	3	3	2	-	5	4	-	1	16.78
1	-	1	-	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	-	2	-	62.50
1	-	-	-	-	1	3	2	-	5	4	1	-	11.9
2	-	-	-	-	2	1	-	-	1	-	1	-	6.5
-		-	3	-	3	1	1	-	2	1	1	-	8.30
5	-	-	1	-	6	4	1	-	5	4	1	-	12.5
6	-	2	2	-	10	4	4	-	8	7	1	-	14.08
2	-	-	2	-	4	1	2	-	3	2	-	1	8.09
1	-	1	-	-	2	-	-	-	-	-	-	-	-
-	3	1	1	-	5	5	-	-	5	3	2	~	26.18
2	-	-	1	-	3	1	3	-	4	3	1	-	14.76
11	-	1	-	-	12	5	4	-	9	6	3	-	11.48
-	-	-	1	-	1	3	2	-	5	1	4	-	50.00
-		-	-	-	-	1	5	-	6	6	-	-	54.08
320	47	75	119	3	564	427	375		802	600	192	10	13.51

 $\begin{tabular}{ll} \textbf{TABLE} \\ \textbf{Births, Marriages, and Deaths} \\ \textbf{CUMBERLAND} \\ \end{tabular}$ 

					В	IRTHS					
				Sex.				Parer	itage		
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American rather and foreign mother.	Not stated.
Baldwin	821	7	5	_	12	14.62	11	-	-	1	_
Bridgton	2,868	19	27	-	46	16.04	37	1	3	4	1
Brunswick	6,806	98	76	-	174	25.57	48	89	12	23	2
Cape Ellzabeth	887	8	8	-	16	18.04	14	-	1	1	-
Casco	783	5	10	-	15	19.16	15	-	-	-	~
Cumberland	1,404	13	18	-	31	22.08	22	4	2	3	_
Falmouth	1,511	9	4	-	13	8.60	10	3	-	-	-
Freeport	2,339	19	18	-	37	15.82	35	1	1	-	-
Gorham	2,540	25	15	-	40	15.75	37	1	1	1	-
Gray	1,388	16	11		27	19.45	24	-	-	3	-
Harpswell	1,750	26	18	-	44	25.14	39	1	3	-	ŧ
Harrison	969	16	7	-	23	23.74	21	-	1	1	-
Naples	813	5	10	-	15	18.45	15	-	-	-	-
New Gloucester	1,162	13	9	-	22	18.93	21	-	-	1	~
North Yarmouth	642	5	4	-	9	14.02	7	-	-	2	-
Otisfield	728	7	5	- 1	12	16.48	11	-	-	1	-
Portland	50,145	521	528	2	1,051	20.96	451	378	85	123	14
Pownal	592	4	6	-	10	16.89	7	1	1	1	-
Raymond	823	9	5	-	14	17.01	14	-	-	-	-
Searboro	1,865	7	22	-	29	15.55	19	5	1	4	-
Sebago	576	6	4	-	10	17.36	10	-	-	-	-
South Portland	6,287	73	53	-	126	20.04	89	19	5	11	2
Standish	1,504	13	17	-	30	19.95	27	_	1	1	1
Westbrook	7,283	102	83	-	185	25.40	68	69	26	20	2
Windham	1,929	20	16	-	36	18.66	33	2	-	1	-
Yarmouth	2,274	12	27	-	39	17.15	21	5	3	6	-
Total	100,689	1,058	1,006	2	2,066	20.52	1,106	588	146	208	23

No. 7—Continued. for the Year 1905. COUNTY.

									DEA	тня.			
	1	MARR	AGES.				Se	x.			atlvit	у.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
7	-	-	1	-	8	2	4	-	6	6	_	-	7.31
21	-	-	1	-	22	24	29	-	53	51	2	-	18.48
28	14	1	-	7	50	68	66	-	134	107	26	1	19.69
3	-	-	-	-	3	6	3	-	9	8	1	-	10.15
6	-	-	-	-	6	11	9	-	20	19	1	-	25.54
7	-	3	2	-	12	15	11	-	26	25	1	-	18.52
8	-	-	1	-	9	18	9	-	27	22	4	1	17.81
16	-	-	-	-	16	21	19	-	40	40	~	-	17.10
13	-	-	1		14	31	26	-	57	56	1	-	22.44
9	-	1	2	-	12	10	8	-	18	18	-	-	12.97
12	-	-	1	-	13	16	16	-	32	32	-	- 1	18.29
4	-	-		-	4	15	9	-	24	24	-	-	24.77
9	-	-	-	-	9	2	6	-	s	8	-	-	9.84
11	-	-	1	-	12	13	10	-	23	22	-	1	19.79
7	-	-	-	-	7	5	2	-	7	7	-	-	10.90
2	-	-	-	-	2	11	5	-	16	15	-	1	21.98
290	85	50	50	1,	476	461	476	1	938	685	217	36	18.71
2	-	1	-	- 1	3	9	6	-	15	14	1	- 1	25.34
7	-	-	-	- 1	7	9	7	-	16	16	-	-	19.44
9	-	1	-	-	10	13	13	-	26	24	2	-	13.94
5	-	-	-	- }	5	2	5	-	7	7	-	-	12.15
38	3	7	3	- 3	51	39	46	-	85	72	12	3	13.52
19	-	1	1	-	21	9	14	-	23	23	-	-	15.29
33	14	11	11	1	70	56	46	-	102	79	23	-	14.01
14	-	-	1	- 1	15	16	23	-	39	38	1	-	20.22
10	4	3	1	1	19	21	16	-	37	32	5	-	16.27
590	120	79	77	10	876	903	884	1	1,788	1,450	297	41	17.76

TABLE Births, Marriages, and Deaths
FRANKLIN

	1									NKI	=
					В	IRTHS	•				
				Sex.				Parer	itag	е.	
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both forelgn.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon	448	6	1	-	7.	15.63	7	-	-	-	-
Carthage	334	2	5	- 1	7	20.96	6	-	-	1	-
Chesterville	709	5	8	-	13	18.34	12	1	-	-	-
Eustis	436	8	5	-	13	29.82	9	2	2	-	-
Farmington	3,288	23	28	_	51	15.51	40	1	5	5	-
Freeman	397	2	6	-	8	20.15	7	-	1	-	-
Industry	553	4	5	-	9	16.27	9	-	-	-	-
Jay	2,758	52	48	-	100	36.26	19	60	14	7	-
Kingfield	693	8	6	-	14	20.20	11	-	1	2	-
Madrid	326	4	5	-	9	27.61	9	-	-	-	-
New Sharon	946	2	9	1	12	12.68	12	-	-	-	-
New Vineyard	584	7	3	-	10	17.12	9	-	-	1	-
Phillips	1,399	15	12	-	27	19.30	25	-	2	-	-
Rangeley	961	12	21	-	33	34.34	24	2	6	1	-
Salem	195	1	1	-	2	10.26	2	-	-	-	-
Strong	637	9	7	-	16	25.12	13	1	1	1	-
Temple	394	6	5	-	11	27.92	11	-	-	-	-
Weld	738	5	8	-	13	17.62	11	-	1	1	-
Wilton	1,647	30	21	-	51	30.97	43	1	2	3	2
Coplin Pl	70	2	1	-	3	42.86	3	-	-	-	-
Dallas Pl	172	2	7	-	9	52.33	7	-	1	-	1
Lang Pl	87	1	2	-	3	34.48	2	-	-	1	-
Rangeley Pl	98	2	-	-	2	20.41	2	-	-	-	-
Sandy River Pl	21	1	1	-	2	95.24	2	-	-	-	-
Perkins	63	2	3	-	5	79.37	5	-	-	-	-
Washington	20	1	-	-	1	50.00	1	-	-	-	-
No. 4, R. 3	33	1	-	-	1	30.30	1		_	-	_
Total	*18,007	213	218	1	432	23.99		68			1her

<sup>\*</sup>Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued. for the Year 1905.

COUNTY.

									DEA	THS.			
	1	MARR	AGES.				Se	x.		N	ativit	y.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign,	Not stated.	Death-rate per 1,000.
1	-	-	1	-	2	4	-	_	4	4	-	-	8.5
7	- 1	-	-	-	7	2	3	-	5	5	-	-	14.5
6	-	-	-	-	6	8	9	-	17	16	1	-	23.
s	-	-	-	-	8	1	4	-	5	4	-	1	11.
31	1	-	-	-	32	18	29	-	47	46	1	-	14.
6	-	-	-	-	6	5	2	-	7	7	-	-	17.
2	-	-	-	-	2	5	3	-	8	8	-	-	14.
7	10	1	4	-	22	17	21	-	38	′ 31	7	- 1	13.
4	-	-	-	-	4	3	8	-	11	11	-	-	15.
3	-	-	-	-	3	6	4	-	10	10	-	-	30.
7	-	-	-	-	7	10	7	-	17	17	-	-	17.
5	-	-	1	-	6	6	3	-	9	9	-	-	15.
16	1	2	-	~	19	11	8	-	19	19	-	-	13.
16	-	1	-	- !	17	4	8	-	12	11	-	1	12.
1	-	-	-	- 1	1	3	1		4	4	-	-	20.
7	-	-	-	-	7	4	6	-	10	9	1	-	15.
3	-	-	-	-	3	2	3	-	5	5	-	-	12.
3	-	-	-	-	3	7	4	-	11	11	-	-	14.3
15	-	-	1	-	16	23	13	-	36	34	. 1	1	21.5
1	-	-	-	-	1	-	-	-	-		-	-	-
1	- }	-	-	-	1	2	1	-	3	3	-	-	17.
-	-	-	-	-	-	- [	-	-	-	-	-	-	-
1	-	-	-	-	1	1	-	-	1	1	-	-	10.5
1	-	-	1	-	2	1	1	-	2	2	-	-	95.5
-	-	-	-	-	-	-	1	-	1	1	-	-	15.
1	-	-	-	-	1	-	1	-	1	1	-	-	50.6
_	-	-				-			-				
153	12	4	8	-	177	143	140	-	283	269	11	5	15.7

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Births, Marriages, and Deaths} \\ & \textbf{HANCOCK} \end{array}$ 

	-				I	BIRTHS	3.				_
				Sex.				Pare	ntag	е.	
Towns.	Population in 1966.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst	364	7	4	-	11	30.22	10	-	1	-	-
Aurora	152	1	2	-	3	19.74	3	-	-	-	-
Bluehill	1,828	10	15	-	25	13.68	25	-	-	-	-
Brooklin	936	9	7	-	16	17.09	15	-	-	1	-
Brooksville	1,171	14	9	-	23	19.64	23	-	-	-	-
Bucksport	2,339	17	17	-	34	14.54	30	-	2	1	1
Castine	925	13	11	-	24	25.95	23	-	-	-	1
Cranberry Isles	374	4	1	-	5	13.37	4	-	-	1	-
Dedham	327	2	2	-	4	12.23	3	-	1	-	-
Deer Isle	2,047	29	24	-	53	25.89	50	-	1	1	1
Eastbrook	248	1	1	-	2	8.06	2		-	-	-
Eden	4,379	45	41	2	88	20.10	63	11	6	5	3
Ellsworth	4,297	33	32	-	65	15.13	62	-	3	-	-
Franklin	1,201	16	9	-	25	20.82	24	-	-	1	-
Gouldsboro	1,259	9	9	-	18	14.30	16	-	1	1	-
Hancock	900	s	6	-	14	15.56	13	-	1	-	-
Isle au Haut	182	2	-	-	2	10.99	2	-	-	- 1	-
Lauroine	594	5	3	-	8	13.47	8	-	-	-	-
Mariaville	218	-	1	-	1	4.59	1	-	-	-	-
Mount Desert	1,600	16	15	-	31	19.38	28	-	2	-	1
Orland	1,251	11	8	-	19	15.19	18	-	-	-	1
Otis	152	4	1	-	5	32.89	5	-	-	-	-
Penobscot	1,156	10	15	-	25	21.63	23	-	1	-	1
Sedgwick	902	14	11	-	25	27.72	21	1	2	-	1
Sorrento	117	-	2	-	2	17.09	2	-	-	-	-
South West Harbor	-	9	8	-	17	-	13	2	1	1	-

No. 7—Continued. for the Year 1905.

COUNTY.

									DEA	THS.			
		MARR	IAGES				Se	x.		N	ativit	у.	
Both American	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
-	-	-	-	-	-	2	1	_	3	3	-	-	8.2
2	-	-	-	-	2	4	4	-	8	8	-	-	52.6
13	-	1	-	-	14	17	9	-	26	26	-	-	14.2
6	-	-	-	-	6	12	7	-	19	16	3	-	20.30
5	-	-	-	-	5	12	5	~	17	17	-	-	14.5
15	- 1	1	1	-	17	22	21	-	43	38	4	1	18.38
7	-	1	1	-	9	8	8	-	16	16	-	-	17.30
3	-	-	-	-	3	1	-	-	1	1	-	-	2.67
-	-	-	-	-	-	1	3	-	4	3	1	-	12.29
21	-	1	-	-	22	13	14	-	27	27	-	-	13.19
1	- !	-	-	-	1	2	-	-	2	2	-	-	8.06
48	1	3	4	-	56	25	27	-	52	42	7	3	11.87
42	-	2	1	-	45	34	32	-	66	56	8	2	15.36
15	-	1	1	-	17	9	11	-	20	18	2	-	16.65
9	-	-	-	-	9	3	6	-	9	7	1	1	7.15
11	-	-	-	-	11	13	6	-	19	19	-	-	21.11
2	-	- i	-	-	2	-	2	- i	2	2	-	-	10.99
5	-	-	1	-	6	4	10	- 1	14	14	-	-	23.57
2	-	-	-	-	2	2	1	-	3	3	-	-	13.76
9	-	2	1	-	12	14	5	-	19	19	-	-	11.88
11	-	-	-	-	11	9	13	- }	22	22	-	-	17.59
3	-	-	-	-	3	2	-	-	2	2	-	-	13.16
6	-	~	-	-	6	12	14	-	26	26	-	-	22.49
6	-	-	-	-	6	6	5	-	11	11	-	-	12.20
3	-	-	-	-	3	-	-	-	-	-	-	-	-
6	-	-	-	-	6	2	7	-	9	s	1	-	-

TABLE
Births, Marriages, and Deaths
HANCOCK

					]	BIRTH	3.				
				Sex.				Parei	ntag	e.	
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Stonington	1,648	23	25	-	48	29.13	31	11	5	1	_
Sullivan	1,034	15	14	-	29	28.05	19	2	4	4	-
Surry	900	12	14	-	26	28.89	26	-	-	-	-
Swan's Island	758	11	7	-	18	23.75	16	-	2	-	-
Tremont	2,010	19	16	-	35	17.41	33	-	1	1	-
Trenton	459	4	7	-	11	23.97	10	-	-	1	-
Verona	234	2	-	-	2	8.55	2	-	-	-	-
Waltham	192	1	1	-	2	10.42	2	-	-	-	~
Winter Harbor	571	8	3	-	11	19.26	8	-	-	2	1
Long Island Pl	174	2	2	-	4	22.99	2	-	1	-	1
No. 21 Pl	58	1	-	-	1	17.24	1	-	-	-	-
No. 33 Pl	82	1	-	-	1	12.20	1	-	-		_
Total	*37,039	388	343	2	733	19.79	638	27	35	21	12

<sup>\*</sup>Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued. for the Year 1905. COUNTY—CONCLUDED.

			THS.	DEA									
	y.	ativity	Na		х.	Se				AGES.	d arri	. N	
Death-rate per 1,000.	Not stated.	Foreign.	American.	Total.	Not stated.	Female.	Male.	Total.	Not stated.	Wife American.	Husband American.	Both foreign.	Both American.
16.3	- 1	-	27	27	-	17	10	22	-	4	-	-	18
14.5	~	-	15	15	-	8	7	4	-	-	-	-	4
20.0	_ '	-	18	18	-	10	8	9:	-	-	-	-	9
7.9	-	-	6	6	-	2	4	7	-	-	-	-	7
7.9	-	-	16	16	-	7	9	7	-	-	-	-	7
26.1	-	-	12	12	-	5	7.	4	-	-	-	-	4
4.2	-	-	1	1	-	1	-	1	-	-	-	- 1	1
5.2	-	-	1	1	-	-	1	2	~	-	-	- }	2
7.0	-	-	4	4	-	-	4	3	-	-	-	-	3
17.2	-	-	3	3	-	-	3	2	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	- 1	-
12.20	-	-	1	1	-	1	-	2	-	-	-	-	2
14.69	7	27	510	544	-	262	282	337	_	16	12	1	308

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Births, Marriages, and Deaths} \\ \textbf{KENNEBEC} \end{array}$ 

	1				P	IRTHS					
	Population in 1900,			1	Parentage.						
TOWNS.		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated
Albion	878	5	6	-	11	12.53	11	-	-	-	_
Augusta	11,683	137	113	1	251	21.48	134	76	17	21	
Belgrade	1,058	9	8	-	17	16.07	14	-	2	1	-
Benton	1,097	10	s	-	18	16.41	14	1	3	1	
Chelsea	3,092	12	3	-	15	4.85	12	-	2	1	-
China	1,380	14	13	-	27	19.57	25	-	2	-	-
Clinton	1,398	7	8	1	16	11.44	13	2	1	-	-
Farmingdale	848	8	6	-	14	16.51	10	2	2	-	-
Fayette	560	5	5	-	10	17.86	9	1	-	-	-
Gardiner	5,501	55	51	-	106	19.27	73	15	7	11	
Hallowell	2,714	24	20	_	44	16.21	29	6	7	2	
Litchfield	1,057	6	5	-	11	10.41	10	-	1	-	
Mauchester	518	5	4	_	9	17.37	7	-	1	1	
Monmouth	1,236	18	8	-	26	21.04	18	5	1	2	
Mount Vernon	906	10	5	-	15	16.56	14	-	1	- 1	
Oakland	1,913	17	15	-	32	16.73	25	2	1	4	
Pittston	1,177	7.	10	-	17.	14.44	13	2	-	2	
Randolph	1,077	12	11	_	23	21.36	9	7	4	3	
Readfield	994	7	5	-	12	12.07	10	2	_	-	
Rome	420	8	8	-	16	38.10	16	-	-	-	
Sidney	1,068	10	4	-	14	13.11	14	-	-	-	
Vassalboro	2,062	15	14	_	29	14.06	22	1	3	2	
Vienna	406	5	3	_	ŝ	19.70	. 7	-	-	_	
Waterville	9,477	145	145	_	290	30.60	102	91	51	43	
Wayne	707	9	8	_	17	27.05	16	_	_	1	

No. 7—Continued. for the Year 1905. COUNTY.

							DEATH8.									
MARRIAGES.						Se	x.		Nativity.							
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Maie.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.			
7	-	-	-	-	7	11	4	-	15	15	-	-	17.1			
85	15	8	7	6	121	151	133	-	284	217	51	16	24.3			
s	-	-	-	-	8	9	13	-	22	21	1	-	20.7			
10	-	-	-	-	10	16	12	-	28	26	2	-	25.5			
12	ı	2	-	-	15	7	5	~	12	11	1	-	3.8			
13	-	-	1	-	14	9	16	-	25	23	2	-	18.1			
14	-	-	-	-	14	17	14	-	31	28	3	-	22.1			
3	-	-	-	-	3	5	8	-	13	12	1	-	15.3			
1	-	-	-	-	1	9	6	-	15	14	-	1	26.7			
42	-	6	2		50	54	46	-	100	92	$\mathbf{s}$	-	18.1			
17	1	-	- 1	-	18	22	20	-	42	33	7	2	15.4			
4	-	-	-	-	4	8	7	-	15	14	1	- 1	14.1			
$\overline{2}$	-	-	-	-	2	5	5	-	10	s	2	-	19.3			
9	-	1	-	-	10	13	11	-	24	24	-	-	19.4			
6	-	-	-	- 1	6	12	7	-	19	19	-	-	20.9			
20	-	1	-	-	21	19	22	-	41	39	2		21.4			
12	-	1	-	. 1	14	s	12	-	20	18	2	-	16.9			
4	2	-	-	-	6	9	13	-	22	20	2	-	20.4			
9	-	-	-	-	9	7	7	-	14	13	1	-	14.0			
4	-	1	-	-	5	4	4	-	8	8	-	-	19.0			
8	-	-	-	-	8	15	15	-	30	28	2	-	28.0			
13	41	6	1	-	24	19	22	-	41	38	3	-	19.8			
5	-	-	- 1	-	5	7	3	-	10	10	~	-	24.6			
52	21	15	13	2	103	78	63	-	141	110	26	5	14.8			
3	-	1	- 1	-	4	8	10	-	18	17	1	-	25.40			

TABLE
Births, Marriages, and Deaths
KENNEBEC

Towns.	Population in 1900.	Віктнѕ.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
West Gardiner	693	7	5	-	12	17.32	9	2	-	1	_
Windsor	782	2	1	-	3	3.84	3	-	-	-	
Winslow	2,277	38	34	-	72	31.62	19	43	7	3	-
Winthrop	2,088	22	20	-	42	20.11	30	11	-	1	~
Unity P1	50	-	-	-	-	-	-	-	-	- }	-
Togus	-	-	-	-	-	- 1	-	-	-	- 1	-
Total	59,117	629	546	2	1,177	19.91	688	269	111	100	9

No. 7—Continued. for the Year 1905. COUNTY-CONCLUDED.

									DEA	THS.			
		MARR	IAGES	•			Se	х.		N	ativit	y.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
4	-	-	-	-	4	6	7	-	13	12	1	- [	18.7
4	-	-	-	-	4	11	5	-	16	16	-	-	20.4
13	6	3	3	-	25	16	22	-	38	31	7	-	16.6
10	3	1	-	-	14	20	19	-	39	35	4	-	18.6
-	-	-	-	-	-	1	-	-	1	1	-	-	20.0
-	-	-	-	-	-	8	-	-	s	8	-	-	-
394	53	46	27	9	529	584	531	_	1,115	961	130	24	18.8

					В	IRTHS					=
	-			Sex.				Paren	tage		_
Towns.	Population in 1300.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton	975	s	9	_	17	17.44	17	-	-	-	-
Camden	2,825	26	24	-	50.	17.70	46	1	2	1	-
Cushing	604	1	7	-	8	13.25	7	1	-	-	-
Friendship	814	4	6	-	16	12.29	10	-	-	-	-
Норе	599	4	3	-	7	11.69	5	-	1	-	1
Hurricane Isle	257	5	4	-	9	35.02	2	7	-	-	-
North Haven	551	5	4	-	9	16.33	8	1	-	-	-
Rockland	8,150	72	69	-	141	17.31	102	16	10	12	1
Rockport	2,314	21	21	-	42	18.15	35	1	2	3	1
St. George	2,206	24	12	-	36	16.32	17	13	3	3	-
South Thomaston	1,426	10	5	-	15	10.52	11	1	1	-	2
Thomaston	2,688	10	13	-	23	8.56	16	2	2	3	-
Union	1,248	12	5	-	17	13.62	15	-	1	1	-
Vinalhaven	2,358	21	24	-	45	19.08	34	€	2	3	-
Warren	2,069	13	9	-	22	10.63	19	2	-	-	1
Washington	1,019	6	6	-	12	11.78	12	-	-	-	-
Criehaven Pl	47	1	-	-	1	21.28	1	-	-	-	-
Matinicus Isle Pl	184	-	1	-	1	5.43	1	_	_	-	
Total	*30,334	243	222	-	465	15.33	358	5	24	1 26	6

<sup>\*</sup>Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued. for the Year 1905.

Sex.   Nativity.										DEA	THS.			
4         -         -         -         4         3         10         -         13         13         -         -         2           28         2         1         1         -         32         14         17         -         31         29         -         2           7         -         -         -         7         7         7         -         -         -         2           4         -         1         -         -         5         9         8         -         17         17         -         -           5         -         -         -         -         5         5         5         7         -         12         12         -         -         -         2         2         2         -         -         -         2         2         -         -         -         -         2         10         8         -         2         -         -         -         2         -         -         -         2         -         -         -         2         -         -         -         2         -         -         -         2		1	MARR	IAGES.				Se	x.		N	ativit	у.	
28         2         1         1         -         32         14         17         -         31         29         -         2           7         -         -         -         7         3         4         -         7         7         -         -         -           4         -         1         -         -         5         9         8         -         17         17         -         -         -         -         -         -         12         12         -         -         -         -         -         -         -         12         12         -         -         -         -         -         12         12         -         -         -         -         -         -         12         12         -         -         -         -         -         -         12         12         -	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
7         -         -         -         -         7         3         4         -         7         7         -	4	-	-	-	-	4	3	10	-	13	13	-	-	13.3
4         -         1         -         -         5         9         8         -         17         17         -	28	2	1	1	-	32	14	17	-	31	29	-	2	10.9
5         -         -         -         -         5         5         7         -         112         12         -         -         -         -         2         -         2         2         -	7	-	-	-	-	7	3	4	-	7	7	-	-	11.8
2         1         -         -         -         3         -         2         -         2         2         2         -         -         2           2         -         -         -         -         2         5         5         -         10         8         -         2           72         6         5         9         -         92         73         79         -         152         135         16         2           7         1         1         -         -         9         18         14         -         32         31         1         -           20         4         -         1         -         25         19         11         -         30         27         3         -           10         2         -         -         -         12         11         9         -         20         19         1         -           16         2         -         -         -         18         24         22         -         46         40         4         2           13         -         -         -         13	4	-	1	-	-	5	9	8	-	17	17	-	-	20.8
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	5	-	-	-	-	5	5	7	-	12	12	-	-	20.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2	1	-	-	-	3	-	2	-	2	2	-	-	7.7
7 1 1 1 - 9 18 14 - 32 31 1 - 20 4 - 1 - 25 19 11 - 30 27 3 - 10 2 12 11 9 - 20 19 1 - 16 2 18 24 22 - 46 40 4 2 13 13 7 12 - 19 18 1 - 18 4 1 1 - 24 26 19 - 45 37 8 - 21 - 1 - 22 16 15 - 31 30 1 - 7 - 1 - 8 6 2 - 8 8 1 1 - 1 - 1 - 8	2	-	-	-	-	2	5	5	-	10	s	-	2	18.1
20         4         -         1         -         25         19         11         -         30         27         3         -           10         2         -         -         -         12         11         9         -         20         19         1         -           16         2         -         -         -         18         24         22         -         46         40         4         2           13         -         -         -         -         13         7         12         -         19         18         1         -           18         4         1         1         -         24         26         19         -         45         37         8         -           21         -         1         -         -         22         16         15         -         31         30         1         -           7         -         1         -         -         8         6         2         -         8         8         -         -           1         -         -         -         -         -         -	72	6	5	9	-	92	73	79	-	152	135	15	2	18.6
10     2     -     -     -     12     11     9     -     20     19     1     -       16     2     -     -     -     18     24     22     -     46     40     4     2       13     -     -     -     -     13     7     12     -     19     18     1     -       18     4     1     1     -     24     26     19     -     45     37     8     -       21     -     1     -     -     22     16     15     -     31     30     1     -       7     -     1     -     -     8     6     2     -     8     8     -     -       1     -     -     -     1     -     -     -     -     -     -     -	7	1	1	-	-	9	18	14	-	32	31	1	-	13.8
16     2     -     -     -     18     24     22     -     46     40     4     2       13     -     -     -     -     13     7     12     -     19     18     1     -       18     4     1     1     -     24     26     19     -     45     37     8     -       21     -     1     -     -     22     16     15     -     31     30     1     -       7     -     1     -     -     8     6     2     -     8     8     -     -       1     -     -     -     1     -     -     -     -     -     -		4	-	1	-	25	19	11	-	30	27	3	-	13.6
13     -     -     -     -     13     7     12     -     19     18     1     -       18     4     1     1     -     24     26     19     -     45     37     8     -       21     -     1     -     -     22     16     15     -     31     30     1     -       7     -     1     -     -     8     6     2     -     8     8     -     -       1     -     -     -     1     -     -     -     -     -     -		2	- [	-	-	12	11	9	-	20	19	1	-	14.0
18     4     1     1     -     24     26     19     -     45     37     8     -       21     -     1     -     -     22     16     15     -     31     30     1     -       7     -     1     -     -     8     6     2     -     8     8     -     -       1     -     -     -     1     -     -     -     -     -     -		2	-	-	-	18	24	22	-	46	40	4	2	17.1
21 - 1 - 22 16 15 - 31 30 1 - 7 - 1 - 8 6 2 - 8 8 - 1 1 - 7 - 1 - 7 - 1 - 7 - 7 - 7 - 7 -		-	-	-	-	i			-	19		1	-	15.2
7 - 1 - 8 6 2 - 8 8 1 1 - 1 - 1 - 1		4	1	1	~			}	-		- 1	8	-	19.0
1 1		-	- 1	-	-				-	!	- 1	1	-	14.9
		-	1	-	-		6	2	-	8	8	-	-	7.8
	1	-	- }	-	-	1	-	-	-	-	-	-	-	-
	_ -						1	2		3	3			16.3

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Births, Marriages, and Deaths} \\ \textbf{LINCOLN} \end{array}$ 

						-		No.			_
					I	BIRTHS	3.				
				Sex.				Pare	ntag	e.	
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna	444	2	5	-	7	15.77	7	-	-	-	-
Boothbay	1,766	21	20	-	41	23.22	40	-	-	1	-
Boothbay Harbor	1,926	22	26	1	49	25.44	44	-	2	3	-
Bremen	657	6	6	-	12	18.26	10	-	1	1	-
Brlstol	2,572	28	29	-	57	22.16	54	1	2	-	-
Damariscotta	876	8	4	-	12	13.70	12	-	-	-	-
Dresden	882	7	9	-	16	18.14	15	-	1	-	-
Edgecomb	607	1	3	-	4	6.59	3	-	-	1	-
Jefferson	1,155	8	7	-	15	12.99	14	-	1	-	-
Newcastle	1,075	11	7	-	18	16.74	17	~	-	1	-
Nobleboro	810	6	5	-	11	13.58	9	-	-	2	-
Somerville	374	3	5	-	8	21.39	7	-	-	1	-
Southport	527	4	5	-	9	17.08	7	-	-	2	-
Waldoboro	3,145	23	21	-	44	13.99	39	-	3	1	1
Westport	330	-	1	-	1	3.03	1	-	-	-	-
Whitefield	1,156	9	4	-	13	11.25	11	-	1	1	-
Wiscasset	1,273	18	10	-	28	22.00	24	1	1	2	-
Monhegan Pl	94	-	-	-	-	-	-	-	-	-	-
Total	19,669	177	167	1	345	17.54	314	2	12	16	1

No. 7—Continued. for the Year 1905. 1759936

									DEA	THS.			
		MARR	IAGES.				Se	X.		N	ativit	y .	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated,	Death-rate per 1,000.
2	-	-	-	-	2	3	3	-	6	в	-	_	13.51
9	-	-	-	-	9	15	10	-	25	23	1	1	14.16
11	-	2	-	2	15	13	7	-	26	20	-	-	10.38
4	-	-	-	-	4	6	3	-	9	9	-	-	13.70
17	-	-	-	-	17	15	11	-	26	26	-	- 1	10.11
4	-	-	-	-	4	12	7.	-	19	19	-	-	21.69
4	-	-	-	-	4	3	1	-	4	4	-	-	4.54
2	-	-	-	-	2	6	6	-	12	12	-	-	19.77
10	-	-	-	-	10	12	6	-	18	16	2	-	15.58
7	-	-	1	-	8	6	6	-	12	11	1	-	11.16
5	-	-	-	-	5	4	- 1	-	4	4	-	-	4.94
2	-	-	-	-	2	4	4	-	8	s	- [	-	21.39
1	-	-	-	-	1	6	4	-	10	9	1	-	18.98
19	-	-	-	-	19	23	15	-	38	37	1	-	12.08
-	-	-	-	-	-	4	2	-	6	5	1	-	18.18
9	-	-	-	-	9	12	14	-	26	22	4	-	22.49
5	-	1	-	-	6	11	14	-	25	25	-	-	19.64
	-	-				1	-		1	1			10.64
111	-	3	1	2	117	156	113	-	269	257	11	1	13.68

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Births, Marriages, and Deaths} \\ & oxford \end{array}$ 

					F	BIRTHS	3.				
				sex.				Pare	ntag	e.	
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany	538	4	5	-	9	16.73	7	_	2	-	_
Andover	727	6	10	-	16	22.01	18	2	1	-	-
Bethel	1,835	22	16	_	38	20.71	33	4	1	-	-
Brownfield	1,019	6	11	-	17	16.68	16	-	1	-	-
Buckfield	1,139	4	7		11	9.66	9	-	1	1	-
Byron	204	3	2	-	5	24.51	3	-	1	1	-
Canton	946	7	9	-	16	16.91	12	2	2	-	-
Denmark	634	7	6	-	13	20.50	11	1	1	- 1	-
Dixfield	1,052	11	8	-	19	18.06	18	1	-	-	-
Fryeburg	1,376	18	6	1	25	18.17	21	1	1	2	-
Gilead	340	1	2	-	3	8.82	3	-	-	-	-
Grafton	81	-	-	- :	-	-	-	-	-	-	-
Greenwood	741	6	14	-	20	26.99	18	2	-	-	-
Hanover	214	2	-	-	2	9.35	2	-	-	-	-
Hartford	660	7	9	-	16	24.24	10	4	1	-	1
Hebron	494	2	1	- 1	3	6.07	2	-	-	-	1
Hiram	1,015	11	4	-	15	14.78	15	-	-	-	-
Lovell	693	7	7	_	14	20.20	13	-	1	-	-
Mason	67	3	1	-	4	59.70	3	-	1	-	-
Mexico	816	29	33	-	62	75.98	19	31	4	7	1
Newry	286	2	3	-	5	17.48	3	-	-	2	-
Norway	2,902	32	35	-	67	23.09	41	9	10	6	1
Oxford	1,331	15	15	-	30	22.54	25	-	4	1	-
Paris	3,225	32	29	-	61	18.91	49	6	3	3	-
Peru	773	6	3	_	9	11.64	7	1	-	1	-

No. 7—Continued. for the Year 1905.

									DEA	THS.			
	1	M∡RRI	AGES.				Se	x.		Na	ativit;	у.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Peath-rate per 1,000.
3	-	-	-	-	3	4	2	-	6	6	-	-	11.1
6	1	2	1	-	10	3	6	-	9	s	-	1	12.3
17	-	-	-	-	17	20	19	-	39	35	4	-	21.2
7	-	1	-	-	s	11	4	-	15	15	-	-	14.7
7	-	-	-	-	7	12	17	-	29	29	-	-	25.4
2	-	-	-	-	2	1	-	-	1	1	-	-	4.9
2	-	-	2	-	4	7	3	-	10	9	1	-	10.5
3	-	-	- 1	-	3	5	9	-	14	13	1	-	22.0
10	-	-	1	-	11	s	12	-	20	19	1	-	19.0
12	-	- !	-	-	12	11	7	-	18	17	1	-	13.0
-	-	-	-	-	-	4	2	-	6	6	-	-	17.6
2	-	-	-	-	2	-	2	-	2	2	-	-	24.€
11	-	-	-	-	11	3	5	-	8	8	-	-	10.8
1	-	-	-	-	1	1	2	-	3	3	-	-	14.0
4	-	-	1	-	5	1	6	~	7	7	-	-	10.6
2	- j	-	- j	-	2	2	1	-	3	3	- 1	- 1	6.6
6	-	-	-	-	6	8	6	-	14	13	1	-	13.7
6	-	-	-	-	6	8	4	-	12	11	1	-	17.3
-	-	-	-	-	-	-	2	-	2	2	-	- 1	29.8
10	2	4	4	-	20	5	9	-	14	14	-	-	17.1
1	-	-	-	-	1	2	2	-	4	4	-	-	13.9
22	2	-	1	-	25	23	13	-	36	33	3	- 1	12.4
7	-	-	2	-	9	12	9	-	21	20	1	-	15.7
41	4	-	2	-	47	22	26	-	48	47	1	-	14.8
10	-	-	-	-	10	3	5	_	s	7	1	-	10.3

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Births, Marriages, and Deaths} \\ \textbf{OXFORD} \end{array}$ 

						BIRTH	8.				
				sex.				Pare	ntag	e.	
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Porter	886	10	12	-	22	24.83	20	i	-	1	-
Roxbury	238	3	2	-	5	21.01	4	1	-	-	-
Rumford	3,770	109	104	_	213	56.50	63	108	27	18	2
Stoneham	284	3	8	-	6	21.13	6	-	-	-	-
Stow	270	2	1	- 1	3	11.11	2	-	1	-	-
Sumner	802	7	12	-	19	23.69	18	-	1	-	-
Sweden	282	-	3	-	3	10.64	3	-	-	-	-
Upton	242	3	3	-	6	24.79	4	1	1	-	-
Waterford	917	4	8	-	12	13.09	11	-	1	-	-
Woodstock	816	8	8	-	16	19.61	14	-	1	1	-
Lincoln Pl	73	1	-	-	1	13.70	1	-	-	-	-
Magalloway Pl	77	-	1	-	1	12.99	1	-	-	-	-
Milton Pl	202	1	4	_	5	24.75	5	-	-	-	-
Total	*31,967	394	397	1	792	24.78	505	175	67	39	6

<sup>\*</sup>Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued. for the Year 1905. COUNTY-CONCLUDED.

									DE	ATHS.			
	Both foreign.						Se	x.		N	ativit	у.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
7	-	1	-	-	8	7	7	-	14	14	-	-	15.8
2	1	-	1	-	4	1	2	-	3	2	1	-	12.6
33	31	6	20	-	90	44	29	-	73	57	15	1	19.36
2	-	-	-	-	2	1	-	~	1	1	-	-	3.5
4	-	-	-	-	4	2	2	-	4	4	-	-	14.8
16	-	1	-	-	17	7	11	-	18	18	-	-	22.4
-	-	-	-	-	-	3	5	-	s	8	- [	-	28.37
4	-	1	-	-	5	2	2	-	4	4	-	-	16.5
4	-	-	- [	-	4	10	10	-	20	20	-	-	21.81
6	-	-	-	-	6	7	2	-	9	9	- }	-	11.08
-	-	-	-		-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	-	-	-	-	-	- [	-	-
5		-	1	1	- 7	2	1		3	3			14.85
277	41	16	36	1	371	262	244	-	506	472	32	2	15.88

 $\begin{tabular}{ll} TABLE \\ Births, Marriages, and Deaths \\ & & PENOBSCOT \\ \end{tabular}$ 

					В	IRTHS					
				Sex.				Parei	atag	e.	
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton	314	-	-	-	-	-	-	-	-	-	-
Argyle	320	2	3	- 1	5	15.63	4	-	-	1	-
Bangor	21,850	156	154	1	311	14.23	146	78	36	48	3
Bradford	954	7	9	-	16	16.77	15	-	-	1	-
Bradley	682	4	3	-	7	10.26	3	2	1	1	-
Brewer	4,835	73	75	-	148	30.61	80	46	14	6	2
Burlington	394	7	4	-	11	27.92	10	-	-	1	-
Carmel	932	9	12	-	21	22.53	19	1	-	-	1
Carroll	487	5	3	-	8	16.43	7	-	1	-	-
Charleston	842	4	7	-	11	13.06	11	-	-	-	-
Chester	363	4	7	-	11	20.30	10	-	-	1	-
Clifton	236	1	3	-	4	16.95	4	-	-	-	-
Corinna	1,170	5	6	-	11	9.40	8	1	1	1	-
Corinth	1,042	10	6	-	16	15.36	16	-	-	-	-
Dexter	2,941	57	39	-	96	32.64	58	15	12	11	-
Dixmont	843	7	9	-	16	18.98	16	-	-	-	-
Eddington	663	2	3	-	5	7.54	5	-	-	-	-
Edinburg	65	-	-	-	-	-	-	-	-	-	-
Enfield	1,062	9	18	-	27	25.42	14	5	6	2	-
Etna	527	5	4	-	9	17.08	8	1	-	-	-
Exeter	879	6	3	-	9	10.24	-9	-	-	-	-
Garland	857	1	6	-	7	8.17	7	-	-	-	-
Glenburn	461	4	4	-	8	17.35	8	-	-	-	-
Greenbush	586	6	3	-	9	15.36	6	1	ı -	2	-
Hampden	2,182	13	16	-	29	13.29	25	1	1	2	-
Hermon	1,183	6	14	-	20	16.91	18	-	-	2	-

No. 7—Continued. for the Year 1905.

									DEA	THS.			
	1	MARRI	IAGES				Se	х.		N	ativity	y.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
5	-	-	-	-	5	3	2	_	5	4	1	-	15.
-	-	-	-	1	1	1	2	-	3	3	-	-	9.5
148	22	22	29	2	223	204	215	-	419	313	76	30	19.1
10	-	-	-	-	10	11	12	-	23	22	1	-	24.
9	-	-	-	-	9	6	4	-	10	s	2	-	14.6
35	7	6	8	-	56	52	36	-	88	79	8	1	18.5
1	-	-	-	-	1	4	1	-	5	5	-	-	12.
4	- İ	1	-	-	5	9	9	-	18	16	2	-	19.3
$\mathbf{s}$	-	-	-	-	s	5	7	-	12	12	-	-	24.
7	-	-	- 1	-	$\tau_{i}^{\prime}$	8	8	-	16	15	1	-	19.0
3	-	-	1	-	4	1	2	-	8	3	-	-	8.9
1	-	1	-	-	2	1	1	-	2	2	-	-	8.
13	-	2	-	-	15	13	13	-	26	22	3	1	22.5
9	-	-	-	-	9	11	11	-	22	22	-	-	21.1
29	3	3	1	-	36	22	29	-	51	46	5	-	17.8
5	-	-	-	-	5	9	5	-	14	14	-	-	16.6
3	-	-	-	-	3	5	2	-	7	7	-	-	10.5
1	-	-	-	-	1	-	-	-	-	-	-	-	-
5	-	1	4	-	10	1	5	~	6	6	-	-	5.6
6		1	-	-	7	2	4	-	6	5	-	1	11.3
6	-	-	-	-	6	9	4	-	13	13	-	-	14.7
4	-	-	-	-	4	5	8	-	13	12	1	-	15.1
4	-	-	- [	-	4	3	4	-	7	7	-	-	15.1
5	-	-	-	-	5	7	3		10	10	-	-	17.0
10	-	1	-	-	11	18	31	-	49	46	2	1	22.4
7	1	1	1	-	10	ь	9	-	17	16	1	-	14.3

. TABLE Births, Marriages, and Deaths  $$\operatorname{\mathtt{PENOBSCOT}}$$ 

					I	BIRTHS	i.				
				Sex.				Pare	ntag	e.	_
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Holden	602	3	6	-	9	14.95	5	2	2	-	_
Howland	519	2	8	-	10	19.27	8	1	1		-
Hudson	430	2	3	-	5	11.63	5	-	-	-	-
Kenduskeag	423	6	9	-	15	35.46	11	1	-	3	~
Kingman	936	16	10	-	26	27.78	10	5	7	4	-
Lagrange	574	5	7	-	12	20.91	9	1	-	2	-
Lee	801	10	12	-	22	27.47	19	1	1	1	-
Levant	789	10	5	-	15	19.01	13	1	-	1	-
Lincoln	1,731	35	26	-	61	35.24	38	11	8	3	1
Lowell	300	3	3	-	6	20,00	6	-	-	-	-
Mattawamkeag	527	8	4	_	12	22.77	9	1	2		-
Maxfield	115	1	-	-	1	8.70	1	-	-	-	-
Medway	297	5	4	_	9	30.30	6	-	2	-	1
Milford	838	6	10	-	16	19.09	12	1	2	1	-
Millinocket	1,144	55	5*	-	114	99.65	38	46	20	10	
Mt. Chase	299	2	4	-	6	20.07	6	-	-	-	_
Newburgh	734	4	-	-	4	5.45	4	-	-	- 1	-
Newport	1,533	10	7	_	17	11.09	13	1	1	1	1
Old Town	5,763	92	95	-	187	32.45	79	61	25	22	-
Orono	3,257	45	54	-	99	30.40	33	41	16	8	1
Orrington	1,266	11	14	-	25	19.75	22	1	1	1	-
Passadumkeag	409	4	2	-	6	14.67	4	_	2	-	_
Patten	1,172	-	-	-	-	-	-	-	-	-	-
Plymouth	658	4	3		7	10.64	7	-	-	-	-
Prentiss	502	7	6	-	13	25.90	9	_	2	2	-

No. 7—Continued. for the Year 1905. COUNTY-CONTINUED

						_			DEA	THS.			
	2	MARRI	IAGES.				Se	ex.		N	ativity	7.	
Both American.	Both foreign.	-   -   -	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.		
3	-	-	-	-	3	4	1	-	5	4	1	-	8.3
5	-	3	1	-	9	2	4	-	6	5	1	-	11.5
5	-	-	-	-	5	1	4	-	5	4	1	-	11.6
4	-	-	- :	-	4	6	2	-	8	7	1	-	18.9
3	-	-	-	-	3	6	7	-	13	12	1	-	13.8
2	-	-	1	-	3	7	2	-	9	8	1	-	15.6
3	-	-	-	-	3	s	5	-	13	13	-	-	16.5
3	-	-	-	-	3	3	3	-	6	6	-	-	7.6
18	3	1	2	-	24	21	12	-	33	31	2	-	19.0
2	-	1	-	-	3	2	1	-	3	2	1	-	10.0
2	-	-	- :	-	2	1	1	-	2	-	1	1	3.8
2	-	-	-	-	2	-	-	-	-	-		-	-
1	-	-	1	-	2	3	-	-	3	2	1	-	10.1
3	-	-	-	-	3	3	9	-	12	9	2	1	14.3
12	8	5	7	-	32	11	5	-	16	9	7	-	13.9
3	-	-	-	-	3	3	4	-	7	7	-	-	23.4
7	1	- j	-	-	s	4	12	-	16	16	-	-	21.8
18	3	2	1	-	24	10	14	-	24	24	-	- 1	15.6
32	2	8	13	-	55	89	46	-	135	107	26	2	23.4
14	8	6	5	-	33	23	21	-	44	30	14	-	13.5
8	-	-	-	-	8	10	14	-	24	24	-	-	18.9
6	-	-	-	1	7	4	4	-	8	7	1	-	19.5
2	-	1	-	-	3	-	-	-	-	-	-	-	-
5	-	-	-	~	5	9	4	-	13	13	-	-	19.7
2	-	-	-	_	2	2	5	_	7	7	-	_	13.9

TABLE
Births, Marriages, and Deaths
PENOBSCOT

					I	BIRTHS	3.				
				Sex.				Parei	ntag	e.	
TOWNS.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Springfield	532	9	7	-	16	30.08	13	-	1	2	-
Stetson	503	5	5	-	10	19.88	8	-	1	1	-
Veazie	555	3	2	-	5	9.01	4	-	-	1	
Winn	688	8	2	-	10	14.53	6	2	1	1	-
Woodville	160	1	-	-	1	6.25	1	-	-	-	-
Drew P1	120	1	-	-	1	8.33	1	-	-	-	-
Grand Falls Pl	52	-	-	-	-	-	-	-	-	-	-
Lakeville Pl	129	-	1	-	1	7.75	1	-	-	-	-
Seboels Pl	96	3	1	-	4	41 67	4	-	-	-	-
Stacyville Pl	347	7	5	-	12	34.58	8	2	2	-	-
Webster Pl	124	3	2	-	5	40.32	3	-	2	-	-
No. 1, R. 7	42	1	-	-	1	-	-	-	1	-	-
Indian Township	-	-	-	-	-	-	-	-	-	-	-
Totai	*75,637	790	787	1	1,578	20.86	923	330	172	143	10

<sup>\*</sup> Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued. for the Year 1905. COUNTY-CONCLUDED.

									DEA	THS.			
	1	MARRI	AGES.				Se	х.		N	ativit	у.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
4	-	-	-	-	4	4	3	-	7	7	-	-	13.16
2	-	-	-	-	2	6	2	-	8	8	-	-	15.90
6	-	-	-	-	6	4	9	-	13	9	3	1	23.42
4	-	-	-	-	4	4	4	-	8	6	1	1	11.63
-	-	-	-	-	*-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	1	-	-	1	1	-	-	8 33
1	~	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	2	-	-	15.50
-	-	-	-	-	-	1	-	-	1	1	-	-	10.42
2	1	-	-	-	3	2	1	-	3	3	-	-	8.65
3	-	-	-	-	3	-	1	-	1	1	-	-	8.06
1	-	-	-	-	1	1	1	-	2	1	-	1	47.61
-	-	-	-	-	-	2	-	-	2	-	2	-	-
528	59	66	75	4	732	676	629	-	1,305	1,094	170	41	17.25

TABLE
Births, Marriages, and Deaths
PISCATAQUIS

					I	BIRTHS	3.				
				Sex.		4		Parei	ıtag	е.	
Towns.	Population in 1900,	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot	716	3	6	-	9	12.57	7	1	-	1	-
Atkinson	495	5	2	- }	7	14.14	7	-	-	-	-
Blanchard	248	-	2	-	2	8.06	2	-	-	-	-
Brownville	1,570	22	32	-	54	34.39	28	11	10	4	1
Dover	1,889	21	18	-	39	20.65	35	2	1	1	-
Foxeroft	1,629	16	13	1	30	18.42	21	1	4	4	-
Greenville	1,117	21	25	-	46	41.18	21	17	5	3	-
Guilford	1,544	12	23	-	35	22.67	28	4	1	2	-
Medford	282	-	1	-	1	3.55	1	-	-	-	-
Milo	1,150	16	12	-	28	24.35	25	-	1	2	-
Monson	1,116	7	13	-	20	17.92	7	9	1	2	1
Orneville	325	5	2	-	7	21.53	7	-	-	-	-
Parkman	718	3	3	-	6	8.36	5	-	1	-	-
Sangerville	1,294	11	15	-	26	20.10	23	1	-	2	-
Sebec	593	2	1	-	3	5.06	2	-	-	1	-
Shirley	248	4	1	-	5	20.16	4	-	1	-	-
Wellington	413	-	2	-	2	4.84	2	-	i -	-	-
Williamsburg	117	2		-	2	17.09	1	-	1	-	-
Willimantle	419	4	2	-	6	14.32	6	-	-	-	-
Barnard Pl	98	-	3	-	3	30.61	3	-	-	-	-
Bowerbank Pl	66	3	1	-	4	60.61	4	-	-	-	-
Elliottsville Pl	86	1	-	-	1	11.63	1	-	-	-	-
Kingsbury Pl	106	5	3	-	8	75.47	s	-	-	-	-
Lake View Pl	173	2	5	-	7	40.46	2	2	2	1	-
Katandin Iron Works	114	1	1	-	2	17.54	1	1	-	-	-
Total	*16,526	166	186	1	353	21.36	251	49	28	23	2

<sup>\*</sup>Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued. for the Year 1905. COUNTY.

									DEA	THS.			
	2	MARRI	AGES.				Se	х.		Na	ativit	y.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Тоты!.	American.	Foreign.	Not stated.	Death-rate per 1,000.
4	-	-	-	-	4	3	2	-	5	5	-	-	6.98
4	-	1	-	-	5	2	6	-	8	7	1	-	16.16
1	-	-	-	-	1	-	2	-	2	2	-	-	8.0
8	6	1	2	-	17	16	12	-	28	22	5	)	17.8
20	-	-	-	-	20	17	14	-	31	29	2	-	16.4
3	1	2	-	-	6	15	20	-	35	34	1	-	21.4
7	1	2	3	-	13	13	13	-	26	19	6	1	23.2
12	1	-	1	-	14	14	11	-	25	21	4	-	16.1
1	-	-	-	-	1	-	-	-	-	-	-	-	-
45	3	-	2	2	22	13	12	-	25	22	3	-	21.7
5	3	1	-	-	9	6	6	-	12	Э	2	1	10.7
-5	-	-	-	-	5	4	2	-	6	5	1	-	18.4
5	-	-	-	-	5	s	9	-	17	17	-	-	23.6
6	1	-	1	-	8	10	12	-	22	21	1	-	17.0
2	-	-	-	-	2	6	2	-	8	6	1	1	13.4
3	-	1	1	-	5	3	-	-	3	2	-	1	12.1
5	-	- i	-	-	5	6	2	-	s	7	1	-	19.3
-	-	-	-	-	-	-	1	-	1	1	-	-	8.5
2	-	-	-	-	2	1	2	-	3	3	-	-	7.1
-	-	-	-	-	-	-	1	-	1	1	-	-	10.2
2	-	-	-	-	2	1	-	-	1	1	-	-	15.1
2	1.	-	-	-	3	-	-	-	-	-	-	-	-
-3	-	-	-	-	3	1	-	-	1	1	-	-	9.4
4	-	1	-	-	5	1	-	-	1	1	-	-	5.78
-	-	-	-	-	-	1	-	-	1	1	-	-	8.7
119	17	9	10	2	157	141	129	-	270	237	28	5	16.3

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Births, Marriages, and Deaths} \\ & \text{SAGADAHOC} \end{array}$ 

<del></del>											
						BIRTH	s.				
				sex.				Pare	ntag	e.	
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic	180	1	2	_	3	16.67	3	_	-	-	_
Bath	10,477	108	96	-	204	19.47	118	50	14	20	2
Bowdoin	937	4	2	-	6	6.40	6	-	-	-	-
Bowdoinham	1,305	9	6	-	15	11.49	12	-	2	1	-
Georgetown	799	5	7	_	12	15.02	11	-	-		1
Perkins	61	-	-	-	-	-	-	-	-	-	-
Phippsburg	1,254	13	5	-	18	14.35	14	-	4	-	-
Richmond	2,049	13	11	-	24	11.71	19	2	2	1	-
Topsham	2,097	24	24	-	48	22 89	23	19	3	3	-
West Bath	291	1	-	-	1	3.44	1	-	-	-	-
Woolwich	880	7	6	-	13	14.77	13	-	-	-	-
Total	20,330	185	159	-	344	16.93	220	71	25	25	3

No. 7—Continued. for the Year 1905. COUNTY.

			THS.	DEA									
	7.	tivity	Na		х.	Se:				AGES.	MARRI	N	
Death-rate per 1,000.	Not stated.	Foreign.	American.	Total.	Not stated.	Female.	Male.	Total.	Not stated.	Wife American.	Husband American.	Both foreign.	Both American.
5.8	-	~	1	1	-	1	-	1	-	-	- 1	-	1
15.8	-	20	141	161	-	81	80	76	-	10	2	12	52
21.8	-	-	. 20	20	-	7	13	10	-	-	-	-	10
14.5	- 1	2	17	19	-	11	8	s	-	1	-	- 1	7
17.5	-	-	14	14	-	8	6	2	-	-	-	-	2
-	-	-	-	-	-	-	-	1	-	-	-	-	í
7.9	-	1	9	10	-	6	4	7	-	1	1	-	5
17.5	-	3	33	36	-	23	13	23	-	2	-	1	20
14.7	-	3	28	31	-	18	13	16	-	1	3	2	10
17.1	-	-	5	5	-	3	2	1	-	-	1	-	-
28.4	-	1	24	25	-	11	14	7			-	-	7
15.8	-	30	292	322	_	169	153	152	_	15	7	15	115

4

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Births, Marriages, and Deaths} \\ \textbf{SOMERSET} \end{array}$ 

					В	IRTHS					
				Sex.				Pare	atag	е.	
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father	Not stated.
Anson	1,830	26	24	-	50	27.32	34	8	5	3	-
Athens	896	7	6	-	13	14.51	12	1	-	-	_
Bingham	841	10	8	-	18	21.40	13	-	1	2	2
Cambridge	364	1	5	-	6	16.48	4	1	-	1	-
Canaan	977	7	6	-	13	13.31	12	-	1	-	-
Concord	291	3	s	-	11	37.80	8	-	2	1	-
Cornville	689	3	3	_	6	8.71	6	-	-	-	-
Detroit	527	6	4	-	10	18.98	10	-	-	-	-
Embden	567	9	6	_	15	26.46	14	-	-	1	-
Fairfield	3,878	51	23	1	75	19.34	45	9	10	7	4
Harmony	571	8	11	_	19	33.28	17	1	-	1	-
Hartland	1,115	14	9	-	23	20.63	18	1	1	1	2
Madison	2,764	36	26	_	62	22.43	37	16	7	1	1
Mercer	493	3	5	-	s	16.23	7	-	1	-	-
Moscow	378	5	5	-	10	26.46	8	-	1	-	1
New Portland	913	11	5	_	. 16	17.52	14	-	1	1	_
Norridgewock	1,495	11	9	_	20	13.38	17	9	1	_	-
Palmyra	915	6	16	_	22	24.04	21	-	1	-	-
Pittsfield	2,891	40	29	_	69	23.87	63	_	2	4	-
Ripley	449	1	3	_	4	8.91	4	-	-	-	-
St. Albans	1,037	6	9	-	15	14.46	15	-	-	-	-
Skowhegan	5,180	64	42	-	106	20.46	65	20	15	6	-
Smithfield	449	5	5	_	10	22.27	9	,	-	-	-
Solon	996	8	10	_	18		14		1 3	_	-

No. 7—Continued. for the Year 1905.

for	the	Year	190
COU	NTY.		
=			

									DEA	THS.			
	N	I⊾RRI	AGES.				Se	x.		N	ativity	y.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
12	2	5	3	-	22	14	19	_	33	32	1	-	18.03
3	-	-	-	-	3	11	11	-	22	20	2	-	24.55
4	-	2	1	-	7	10	2	-	12	10	2	-	14.27
1	-	1	2	-	4	2	4	~	6	5	1	-	16.48
6	-	1	- ]	-	7	6	17	-	23	22	-	1	23.54
4	-	-	-	-	4	1	2	-	3	3	-	-	10.31
6	-	-	-	-	6	9	4,	-	13	12	1	-	18.87
3	-	1	-	-	4	3	1	-	4	3	1	-	7.59
4	-	-	- 1	-	4	s	5	-	13	13		-	22.93
25	4	3	5	-	37	$^{32}$	31	-	63	45	10	5	16.25
9	-	-	-	-	9	4	8	-	12	11	1	- 1	21.02
17	1	1	1	-	20	7	12		19	18	1	-	17.04
17	4	4	1	-	26	24	17	-	41	36	4	1.	14.83
7	-	-	-	-	7	3	3	-	6	6	-		12.17
2	-	-	. 3	-	5	9	4	-	13	10	3	- '	34.39
7,	-	-	-	-	7	3	4	-	7	7	-	-	7.67
10	-	-	1	-	11	5	11	-	16	16	-	-	10.70
6	-	1	-	-	7	13	11	-	24	24	-	-	26.23
36	1	1	1	-	39	36	19	-	55	54	- ,	1	19.02
10	-	-	-	-	10	3	3	-	- 6	6	-	-	13.36
8	-	-	1	-	9	8	11	-	19	19	-	-	18.32
37	6	9	7	-	59	43	41	-	84	67	15	2	16.22
4	-	-	- 1	-	4	2	3	-	5	5	-	-	11.14
6	-	-	-	-	6	10	5	-	15	13	2	-	15.06

TABLE
Births, Marriages, and Deaths
SOMERSET

					-						=
					F	BIRTHS	š.				_
				Sex.				Parei	ntag	e.	
Towns.	Population In 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Starks	636	12	3		15	23.58	14	-	-	-	1
Bigelow Pl	57	2	4	-	6	105.26	6	~	-	-	-
Brighton Pl	368	-	-	-	- )	-	-	-	-	-	-
Caratunk Pl	218	4	2	-	6	27.52	6	-	-	-	-
Dead River Pl	91	3	3	-	6	65.93	6	-	-	-	-
Dennistown Pl	96	2	-	-	2	20.83	1	-	-	1	-
Flagstaff Pl	115	2	3	-	5	43.48	3	1	-	1	-
Highland Pl	67	-	-	-	-	-	-	-	-	-	-
Jackman Pl	352	6	9	-	15	42.61	1	11	1	2	-
Lexington Pl	231	6	3	-	9	38.96	8	-	1	-	-
Mayfield Pl	89	-	-	-	-	-	-	-	-	-	-
Moose River Pl	239	5	3	-	s	33.47	1	6	-	1	-
Pleasant Rldge Pl	114	-	-	-	-	-	-	-	-	-	-
The Forks Pl	157	2	-	-	2	12.74	1	-	-	1	-
West Forks Pl	160	1	2	-	3	18.75	. 1	-	2	-	-
Rockwood	76	-	-	-	-	-	-	-	-	-	-
Holeb	30	1	1	-	2	66.67	1	1	-		_
Total	*33,602	387	310	1	698	20.77	516	80	56	35	11

<sup>\*</sup>Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued. for the Year 1905. COUNTY—CONCLUDED.

									DEA	THS.			
	1	MARRI	AGES.				Se	x.		N	ativity	·.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death rate per 1,000.
6	-	-	-	-	6	8	4	-	12	10	2	-	18.87
-	1	-	~	-	1	1	1	-	2	1	1	-	35.09
2	-	-	-	2	4	1	-	-	1	1	-	-	2.7
1	-	-	-	- 1	1	2	3	-	5	3	2	-	22.94
2	-	-	-	-	2	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	14.98
1	2	1	-	-	4	8	3	-	11	5	6	-	31.25
7	-	-	-	-	7	1	-	-	1	1	-	-	4.33
1	-	-	-	-	1	2	2	-	4	4	-	-	44.94
-	1	-		-	1	1	-	-	1	1	-	-	4.18
-	-	-	-	-	-	1	-	-	1	1	-	-	8.77
- ]	-	-	1	-	1	1	2	-	3	2	1	-	19.11
1	-	-	-	-	1	2	1	-	3	2	1	-	18.75
1	1	-	-	-	2	1	-	-	1	-	1	-	13.16
-							1		1	1		-	33.33
268	23	30	27	2	350	295	266	-	561	493	58	10	16.70

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Births, Marriages, and Deaths} \\ \textbf{WALDO} \end{array}$ 

					ı	BIRTH	š.				
				sex.				Pare	ntag	e.	
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast	4,615	29	24	-	53	11.48	47	1	1	2	2
Belmont	352	3	3	-	6	17.05	5	-	-	-	1
Brooks	669	4	12	-	16	23.92	15	-	-	-	1
Burnham	766	5	7	-	12	15.67	12	-	-	-	~
Frankfort	1,211	11	5	-	16	13.21	7	5	2	2	_
Freedom	479	2	3	_	5	10.44	5	_	-	-	_
Islesboro	923	10	8	_	18	19.50	17	1	-	-	_
Jackson	439	3	2	-	5	11.39	4	-	_	1	_
Knox	558	2	4	_	6	10.75	4	_	-	2	~
Liberty	737	6	5	_	11	14.93	10	_	-	1	_
Lincolnville	1,223	9	7	_	16	13.08	16	-	-	-	_
Monroe	958	5	10	-	15	15.66	15	_	-	_	_
Montville	982	7	11	_	18	18.33	17	-	-	1	_
Morrill	420	2	3	_	5	11.90	5	_	_	-	_
Northport	545	2	7	-	9	16.51	9	_	_	_	~
Palermo	757	7	4	-	ıı	14.53	11	-	-	-	_
Prospect	648	8	7	_	15	23.15	14	-	1	- 1	_
Searsmont	949	8	9	-	17	17.91	16	_	l I -	1	-
Searsport	1,349	6	6	_	12	8.90	10	1	-	1	_
Stockton Springs	872	7	8	_	15	17.20	13	1	_	1	_
Swanville	502	4	4	-	8	15.94	6	_	_	2	_
Thorndike	497	2	4	_	6	12.07	6	_	-	-	_
Troy	766	5	7	_	12	15.67	11	_	-	1	_
Unity	877	4	6	_	10	11.40	10	-	-	-	-
Waldo	468	8	5	_	13	27.78	13	_	_	-	_
Winterport	1,623	12	10	_	22	13.56	17	_	2	3	_
Total	24,185	171	181		352	14.55	315		-6	18	-4

No. 7—Continued. for the Year 1905. COUNTY.

					ļ				DEA	THS.			
	1	MARRI	AGES.				Se	х.		N	ativity	y. •	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
36	-	1	-	-	37	32	36	-	68	60	6	2	14.
3	-	-	-	-	3	2	5	-	7	7	-	-	19.8
7	-	1	-	-	8	6	10	-	16	15	1	-	23.9
4	- ,	-	-	-	4	9	4	-	13	12	1	-	16.9
7	-	1	2	-	10	5	7	-	12	8	4	-	9.9
3	-	1	-	-	4	3	3	-	6	5	-	1	12.5
8	-	-	-	-	8	8	6	-	14	14	-	_	15.1
3	-	-	1	-	4	6	4	_	10	10	-	-	22.7
1	-	-	-	-	1	8	6	-	14	14	-	-	25.0
7	-	-	-		7	7	5	-	12	12	-	-	16.2
13	-	1	-	-	14	7	16	_	23	23	-	-	18.8
8	-	-	1	-	9	$^{2}$	2	-	4.	4	-	-	4.1
7	-	-	-	-	7	13	15	-	28	28	-	-	28 5
3	-	-	-	-	3	1	1	-	2	2	-	-	4.7
8	-	-	-	-	8,	3	8	-	11	11	-	-	20.1
4	-	-	-	-	4	8	7	-	15	15	-	-	19.8
5	1	1	-	1	8	5	6	-	11	11	-	-	16.9
10	-	1	-	-	11	11	7	-	18	18	-	-	18.9
17	1	-	-	-	18	10	12	-	22	21	1	-	16.3
4	-	-	-	-	4	7	7	-	14	14	-	-	16.0
3	-	- 1	-	-	3	2	6	~		8	-	-	15.9
3	-	-	-	-	3	-	3	-	3	3	-	-	6.0
6	-	-	-	-	6	6	8	-	14	13	1	-	18.2
5	-	-	-	-	5	8	8	-	16	16	-	-	18.2
7	-	-	-	-	7	4	6	-	10	10	-	-	21.3
10		-	-	-	10	18	18	-	36	32	4	-	22.1
192	2	7	4	1	206	191	216	_	407	386	18	3	16.8

TABLE
Births, Marriages, and Deaths
WASHINGTON

					1	BIRTH	ş.				
				Sex.				Pare	ntag	e.	
Towns.	Population In 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison	1,059	11	- 9	-	20	18.89	17	-	2	-	
Alexander	333	8	7	-	15	45.05	13	_	1	1	-
Baileyville	215	9	5	-	14	65.12	7	5	2	-	-
Baring	231	1	1	-	2	8.66	1	-	-	1	-
Beddington	86	-	1	-	1	11.63	1	-	-	-	-
Brookton	285	2	-	-	2	7.02	-	1	-	1	~
Calais	7,655	78	86	-	164	21.42	43	33	37	44	7
Centerville	91	2		-	2	21.98	2	_	-	-	-
Charlotte	315	1	2	-	3	9.52	1	_	2	-	-
Cherryfield	1,859	12	19	-	31	16.68	26	-	-	2	3
Columbia	516	3	8	-	11	21.32	11	-	-	-	-
Columbia Falls	569	9	s	-	17	29.88	17	-	-	-	-
Cooper	207	2	3	-	5	24.15	5	-	-	-	-
Crawford	112	-	1	-	•1	8.93	1	-	-	-	-
Cutler	565	5	4	-	9	15.93	8	-	-	1	-
Danforth	1,092	17	14	-	31	28.39	13	5	9	4	-
Deblois	73	-	2	-	2	27.40	2	-	-	-	-
Dennysville	482	7	3	-	10	20.75	9	-	-	1	-
East Machias	1,521	9	11	-	20	13.15	17	1	2	-	-
Eastport	5,311	65	60	-	125	23.54	57	14	24	29	1
Edmunds	492	12	5	-	17	34.55	15	~	-	1	1
Forest City	151	-	1		1	6.62	1	-	-	-	-
Harrington	1,165	4	3	-	7	6.01	7	-	-	-	-
Jonesboro	606	9	10	, -	19	31.35	19	-	-	-	-
Jonesport	2,124	26	27	-	53	24.95	46	-	3	4	-
Lubec	3,005	39	69	-	108	35.94	54	25	15	11	3
Machias	2,082	32	25	-	57	27.38	48	-	4	1	4

No. 7—Continued. for the Year 1905. COUNTY.

									DEA	THS.			
		MARRI	IAGES.				Se	x		N	ativit	у.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
3	-	-	-	-	3	9	9	-	18	18	-	-	17.00
3	-	1	-	-	4	3	1	-	4	3	1	-	12.01
-	1	-	-	-	1	4	-	-	4	3	1	-	18.60
-	-	-	1	-	1	2	2	-	4	3	1	-	17.39
-	-	-	-	-	-	-	-	-	-		-	-	
2	1	-	2	-	5	1	2	-	3	3	-	-	10.53
28	10	11	10	-	59	73	60	-	133	84	49	-	17.37
-	-	- 1	-	-	-	1	2	-	3	3	-	-	32.97
2	-	-	-	-	2	2	-	-	2	1	1	- 1	6.35
12	-	- 1	-	-	12	2	6	-	8	6	2	-	4.30
9	-	-	-	-	9	9	4	-	13	13	-	-	25.19
5	-	-	- !	-	5	3	1	-	4	4	-	- 1	7.03
1	-	-	-	-	1	1	-	-	1	-	-	1	4.83
-	-	-	-	-	-	1	1	-	2	1	1	-	17.86
3	-	-	-	-	3	7	4	-	11	10	1	-	19.47
6	-	1	2	-	9	9	10	-	19	12	6	1	17.40
2	-	-	-	-	2	-	-	-	-	- '	-	-	-
6	-	-	1	-	7	3	1	-	4	3	1	-	8.30
9	-	-	-	-	9	9	11	-	20	20	-	-	13.15
34	6	8	8	-	56	40	41	-	81	47	33	1	15.25
6	-	2	1	-	9	2	2	-	4	4	-	-	8.13
-	-	-	1	-	1	1	- ]	-	1	1	-	-	6.62
5	-	-	- 1	-	5	9	9	-	18	17	1	-	15.45
6	-	-	-	-	6	7	5	-	12	12	-	-	19.80
20	-	-	3	-	23	13	18	-	31	24	7	-	14.60
9	3	5	3	-	20	22	33	-	55	43	11	1	15.84
20	-	1	1	-	22	19	14	-	33	30	3	-	15.85

TABLE
Births, Marriages, and Deaths
WASHINGTON

					Ŧ	BIRTHS	s.				
	ľ			Sex.		1		Parei	ıtag	е.	_
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Machiasport	1,218	6	13	-	19	15.60	16	1	1	1	_
Marion	95	1	1	-	2	21.05	2	-	-	-	-
Marshfield	227	3	-	~	3	13.22	3	-	-	-	-
Meddybemps	154	3	1	-	4	25.97	4	-	-	-	-
Milbridge	1,921	17	12	-	29	15.10	25	2	-	2	_
Northfield	126	1	1	_	2	15.87	1	-	-	1	_
Pembroke	1,652	23	18	-	41	24.82	36	-	2	2	1
Perry	1,245	7	13	_	20	16.06	12	-	2	4	2
Princeton	1,094	17	5	-	22	20.11	16	-	1	5	-
Robbinston	814	8	7	-	15	17.77	9	1	1	2	2
Roque Bluffs	168	2	3	-	5	29.76	4	-	-	1	-
Steuben	901	13	12	-	25	27.75	25	-	-	-	-
Ta1mage	93	-	1	-	1	10.75	1	-	-	-	-
Topsfield	282	5	7,	-	12	42.55	12	-	-	-	-
Trescott	463	3	8	-	11	23.76	9	-	1	1	-
Vanceboro	550	7	12	-	19	34.55	10	4	4	-	1
Waite	135	2	1	-	3	22.22	2	-	-	1	-
Wesley	198	3	4	-	7	35.35	7	-	-	-	-
Whiting	399	2	2	-	4	10.03	4	-	-	-	-
Whitneyville	424	3	1	-	4	9.43	3	1	-	-	-
Codyville Pl	68	2	1	-	3	44.12	3	-	-	-	-
Grand Lake Stream Pl	2:21	2	9	-	11	49.77	11	-	-	-	-
No. 14 Pl	77	1	1	-	2	25.97	-	-	-	2	-
No. 21 Pl	86	1	1	-	2	23.26	2	-	-	-	-
No. 10, R. 3	46	-	-	-	-	-	-	-	-	-	-
Total	*44,889	495	518	_	1,013	22.57	658	93	113	123	26

<sup>\*</sup> Population of ecunty omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 7—Continued. for the Year 1905. COUNTY—CONCLUDED.

					j				DEA	THS.			
	1	MARRI	AGES.				Se	x.		N	ativity	<i>r</i> .	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
7	1	1	-	-	9	4	5	-	9	9	-	-	7.3
-	-	-	-	-	-	1	-	-	1	1	-	-	10.5
1	-		-	-	1	3	4	-	7	7	-	-	30.8
3	-	-	1	-	4	2	1	-	3	1	2	-	19.4
17	-	-	-	-	17	24	13	-	37	34	3	-	19.2
2	-	-	-	-	2	2	2	-	4	4	-	-	31.7
4	-	1	1	-	6	12	8	-	20	14	6	-	12.1
7	-	2	2	-	11	3	10	-	13	11	2	-	10.4
2	1	-	2	-	5	10	6	-	16	13	3	-	14.6
-	-	1	-	-	1	5	6	-	11	7	4	-	13.0
2	-	-	1	-	3	2	2	-	4	4	-	-	23.8
13	-	-	-	-	13	7	9	~	16	15	1	-	17.7
-	- ]	-	-	-	-	1	-	-	1	-	1	-	10.7
4	-	-	1	-	5	2	3	-	5	5	-	-	17.7
4	-	1	-	-	5	3	3	-	6	4	2	-	12.9
- {	1	-	1	-	2	5	1	~	6	3	2	1	10.9
-	-	-	-	-	-	1	1	-	2	1	1	-	14.8
1	-	-	-	-	1	1	5	-	6	5	1	-	30.3
4	-	-	-	1	5	2	3	-	5	5	-	-	12.5
1	-	-	-	-	1	-	3	~	3	2	1	-	7.0
-	-	-	-	-	-	-	2	-	2	1	1	-	29.4
-	-	1	-	-	1	3	2	-	5	4	1	-	22.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	2	1	1	-	2	2	-	-	23.2
-	_	-		-	-	1		-	1	1		-	21.7
264	24	37	42	1	368	347	326	-	673	518	150	5	14.9

										YO	RK
					1	BIRTHS	3.				
				sex.				Pare	ntag	e.	
Towns.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton	778	5	11	-	16	20.57	15	-	1	-	-
Alfred	937	6	6	-	12	12.81	8	2	2	-	-
Berwick	2,280	15	22	- 1	37	16.23	25	5	7	-	-
Biddeford	16,145	271	260	-	531	32.89	76	363	46	46	-
Buxton	1,538	18	21	-	39	21.22	36	2	-	-	1
Cornish	984	3	5	-	8	8.13	7	-	1	-	-
Dayton	473	3	6	-	9	19.03	9	-	-	-	-
Eliot	1,458	12	13	-	25	17.15	19	2	3	1	-
Hollis	1,274	15	10	-	25	19.62	22	1	2	-	-
Kennebunk	3,228	25	31	-	56	17.35	40	8	2	5	1
Kennebunkport	2,123	15	21	-	36	16.96	27	5	3	1	-
Kittery	2,872	27	24	-	51	17.76	39	3	2	6	1
Lebanon	1,335	12	6	1	19	14.23	13	2	2	-	2
Limerick	874	6	9	~	15	17.16	13	-	-	2	~
Limington	1,001	10	12	-	22	21.98	20	-	-	2	-
Lyman	687	3	6	-	9	13.10	8	-	-	-	1
Newfield	676	7	6	-	13	19.23	10	1	2	-	-
North Berwick	1,748	13	14	- 1	27	15.45	27	-	-	-	-
Old Orchard	964	3	6	-	9	9.34	6	-	-	3	-
Parsonsfield	1,131	8	11	-	19	16.80	15	-	-	3	1
Saco	6,122	70	56	-	126	20.58	64	34	11	16	1
Sanford	6,078	136	114	-	250	41.13	76	131	20	23	-
Shapleigh	847	10	3	-	13	15.35	12	-	-	1	-
South Berwick	3,188	27	33	-	60	18.82	21	19	- 5	14	ī
Waterboro	1,169	8	18	-	26	22.24	24	-	-	2	-
Wells	2,007	21	12	-	33	16.44	31	-	-	2	~
York	2,668	30	25	-	55	20.61	42	6	3	3	1
Total	64,885	779	761	1	1,541	23.75	705	584	112	130	10

No. 7—Concluded. for the Year 1905. COUNTY.

									DE	ATHS.			
	1	MARRI	IAGES.				Se	x.		N	ativity	7.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
5	-	-	-	-	5,	8	8	-	16	15	1	-	20.5
4	-	-	-	-	4	8	6	~	14	14	-	-	14.9
8	2	1	- '	-	11,	17	14	-	31	29	2	- 1	13.€
49	69.	21	9		148	135	135	-	270	176	94	-	16.7
13	1	- '	-	-	14	18	24	-	42	41	1	-	22.8
3	- 1	1	1	-	5	15	8	-	23	23	-	- 1	23.3
6	-	- 1	1	-	7	1	10	-	11	9	2	-	23.2
10	- 1	-	3	-	13	15	9	-	24	22	1	1	16.4
4	-	1	-	-	5	10	15	-	25	23	2	-	19.€
16	2	4	-	-	22	17	34	-	51	48	3	-	15.8
10	2	4	2	-	18	22	21	-	43	43	-	-	20.2
12	2	2	1	-	17	25	12	-	37	37	- 1	-	12.8
6	-	1,	1	-	s	13	13	-	26	23	-	3	19.4
7	-	-	2	-	9	6	10	-	16	16	- 1	-	18.3
1	-	-	1	-	2	$_{\rm s}$	4	-	12	12	- !	-	11.9
6	-	-	-	-	6	5	4	-	9	9	- 1	-	13.1
2	-	-	-	-	2	9	9	-	18	17	1	-	26.€
9	-	-	1	-	10	15	8	-	23	23	-	-	13.1
3	-	2	-	-	5	7	8	-	15	11	4	-	15.5
8	-	-	-	-	8	11	19	-	30	29	1	-	26.5
49	6	6	5	-	66	54	60	~	114	102	12	-	18.€
32	25	17	7	-	81	60	66	-	126	103	23	-	20.7
9	-	1	-	-	10	7	7	-	14	14	-	-	16.5
17	8	3	1	-	29	36	20	-	56	48	8	-	17.5
10	- 1	-	1	-	11	10	8	-	18	18	-	-	15.4
7	-	-	-	-	7	12	22	-	34	32	1	1	16.9
19		3		1	23	29	31		60	59	1	-	22.4
325	117	67	36	1	546	573	585	_	1,158	996	157	5	17.8

TABLE Recapitulation

					F	BIRTHS	i.				_
				Sex.				Parer	itag	е.	
COUNTIES.	Population in 1900.	Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin	54,242	606	557	1	1,164	21.46	448	461	137	106	12
Aroostook	*59,385	1,113	1,125	3	2,241	37.74	1,242	327	329	306	37
Cumberland	100,689	1,058	1,006	2	2,066	20.52	1,106	583	146	208	23
Franklin	*18,007	213	218	1	432	23.99	302	68	36	23	3
Hancock	*37,039	388	343	2	733	19.79	638	27	35	21	12
Kennebec	59,117	629	546	2	1,177	19.91	688	269	111	100	9
Knox	*30,334	243	222	- 1	465	15.33	358	51	24	26	6
Lincoln	19,669	177	167	1	345	17.54	314	2	12	16	1
Oxford	*31,967	394	397	1	792	24.78	505	175	67	39	6
Penobscot	*75,637	790	787	1	1,578	20.86	923	330	172	143	10
Piscataquis	*16,526	166	186	1	353	21.36	251	49	28	23	2
Sagadahoe	20,330	185	159	-	344	16.93	220	71	25	25	3
Somerset	*33,602	387	310	1	698	20.77	516	80	56	35	11
Waldo	24,185	171	181	-	352	14.55	315	9	6	18	4
Washington	*44,889	495	518	-	1,013	22.57	658	93	113	123	26
York	64,885	779	761	1	1,541	23.75	705	584	112	130	10
Total	*690,503	7,794	7,483	17	15,294	22.15	9,189	3,179	1409	1342	175

 $<sup>^*</sup>$  Population omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 2.

No. 8. by Counties.

									DEA	THS.			
	Ŋ	IARRI	AGES.				Se	x.		Nt	ativity	·.	
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	10   10   10   10   10   10   10   10	Foreign.	Not stated.	Death rate per 1,000.					
278	119	45	55	3	500	462	438	-	900	699	193	8	16.5
320	47	75	119	3	564	427	375	-	802	600	192	10	13.5
590	120	79	77	10	876	903	884	1	1,788	1,450	297	41	17.7
153	12	4	8	-	177	143	140	-	283	269	11	3	15.7
308	1	12	16	-	337	282	262	-	544	510	27	7	14.6
394	53	46	27	9	529	584	531	-	1,115	961	130	24	18.8
237	22	11	12	-	282	240	238	-	478	436	34	8	15.7
111	-	3	1	2	117	156	113	-	269	257	11	1	13.6
277	41	16.	36	1	371	262	244	-	506	472	32	2	15.8
528	59.	66	- 75	4	732	676	629	-	1,305	1,094	170	41	17.2
119	17	9	10	2	157	141	129	-	270	237	28	5	16.3
115	15	7	15	-	152	153	169	-	322	292	30	-	15.8
268	23	30	27	2	350	295	266	-	561	493	58	10	16.7
192	2	7	4	1	206	191	216	-	407	386	18	3	16.8
264	24	37	42	1	368	347	326	-	673	518	150	5	14.9
325	117	67	36	1	546	573	585	-	1,158	996	157	5	17.8
4,479	672	514	560	39	6,264	5,835	5,545	1	11,351	9,670	1,538	173	16.4

TABLE No. 9. Births and Birth-Rates by Counties for the Years 1898-1905.

á	Rate.	21.40	20.47	34.60	19.03	22.69	19.05	19.14	15.32	17.42	23.36	20.04	20.59	15.95	19.95	14.52	21.87	23.03
1905.	Births.	15,294	1,164	4.5	5,066	435	733	1,177	465	345	792	1,578	353	344	869	352	1,013	1,541
	Кате.	21.13	19.52	37.27	16.6	20.60	18.76	19.86	26.41	14.64	80.00	20.34	50.64	19.63	18.88	13.19	22.03	22.21
1904.	Births.	14,673	1,059	62,53	2,01	376	695	1,174	452	282	130	1,541	343	399	£	319	988	1.441
	Rate.	20.81	19.36	35.45	20.15	21.20	18.27	18.34	14.86	15.40	25.85	21.09	21.30	17.31	17.60	11.25	66.75	95.49
1903.	Births.	14,453	1,050	2,095	5,058	383	949	1.084	450	303	627	1,598	351	352	591	27.5	1.031	1.459
	Rate.	99.89	20.59	35.12	19.37	23.19	18:55	20.76	14.42	15.61	21.44	20.80	11.13	18.79	17.34	11.66	95.10	21.76
1902.	Births.	14,508	1,117	9,090	1.95	416	00,	1.2.7	437	307	689	1,577	347	288	32	8	166	1415
	. Висе.	90.19	19.54	32.62	18,64	65 65 65 65 65	<u>x</u>	19.00	16.41	17.03	19.45	18.54	17.58	99.06	17.80	15.05	91.67	95.05
1901.	Births.	14,021	1,060	1,945	1.877	90#	999	1.153	855	335	697	1.405	688	067	900	3.6.4	61.0	1.431
	Rate.	20.30	20.26	32.77	20.60	51.63	18.62	19.72	5	17.24	17.96	7.33	419, 19	9. 00	00	88	53.53	00
1900.	Births.	14,095	1,099	1.843	5.074	33.05	689	1,166	4	622	555	1.314	00	499	603	318	1050	107
	.918Н	20.10	20.78	55	67.61	91.04	16.41	17.59	1.9	Z.	17.59	r.	×	à	100	13.65	5.00	0 10
1899.	Births.	13,895	1.116	1.822	476	oc X	96	1.036	510	334	561	1.413	310	132	999	225	1 063	360
	Rate.	21.89	53	31.0	16	69	50.00	9	16.3	ox.	98 16	ć	6	0.01	6	7	08.30	00.10
1898.	Births.	14,473	1.151	30%	1 963	398	17.	135	213	2.00	6550	1.591	836	2	000	007	146	2555
		State	Androscoggin	Aroostook	huberland	Franklin	Hancock	Konnebec	Know	Lincoln	Oxford	Penobscot	Piscotocnis	Zocodoboo	Sagadaloc	Wolde	Workington	Vork

\* TABLE NO. 10.

Births by Counties, Showing Proportion of Males to Females, 1905.

Counties.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin	606	557	1	1,164	49	-	108.8
Aroostook	1,113	1,125	3	2,241	-	12	98.9
Cumberland	1,058	1,006	2	2,066	52	-	105.2
Franklin	213	218	1	432	-	5	97.7
Hancock	388	343	2	733	45	-	113.1
Kennebec	629	<b>54</b> 6	2	1,177	83	-	115.2
Knox	243	222	-	465	21	-	109.5
Lincoln	177	167	1	345	10	-	105.6
Oxford	394	397	1	792	-	3	99.2
Penobscot	790	787	1	1,578	3	-	100.4
Piscataquis	166	186	1	353	-	20	89.2
Sagadahoc	185	159	-	344	26	-	116.4
Somerset	387	310	1	698	77	-	124.8
Waldo	171	181	-	352	-	10	94.5
Washington	495	518	-	1,013	-	23	95.6
York	779	761	1	1,541	18	-	102.4
Total	7,794	7,483	17	15,294	384	73	104.1

Number of Births in Each Month of 1898-1905, with a Monthly Ratio Compared with a Standard of 100. TABLE No. 11.

	1898.	zi.	1899.	gi.	1900.		1901.		1902.	oi.	1903.	89	1904.		1905.	
MONTHS.	Births.	*.oitaЯ	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	.oitsH	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January	1,148	93.4	1,093	93.6	1,167	97.5	1,123	94.3	1,143	92.7	1,210	98.6	1,219	8.78	1,178	8.08
February	1,176	103.4	1,104	103.7	1,083	1)0.3	1,128	104.8	1,111	8.66	1,151	103.9	1,207	107.2	1,180	100.6
March	1,323	107.6	1,237	104.9	1,260	105.4	1,303	109.4	1,401	113.6	1,353	110.3	1,367	109.7	1,463	112.7
April	1,269	106.7	1,295	113.5	1,245	107.5	1,270	110.2	1,250	104.7	1,364	114.9	1,325	109.9	1,340	106.6
May	1,332	107.6	1,224	103.8	1,276	106.7	1,290	108.3	1,333	108.1	1,326	108.1	1,336	107.2	1,365	105.2
June	1,299	103.3	1,201	105.3	1,146	108.8	1,190	103.3	1,244	104.3	1,247	105.1	1,186	98.3	1,375	109.4
July	1,226	8.66	1,239	105.1	1,284	109.1	1,178	98.9	1,237	100.3	1,215	99.0	1,297	10#.1	1,439	110.9
August	1,219	99.5	1,197	101.3	1,255	104.1	1,199	100.6	1,252	9.101	1,223	99.7	1,216	97.6	1,328	102.3
September	1,182	99.4	1,163	101.8	1,213	164.7	1,252	108.7	1,207	101.2	1,205	101.5	1,203	8.66	1,259	100.2
October	1,196	87.3	1,058	9.68	1,070	94.1	1,051	88.3	1,137	3.	1,134	92.4	1,217	97.7	1,163	89.6
November	1,028	86.5	979	85.8	1,055	89.1	983	85.3	1,064	2.68	1,026	86.4	1,037	85.9	1,057	84.1
December	1,149	93.5	1,098	93.0	1,035	86.5	1,048	88.0	1,119	8.06	980	80.6	1,057	35 36	1,143	88.1
Unknown	9	,	(-	1	•	ı	9	1	10	1	9	1	9	ı	4	1

\* In this column the inaccuracies due to the unequal length of the months are climinated.

 $\label{eq:TABLE_No. 12} TABLE\ \ No.\ \ 12.$  Births, by Sex and Months, by Counties, 1905.

			-			_									
COUNTIES.	January.	February.	March.	A prill.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males females not stated	38	41 45			56 50		42 53				42			557	-
Aroostook, males females not stated	71 89	98			122 97	88		95	94	63 62	61	96 84		1113 1125	-
Cumberland, males females not stated	79 81	7s 93	102	87	95 82	95	86 98	90	92	53 63	83	84	-	1058	-
Franklin, males females not stated	16 25	10 13			26 17		23 26		16	15 14		22	-	213	-
Hancock, males females not stated	30 28	26 31	37 28	28	33	27	42 33	47	31	33 30 1		21 23	-	388 343	-
Kennebec, males females not stated	61 50	54 43	54 45 -	1	57 49	43	45	44	47	55 55	36	42	-	625 540	1177
Knox, males females not stated	24 21	21 22 -	20 18	23	12 15	18	21 23	13	19	21 19	16 17	14	-	243 222	
Lincoln, males females not stated	12 12 - 26	15 11 - 31	12 21 - 40	25 - 25	15	7	19	14	7	14	14	14	-	177 167	345
Oxford, males females not stated Penobscot, males	26 26 50	34 - 52	38 - 80	36 - 58	37 41 - 82	28 36 - 78	43 33 - 98	35	36	20 25	29 1	-	-	394 397 1	792
females not stated Piscataquis, males	60	50 - 16	74 - 21	70	68	84 1 18	78 - 16	48	55 -	57 72 -	61 - 13	67	-	790 787 1	1578
females not stated Sagadahoc, males	11 - 19	14 17	2i 18	17	8 - 10	19	19 1 18	15	21	16	10	18	-	186 186 1	3 <b>5</b> 3
females not stated Somerset, males	12	11 - 34	19	15 - 38	16 - 39	38	18	31		10	20	10	-	159	344
females not stated Waldo, males	21	20 - 16		36 - 10	29 - 17	28 - 14	13	24 1 19	22 15	27 17	23 14	22 - 8	-	310 1 171	-
females not stated Washington, males	14 45	12 - 35	19 - 40	28 - 45	13 - 39	10 38	18 - 45	11 - 48	37	14 - 35	10 - 40	18 - 45	-	181 - 495	352
females not stated York, males	41 65	36 - 58	55 67	46 59	45 90	40 79	35 - 64	51 - 65	41 - 75	45 - 66	43 - 56	40 - 35	-	518 - 779	1013
females not stated Total, males	51	53	82	59	59 -	78	76 -	71 1	66	50	- -		-	761	1541
females not stated	580	594 586 ~	728 733 2	635 703 2	732 633	718 655 2	727 $711$ $1$	721 604 3	658 601	595 566 2	527 528 2	560 582 1	3	7794 7483 17	-
Grand total	1178	1180	1463	1340	1365	1375	1439	1328	1259	1163	1057	1143	4	15294	15294

TABLE No. 13.

Births in Cities for 1905, with Rate per 1,000 of Population.

CITIES.	Estimated population for 1905.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn	13,802	109	99	-	208	15.07	110.1
Augusta	12,261	137	113	1	251	20.47	121.2
Bangor	23,224	156	154	1	311	13.39	101.3
Bath	11,354	108	96	-	204	17.97	112.5
Belfast	4,615	29	24	-	53	11.48	120.0
Biddeford	16,996	271	260	-	531	31.24	104.2
Brewer	5,156	73	75	-	148	28.70	97.3
Calais	7,838	78	86	-	164	20.92	90.7
Eastport	5,513	65	60	-	125	22.67	108.3
Ellsworth	4,297	33	32	-	65	15.13	103.1
Gardiner	5,506	55	51	-	106	19.25	107.8
Hallowell	2,714	24	20	-	44	16.21	120.0
Lewiston	24,791	322	299	-	621	25.05	107.7
Old Town	5,989	92	95	-	187	31.22	96.8
Portland	57,005	521	528	2	1,051	18.44	98.7
Rockland	8,150	72	69	-	141	17.30	104.3
Saco	6,146	70	56	-	126	20.50	125.0
South Portland	6,287	73	53	-	126	20.04	137.7
Waterville	10,662	145	145	-	290	27.20	100.0
Westbrook	7,609	102	83	-	185	24.31	122.9
Total	239,915	2,535	2,398	4	4,937	20.58	105.7
				I	1	ı	1

TABLE No. 14.

Percentage of American and Foreign Births by Counties, 1905.

		PARENTS.		ge.
Counties.	American-born.	Foreign-born.	One foreign-born.	Births with parentage not stated.
Androscoggin	38.49	39.60	20.88	1.03
Aroostook	55.42	14.59	28.34	1.65
Cumberland	53.52	28.22	17.14	1.12
Franklin	69.91	15.74	13.66	0.69
Hancock	87.04	3.68	7.64	1.64
Kennebec	58.41	22.85	17.97	0.77
Knox	76.99	10.97	10.75	1.29
Lincoln	91.01	0.58	8.12	0.29
Oxford	63.76	22.10	13.38	0.76
Penobscot	58.49	20.92	19.96	0.63
Piscataquis	71.10	13.88	14.45	0.57
Sagadahoc	63.96	20.64	14.53	0.87
Somerset	73.92	11.46	13.04	1.58
Waldo	89.49	2.56	6.81	1.14
Washington	64.96	9.18	23.30	2.56
York	45.75	37.90	15.70	0.65
State	60.08	20.79	17.99	1.14

TABLE No. 15.

Percentage of American and Foreign Births by Cities, 1905.

		PARENTS.		age.
CITIES.	American-born.	Foreign-born.	One foreign-born.	Births with parentage not stated.
Auburn	39,90	37.50	22.12	0.48
Augusta	53.39	30.28	15.14	1.19
Bangor	46.95	25.08	27.01	0.96
Bath	57.84	24.51	16.67	0.98
Belfast	88.66	1.89	5.67	3.78
Biddeford	14.31	68.36	17.33	-
Brewer	54.05	31.08	13.51	1.36
Calais	26.22	20.12	49.29	4.27
Eastport	45.60	11 20	42.40	0.80
Ellsworth	95.38	-	4.62	-
Gardiner	68.87	14.15	16.98	-
Hallowell	65.90	13.64	20.46	-
Lewiston	22.38	52.50	23.83	1.29
Old Town	42.25	32.62	25.13	-
Portiand	42.91	35.97	19.79	1.33
Rockland	72.34	11.35	15.60	0.71
Saco	50.79	26.98	21.44	0.79
South Portland	70.63	15.08	12.70	1.59
Waterville	35.17	31.38	32.75	1.05
Westbrook	36.75	37.30	24.87	1.08
Collectively	41.56	35.53	22.07	1.06

TABLE No. 16.
Twin Births by Months and Counties, 1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin	-	-	-	2	1	2	-	-	-	2	1	1	9
Aroostook	4	1	4	5	-	4	-	2	2	1	1	3	27
Cumberland	3	1	1	2	5	1	1	1	-	1	1	1	18
Franklin	-	1	-	-	3	2	-	-	-	-	-	1	7
Hancock	-	1	-	-	2	-	2	-	-	1	-	1	7
Kennebec	-	1	3	2	3	1	2	3	2	-	1	-	18
Knox	1	1	1	-	-	1	-	2	-	-	-	-	6
Lincoln	-		-	-	-	-	-	-	1	-	1	-	2
Oxford	-	-	. 1	1	-	-	-	1	-	1	-	1	5
Penobscot	1	-	2	1	2	1	3	3	3	1	2	2	21
Piscataquis	-	-	-	-	-	-	1	-	1	-	-	2	4
Sagadahoc	-	1	-	-	-	-	-	-	-	-	-	-	1
Somerset	3	-	2	1	-	1	1	1	-	1	-	-	10
Waldo	-	-	1	1	1	-	_	-	-	-	-	1	4
Washington	-	-	2	-	2	-	-	2	-	-	2	1	9
York	-	2	4	1	1	2	2	-	2	2	2	2	20
Total	12	<u>9</u>	21	16	20	15	12	15	11	10	11	16	168

TABLE No. 17.
Twin Births by Sex and Parentage, by Counties, 1905.

		SE	х.			Ρ.	AREI	NTAG	E.				
COUNTIES.	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.	Living children.	Still-born children.	Total.
Androscoggin	4	3	2	-	1	8	-	-	-	9	16	2	18
Aroostook	12	10	5	-	15	5	3	3	1	27	53	1	54
Cumberland	6	7	5	-	10	4	-	4	-	18	35	1	36
Franklin	2	2	3	-	5	1	1	-	-	7	12	2	14
Hancock	-	2	5	-	6	-	-	1	-	7	7	7	14
Kennebec	5	5	8	-	10	4	1	3	-	18	34	2	36
Knox	3	1	2	-	6	-	-	-	-	6	11	1	12
Lincoln	1	-	1	-	2	-	-	-	-	2	4	-	4
Oxford	2	2	1	-	2	2	-	1	-	5	10	-	10
Penobscot	. 7	5	9	-	12	5	2	2	-	21	38	4	42
Piscataquis	-	2	2	-	2	1	1	-	-	4	8	-	8
Sagadahoe	1	-	-	-	1	-	-	-	-	1	2	-	2
Somerset	4	3	3	-	8	2	-	-	-	10	20	-	20
Waldo	-	3	1	-	4	-	-	-	-	4	8	-	8
Washington	3	3	3	-	8	-	-	-	1	9	16	2	18
York	10	6	4	-	s	10	-	2	_	20	35	5	40
Total	60	54	54	-	100	42	-8	16	-2	168	309	27	336

TABLE No. 18.
Still-Births by Sex and Parentage, by Counties, 1905.

Counties.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin	16	19	-	35	19	16	-
Aroostook	65	39	1	105	64	41	-
Cumberland	55	49	1	105	62	43	-
Franklin	13	12	1	26	21	5	~
Hancock	22	19	2	43	42	1	-
Kennebec	25	16	1	42	29	13	-
Knox	16	s	-	24	20	4	-
Lincoln	5	4	- 1	9	9	-	-
Oxford	14	18	1	33	27	5	1
Penobscot	43	25	4	72	52	17	3
Piscataquis	11	4	-	15	10	4	1
Sagadahoc	8	8	-	16	14	2	-
Somerset	16	13	3	32	27	5	-
Waldo	7	4	2	13	13	-	-
Washington	29	24	-	53	46	3	4
York	. 53	32	3	88	49	39	-
Total	398	294	19	711	504	198	9

# TABLE No. 19. Still-Births by Seasons, 1905.

MONTHS.			
January	. 53		
February	. 66		
March	. 52	Total for first quarter	171
April	. 60		
May	. 67		
June	. 66	Total for second quarter	198
July	. 50		
August	. 55		
September	. 61	Total for third quarter	166
October	. 77		
November	53		
December	. 51	Total for fourth quarter	181
Total	711		711

BIRTHS. 75

#### NOTES ON BIRTHS.

In the year 1905, 16,005 births were registered in the State, including still-births (14,082 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, 15,121 in 1898, 14,475 in 1899, 14,709 in 1900, 14,615 in 1901, 15,166 in 1902, 15,130 in 1903, and 15,405 in 1904).

The number of living children born was 15,294, and the number of still-births was 711.

Of the whole number of living children of which the sex was certified 7.794 were males and 7.483 were females. In 17 births the sex was not stated. For each 100 girls born there were 104.1 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106.0 in 1898, 104.4 in 1899, 103.2 in 1900, 105.6 in 1901, 105.0 in 1902, 105.3 in 1903, and 104.2 in 1904).

Birth-rate. The birth-rate of living children for the State was 21.40 for each 1,000 of population.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 20.58 as compared with 21.82, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. As it invariably has been every year since the registration began, it was the highest in Aroostook, 34.60, and the lowest in Waldo, 14.52. In five counties, Aroostook, Franklin, Oxford, Washington, and York, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and 8.

Parentage.—Of the total births in the State, 60.08 per cent. were of native parents; 20.79 per cent. were of foreign parentage; 17.99 per cent. were of parents one of whom was foreign; while of 1.14 per cent. the nationality was not stated.

Lincoln county had the largest percentage of native-born parents, to wit, 91.01 per cent., and only 0.58 per cent. in which both parents were foreign-born. Waldo followed with 89.49

per cent. of native parentage, and only 2.56 per cent. in which both parents were foreign-born.

In Hancock county in 87.04 per cent. of the births the parents were native-born and in 3.68 per cent. foreign-born.

In Knox, the percentage of native-born parents was 76.99; in Somerset, 73.92; in Piscataquis, 71.10, and in Franklin, 69.91.

Comparatively high percentages of foreign-born parents are found in Androscoggin county, 39.60; in York, 37.90; in Cumberland, 28.22; in Kennebec, 22.85; in Oxford, 22.10; and in Penobscot, 20.92 per cent.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that, in the cities, 41.36 per cent. of the births were of American parentage, while in the rural parts of the State, the percentage of American-born children was 69.01.

The largest percentage of foreign-born parents was in Biddeford, 68.36; and in Lewiston, 52.50.

In Ellsworth there were no foreign births, and in Belfast only 1.89 per cent. of the births had both parents foreign-born. For further comparison see Table No. 15.

Seasons and Births.—The largest number of births in any one month in 1905 was 1,463 in March; the smallest was 1,057 in November; the largest quarterly total was 4,080 in the second quarter; the smallest, 3,363 in the last quarter. The three consecutive months in which the largest number of births occurred were May, June, and July, 4,179.

The following is a tabular statement of the number of births in each month of the fourteen years 1892-1905:

BIRTHS. 77

	January.	February.	March.	A pril.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,121	63	14,028
1893	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896	1,149	1,227	1,330	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	ι,182	1,196	1,028	1,149	6	14,473
1899	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895
1900	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905
1901	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508
1903	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,453
1904	1,219	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,203	1,217	1,037	1,057	6	14,673
1905	1,178	1,180	1,463	1,340	1,365	1,375	1,439	1,328	1,259	1,163	1,057	1,143	4	15,294

Twin-births.—In 1905, 168 twin-births occurred; in 60 instances the twins were both boys: in 54, both girls; in 54, a boy and a girl. In 100 cases the parentage was American; in 42, foreign; in 24 instances the parentage was mixed; and in 2 it was not stated. Of the 336 children, 309 were born alive, and 27 were still-born.

Triplets.—In Monticello a triple birth occurred, in which all the children were living. There were also triplets in Bath and York; in each of these only one was living.

Still-births.—Of the 711 still-born children, 398 were males and 294 were females. In 19 the sex was not stated. With the exception of nine still-births, as to which the nativity of the mother was not stated, 504 were of American mothers, and 198 were of foreign mothers.

The largest number of still-births occurred in Cumberland and Aroostook counties, 105 in each; while the minimum number, 9, was reported in Lincoln county.

The largest number of still-births, 77, was returned in October: the smallest number was 50 in July. See Tables No. 18 and 19 for other details.

TABLE No. 20.
Marriages and Marriage-Rates by Counties for the Years 1808-1005.

	1898.	ari.	1899.		1900		1901	1	1902.	61	1903.		1904		1905.	.
,	-		-		-		-				-	-	-	-	-	1
	es.		ea.		.89;		.es.		*89		.89		·sə:		·sə:	
	grii	*ə:	rriag	•ә;	rriag	·ə:	rriag	·ə:	rriag	·ə:	gaitt	·ə:	gaitt	·ə:	rriag	·ə;
	вИ	Rai	вК	вя	вИ	Rai	вИ	1831	вИ	вя	вИ	Rat	вИ	Raf	вИ	Квл
State	5,144	2:1	5,329	1.71	5,482	7.89	5,735	8.26	5,905	8.50	6,200	8.93	6,208	8.9	6,264	8.76
Androscoggin	376	89.	398	4.	463	8.5	495	9.07	462	8.52	485	8.94	465	8.57	200	8.79
Aroostook	487	8.6	420	7.55	527	8.68	524	8.63	690	6.9	617	91.01	6.33	97.00	20	8.70
Cumberland	657	7.55		54	731	7.26	161	7.86	846	8.40	903	8.97	848	8.45	876	8.07
Franklln	158	9.36	<u>-</u>	10.43	149	æ	189	10.25	162	8.78	22	. 33	167	9.02	177	9.31
Hancock	564	7.05	300	8.05	569	21		3; %	355	8.65	323	8.67	333	8.04	55	8.75
Kennebec	5	93 t	479	× 0	477	8.07	91.6	Z-3	504	× 3	200	8.59	554	6.37	67.50 02.50	0.0
Lincoln	1.7	3 2	145	100	48	200	144	300	255	9 9	£	1 5	9 9	0 x	9 1	3.5
Oxford.	236	7.7	243	7.58	241	7.48	582	8.8	319	06.6	345	10.70	317	9.83	37	10.94
Penobscot	609	% ∞	619	8.15	647	8.49	899	8.76	70	9.19	705	9.52	754	68.6	35	6.6
Piscataquis	145	8.99	146	8.65	158	7.55	25	8.97	163	9.65	165	9.74	Ξ	10.09	157	9.03
Sagadahoc	156	% %	155	29:	145		7	æ.	158	7.7	152	7.48	8	8	125	7.05
Somerset	27	œ.	X 22	× i	3	69.6	3	92	300	e.	340		2	96.6	320	9.0
Waldo	8	9.5	23	9:0	167	5.0		200	191	9.99	185	2.53	154	6.37	9 5	G :
washington	# S	0.	230	0.0	e e		27.0	3	440	- i	900	6.0	2	1	000	06.
TOFK	200	6.10	154	6.55	4 X	9.30	440	6.87	480	7.40	27.5	8.65	543	x. 37	246	8.6
	-		-	Ī			-				-	-			-	

TABLE No. 21.

Marriages by Counties and Nativity, 1905.

COUNTIES.	Both American.	Both foreign.	Husband American	Wife American.	Not stated.	Total.
Androscoggin	278 320	119 47	45 75	55 119	3 3	500 56-
Cumberland	590	120	79	77	10	876 876
Franklin	153	12	4	8		17
Hancock	308	1	12	16	-	33
Kennebec	394	53	46	27	9	52
inox	237	22	11	12	-	28
incoln	111	-	. 3	1	2	11
xford	277	41	16	36	1	37
enobscot	528	59	66	75	4	78
iscataquis	119	17	9	10	2	15
agadahoc	115	15	7	15		15
omerset	268 192	23 2	30 7	27	2	35
ValdoVashington	264	24	37	42	1	20
ork	325	117	67	36	1	36 54
Total	4,479	672	514	560	39	6,26

TABLE No. 22.

Marriages by Months and Counties, 1905.

Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin	50	20	22	18	41	59	37	39	64	57	53	40		500
Aroostook	42	43	33	35	34	74	57	44	54	60	58	30	_	564
Cumberland	44	44	45	62	64	125	49	69	97	107	107	63	-	876
Franklin	9	11	15	6	14	21	7	14	24	17	16	23	-	177
Hancock	20	14	25	15	10	27	26	23	33	47	45	52	-	337
Kennebec	34	27	32	27	38	78	38	38	67	49	56	45	-	529
Knox	20	11	16	18	13	29	19	18	36	33	42	27	-	282
Lincoln	7	11	2	3	10	7	6	15		14	14	20	-	117
Oxford	26	24	25	28	24	34	33	33	37	39	36	32.	-	371
Penobscot	51	40	33	38	46	124	56	69	80	69	64	61	1	732
Piscataquis	11	11	12	15	19	14	15	13	10	15	11	11	-	157
Sagadahoc	6	8	15	13	10	22	7	14	11	12	25	9	-	152
Somerset	23	11	19	24	26	52	24	33	42	37	32	27	-	350
Waldo	10	.7	7	9	9	25	8	14	31	31	29	26	-	206
Washington	21	13	24	13	27	41	20	30	46	46	39	47	1	368
York	49	30	22	33	42	64	47	34	56	65	50	54	-	546
Total	423	325	347	357	427	796	449	500	696	698	677	567	2	6,264

TABLE No. 23.

Number of Marriages in Each Month of 1898-1905, with Monthly Ratio Compared with a Standard of 100.

	1898.		1899.		1900.		1901.		1902,	cí.	1903.		1904.		1905.	, á
MONTHS.	Marriages.	*.oitaH	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	.esgairtaM	Ratio.	Marriages.	Ratio.
January	438	100.3	369	81.6	417	89.5	369	75.8	436	86.9	407	4.77	439	83.3	- 23	79.5
February	273	69.5	586	70.0	313	74.4	88	65.5	351	77.5	331	69.7	352	73.9	325	67.7
March	300	68.7	290	64.2	271	58.2	285	58.5	309	61.6	327	62.2	331	62.5	317	65.3
April	396	93.7	446	8.101	385	84.7	409	8. 98	445	91.1	437	6.68	463	8.06	357	69.5
Мау	386	88. 5.	346	76.5	373	87.8	37.1	76.2	380	75.6	401	76.2	404	7.92	427	80.3
June	571	135.1	879	143.4	674	149.6	745	158.1	707	145.8	813	159.7	33	162.5	94.	154.9
July	356	81.5	362	80.1	415	89.1	409	9.48	394	78.5	*0 <del>*</del>	77.6	330	74.0	449	4.4
August	350	80.2	414	91.6	407	4.78	402	35.5	401	79.9	200	95.1	415	5.	200	94.0
September	447	105.7	521	115.3	543	120.5	909	128.6	5.95	122.7	630	123.8	149	126.2	969	135.4
October	528	120.9	581	128.5	615	132.1	694	142.5	649	129.3	670	127.4	675	128.1	869	131.2
November	551	130.3	567	129.2	299	124.7	652	138.3	683	140.6	9	135.6	663	130.0	677	131.7
December	547	125.2	516	114.1	506	109.3	505	103.1	228	111.2	585	111.2	999	107.8	292	9.901
Unknown	-	1	00	ı	-	1	00	1	-	1	1	1	-	1	61	1

\* In this column the inaccuracies due to the unequal length of the months are eliminated.

TABLE No. 24.

Marriages by Ages and Counties, 1905.

COUNTIES.	Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	so and over.	Not stated.	Total.
Androscogginmales females	-	19 110	186 214	150 86	63 36	34 23	10 16	13 7	7 2	5 4	11 2	2	-	-	500 500
Aroostook males females	=	23 232	$\frac{243}{206}$	166 61	$\frac{62}{28}$	26 16	17 8	5 4	-8	5 7	9 2	-	-	-	564 564
Cumberlandmales females	2	25 175	$\frac{299}{326}$	$\frac{264}{211}$	127 77	77 38	27 12	23 20	11 6	12 5	8	3	-	-,	876 876
Franklinmales females		69	67 49	48 28	19 7	9 10	11 5	6	3 2	$\frac{3}{2}$	4 2	1	-	-	177 177
Hancockmales females	-	14 99	$\frac{122}{118}$	77 62	50 19	27 13	16 5	7	7	5	4	3	-	1	337 337
Kennebee males females	2	16 131	$\frac{208}{185}$	135 111	63 32	28 25	26 13	16 8	11 7	8	13 7	5 1	-	1	529 529
Knoxmales females	-	15 80	99 88	74 46	27 24	25 11	8 11	12 7	11 3	2 5	5 6	3	1	-	282 282
Lincoln males females	1	$\frac{5}{23}$	38 49	24 15	19 9	5	6 4	9 5	$\frac{1}{2}$	6	_1	1	-	-	117 117
Oxfordnales females	2	14 117	148 131	106 59	40 24	24 13	7	11 4	7 5	7 5	3	3	-	1	371 371
Penobscot males females	-	$\frac{20}{205}$	251 256	$\frac{209}{120}$	111 64	39 35	31 17	30 12	12 11	12 9	11 1	5	-	1 2	732 732
Piscataquismales females	=	13 48	43 48	53 28	18 11	11 9	5 6	3	3 1	3 1	2 2	2	-	-	157 157
Sagadahocmales females	-	$\frac{7}{42}$	45 52	$\frac{43}{28}$	24 9	8 7	11 8	3 4	5 1	3	3 1	-	-	-	152 152
Somerset males females	ī	19 101	117 124	89 47	45 24	22 19	17 12	16 8	9	7 2	7	2 1	-	1	350 350
Waldo males females	=	9 56	69 71	45 27	23 14	18 9	13 9	7	10 7	2	8	1	-	1	$\frac{206}{206}$
Washingtonmales females	-	$\frac{26}{135}$	128 131	109 47	49 36	26 5	5 6	9 5	10 2	5	-1	1	-	-	368 368
Yorkmales females	-	$^{21}_{135}$	$\frac{218}{221}$	141 88	64 31	35 27	19 21	12 9	16 5	6	10 4	3	-	1	546 546
Totalmales	-8	252 1,758	$^{2,281}_{2,269}$	1,733 1,064		$\frac{416}{265}$	229 160		131 61	93 62	103 45		1	3 8	6,264 6,264
Grand total	8	2,010	4,550	2,797	1,249	681	389	296	192	- 155	148	40	2	11	12,528

TABLE Some Interesting Facts in

COUNTIES.	instances in which the age of the bride exceeds that of the groom.	Widowers.	Widows.		Mvorced.	Direct mounings		Second marriage.		Third marriage.	
	255	=	=	М.	F.	М.	F.	М.	F.	М.	F.
Androscoggin	71	54	47	16	17	430	436	64	53	5	9
Aroostook	56	61	41	9	16	492	505	67	54	3	3
Cumberland	157	99	70	23	38	751	764	114	104	8	4
Franklin	31	22	14	18	21	137	142	38	27	1	7
Hancock	60	46	40	15	20	276	277	53	56	5	4
Kennebec	80	75	55	29	33	422	437	92	74	11	12
Knox	48	36	33	21	26	225	223	50	49	7	10
Lincoln	17	19	17	4	6	94	94	21	21	2	2
Oxford	60	43	43	19	20	309	308	58	58	4	5
Penobscot	111	86	68	48	47	597	614	120	108	14	6
Piscataquis	26	18	12	8	23	131	122	22	30	4	5
Sagadahoe	23	17	11	9	9	126	132	21	18	4	2
Somerset	54	61	52	26	34	262	262	75	77	10	s
Waldo	30	41	24	8	17	157	165	40	36	9	4
Washington	42	30	25	8	12	329	330	33	36	5	1
York	79	65	47	26	17	454	480	82	59	9	5
Total	945	773	599	287	356	5,192	5,291	950	860	101	87

No. 25.

Relation to Marriages.

	Fourin marriage.	Rife to mounting on		Number of marriages		Total number of persons married.	Oldest.		Youngest.		Oldest couple.		Youngest couple.	
Μ.	ŀ.	М.	F.	М.	F.	ž ä	М.	F.	М.	F.	М.	F.	М.	F.
-	2	1	_	- 1	-	1,000	74	62	18	15	74	61	19	15
-	_	-	-	2	2	1,128	66	64	17	15	66	64	17	15
-	-	-	-	3	4	1,752	71	68	16	14	71	68	16	15
-	1	1	-	8 -	-	354	72	66	18	15	72	65	19	16
3	-	-	- 1	-	-	674	79	70	17	15	79	70	17	17
-	1	1	1	3	4	1,058	75	71	18	14	74	66	19	15
-	-	-	-	-	-	564	80	81	18	15	74	69	18	16
-	-	-	-	-	-	234	74	71	18	13	74	71	19	17
-	-	-	-	-	~	742	76	67	17	14	76	67	17	17
-	1	-	-	1	3	1,464	77	68	18	15	72	68	18	18
-	-	-	-	-	-	314	77	67	18	15	73	67	18	15
1	-	-	-	-	-	304	65	60	17	15	56	60	17	18
2	1	- ,	-	1	2	700	72	72	16	14	72	72	16	17
-	1	- 1	-	-	-	412	74	72	18	15	74	72	18	17
-	-	-	-	1	1	736	70	62	16	15	70	62	16	16
-	-	-	-	1	2	1,092	74	64	17	15	68	64	18	15
- 6	7	3	1	12	18	12,528				i				

### · NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1905 was 6,264 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, 5,329 in 1899, 5,482 in 1900, 5,735 in 1901, 5,905 in 1902, 6,200 in 1903, and 6,208 in 1904). We have, therefore, for the year 1905, a marriage-rate of 17.52 (persons married) to every 1,000 of population, or at the rate of 8,76 marriages per 1,000 persons.

Marriage-rates.—The marriage-rate was higher in Oxford county than elsewhere in the State, it being for that county 10.94 per 1,000. The lowest marriage-rate, that of 5.91 per 1,000 was in Lincoln county. See Table No. 4.

Nativity.—Of the 6,225 records of marriage in which there was a statement of birthplace, in 72 per cent. the groom and bride were both American; in 11 per cent. both were of foreign birth; in 8 per cent. the groom was American and the bride of foreign birth; while in 9 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 796, was solemnized in June, while the smallest number in any one month, 325, occurred in February. See Table No. 22.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 8 brides were married; in the age-period 15-20 years there were 252 grooms and 1,758 brides; in the period 20-25 years 2,281 men and 2,269 women were married; from 25-30, 1,733 men and 1,064 women; from 30-35, 804 men and 445 women; from 35-40, 416 men and 265 women; from 40-45, 220 men and 160 women; from 45-50, 183 men and 113 women; from 50-55, 131 men and 61 women; from 55-60, 93 men and 62 women; from 60-70, 103 men and 45 women; from 70-80, 35 men and 5 women; over 80, one man and one woman.

The age of 3 grooms and 8 brides was not stated. See Table No. 24.

In 5,319 marriages, the groom was older than the bride; while in 945, the bride was the elder; 773 widowers and 599 widows were remarried; 287 men and 356 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 5,192 men and 5,291 women were married for the first time; that 950 men and 860 women were married the second time; that 101 men and 87 women were united in the third marriage; that 6 men and 7 women contracted marriage a fourth time; and 3 men and 1 woman were married a fifth time. The oldest groom was 80 years of age, and the oldest bride was 81. The youngest groom was 16 years of age, and the youngest bride was 13.

At the age of 16 years, 3 grooms were married; at 17 years, 13; at 18 years, 65; and at 19 years, 170. At the age of 13 years, 1 bride was married; at 14 years, 7; at 15, 74; at 16, 175, at 17, 324; and at 18, 598.

One man was married for the first time at the age of 69 years, one at 65, one at 62, and one at 61. Four brides were married a second time at the age of 17 years, one at the age of 16, and one at 18. In one instance the bride was married a fourth time when 29 years of age, while in another case the bride was married a fifth time when but 25 years old. One woman contracted marriage for the first time at the age of 81 years, while the groom was but 21.

TABLE Divorces Decreed by the Supreme Court of Maine for the

Counties.	Libellant wife.	Libellant husband.	Adnitery.	Cruelty.	Extreme eruelty.	Extreme cruelty and abusive treatment.	Extreme cruelty and adultery.	Desertion.	Desertion and adultery.	Intoxication.
Androscoggin	49	18	11	-	-	-	-	17	-	6
Aroostook	27	15	3	-	1	-	-	8	-	4
Cumberland	92	18	4	-	-	-	-	35	-	24
Franklin	30	12	6	_	1	-	-	9	-	3
Hancock	19	15	8	-	-	3	-	16	-	-
Kennebec	68	31	14	32	-	-	-	20	-	23
Knox	38	12	1	-	-	-	-	4	-	9
Lincoln	11	3	-	-	-	-	-	6	-	-
Oxford	40	18	7	-	-	-	-	10	-	5
Penobscot	92	28	14	-	-	- 1	-	42	-	19
Piscataquis	18	6.	1	-	-	-	-	6	-	-
Sagadahoc	14	٨	3	-	2	-	-	5	-	1
Somerset	41	14	8	-	1	-	-	7	1	7
Waldo	15		5	-	-	-	1	4	-	1
Washington	23	11	1	-	2	-	-	17	-	1
York	33	21	8	-	2	-	-	18	1	6
Total	610	238	94	32	9	3	1	224	2	109

DIVORCES. 87

No. 26. Year, 1905, as returned by Clerks of the Several Counties.

Intoxication and extreme eruelty.	Intoxication and failure to support.	Crnel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment, extreme cruelty, and non-support.	Failure to support.	Impotence.	Neglecting to provide suitable maintenance.	Marriage annulled.	Total,
1	-	25	1	3	2	1	-	-	-	-	-	67
	-	24	-	1	-	-	-	-	-	1	-	42
- :	-	41	-	2	-	1	-	3	-	-	-	110
-	-	12	-	1	2	4	-	3	1	-	-	42
-	-	7	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	10	-	-	-	99
-	-	32	-	-	1	-	-	2	1	-	-	50
-	-	7	-	-	1	-	-	-	-	-	-	14
-	-	33	-	-	2	-	-	1	-	-	-	58
-	-	36	-	1	3	-	-	4	-	-	1	120
-	-	13	-	1	3.	-		-	-	-	-	24
1	-	9	-	-	-	-	-	1	-	-	-	22
-	1	19	-	4	-	2	2	3	-	-	-	55
-	-	12	-	-	-	-	-	-	-	-	-	23
-	-	13	- !	-	-	-	-	-	-	-	-	34
-	-	17	1	-	-	1	-	-	-	-	-	54
2	1	300	2	13	14	9	2	27		1	1	848

TABLE No. 27.

Divorces by Causes, the Sex of Libellants, and the Number of Years Married, 1905.

	I	LIBELLANTS			Nu		R O	F YEARS
CAUSES.	Number.	Sex.		Under 6 months.	Under I year.	1 to 5.	5 to 10.	10 to 20. 20 to 30. Over 30. Unknown.
Adultery	94	Males Females Males	61 33 9	-	1	24 9 5	15 10	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Cruelty	32	Females	23	-	-	8	4	10 1
Extreme cruelty	9	Females	9	~	~	2	2	4 1
Extreme cruelty and abusive treatment	3	Males Females	2	-	-	1	1	
Extreme cruelty and adultery	1	Males Females	1	-	-	1	-	11333
Desertion	224		92 132	1	-	14 18	31 44	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Desertion and adultery	2	Males Females	1	-	-	1	-	
Intoxication	109	Males Females	$107^{2}$	1	1	_ 29	1 34	1
Intoxication and extreme cruelty	2	Males Females	2	-	-	-	1	- 1
Intoxication and failure to support	1	Males Females	1	[ -]	-	-	-	1 7 7
Cruel and abusive treatment	300	Males Females	$\frac{68}{232}$	-	1 3	18 81	22 56	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Cruel and abusive treatment and adultery	2	Males Females	- 2	-	-	-	-	1 - 1 -
Cruel and abusive treatment and failure to support	13	Males Females	- 13	-	-	-8	- 1	3 1
Cruel and abusive treatment and intoxication		Males Females	- 14	-	-	- 5	-4	3 2
Cruel and abusive treatment and extreme cruelty		Males Females	$\frac{2}{7}$	-	1	Į 1	-4	2 1 1 1
Cruel and abusive treatment, extreme cruelty and non-support	2	Males Females Males	- 2	-	-	- 1	-	- ī
Fallure to support	27	Females	27	-	1	12	4	9 1
Neglecting to provide suitable maintenance	1	Males Females	- 1 1	-	-	-	-1	
Impotence	2	Males Females	1	1	-	-1	-,	
Marriage annulled	1	Males Females	- l	-	-	-	-1	=   =   =
Total	848	Males Females			3 5	65 177	71 166	64 22 11 1 176 72 10 1

#### NOTES ON DIVORCES.

Eight hundred and forty-eight divorces were decreed in the year 1905 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, 790 in 1899, 801 in 1900, 808 in 1901, 905 in 1902, 946 in 1903, and 906 in 1904). In 1905, there was decreed in Maine one divorce for every 7.4 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 94, or 11.1 per cent. of the whole number; cruelty, 32, or 3.8 per cent.; desertion, 224, or 26.4 per cent.; intoxication, 109, or 12.9 per cent.; cruel and abusive treatment, 300, or 35.4 per cent.; failure to support, 27, or 3.2 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 610 divorces, and the husband in 238.

In the divorces granted for adultery, the husband was the libellant 61 times, and the wife 33 times.

On account of cruelty, the wife was the libellant in 23 cases, and the husband in 9 cases.

For desertion, the husband was the libellant 92 times, and the wife 132.

For intoxication, the husband was the libellant in 2 cases, and the wife in 107.

For cruel and abusive treatment, the husband was the libellant in 68 instances, and the wife in 232.

For failure to support, the wife was the libellant in the 27 divorces decreed for that cause.

Four divorces were granted before the marriage life had lasted six months; 8 before I year's marriage; 242 after from I to 5 years' marriage; 237 after 5 to 10 years; 240 after 10 to 20 years; 94 after 20 to 30 years; 21 after more than 30 years of married life; while in 2 cases it was not stated how many years they had been married. Tables No. 26 and No. 27 may be consulted for more detailed statements.

TABLE No. 28.

Deaths and Death-Rates by Counties for the Years 1898-1905.

	1898.		1899.		1900		1301.		1902.		1903.		1904.		1905.	,
	Deaths.	Вате.	Deaths.	.91яд	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State	926'01	16.57	16.57 11,370	16.45 11,389		16.40 11,13-		16.63	10,673	15.37	11,009	15.85 11,346	1,316	16.34 11,381	1,381	15.99
Androscoggin	957	19.51	1,054	19.67		17.75	X.	15.63		- <del>3</del>	745	13.73	ž	15.36	Ē.	5.83
Aron-took	265	5.43	£	2.13		12.74	7	3.4		13.37	773	3.68	Ž	3.5	Ž	38
	1,705	8.75	37.1	11.83		8.15	1,746	17.34		9.70	212	27.0	9 ×.	3.	£.1	16.47
Franklin	9.7	8.18	310	17.12		17.16	57.5	5.12		4.33	17	15.33	300	2.9	583	£.
Hancock	550	1.7	57.5	15.42		28.82	5	27.55		99.2	531	14.35	<u>6</u> ;	6	2	± . ±
: :	5 <u>8</u> 5	17.35	59,1	18.05	1,073	18.15	0,070	<u>2</u>	0.50,1	17.25	260,	18.47	989,		1,15	8.13
Knox	497	15.79	<del>4</del>	15.36		17.14	43	×.		59. T	8	15.35	Y.	3.0	X.	5.75
Lincoln	24	14.61	3,5	2. S		. X	33	16.37		98:21	957	16.63	<u></u>	31	595	13.58
Oxford	38 38	15.36	478	4.39		16.95	53.7	16.70		17.33	-	16.99	21.0	3.	505	33
Penobscot	1,185	9. 9	1,184	15.70		6.7	1,357	16.55		16.14	77 71 71	6.93	ž,	€.	305	6.57
Piscataquis	535	14.38	67	16.83		14.73	254	15.19		13.20	2.14	15.99	:22	5.17	91	15.52
Sugadahoc	307	15.78	565	12.2		6.48	533	14.41		15.25	33.0	16.67	90	5.35	21	33
Somerset	503	15, 42	548	16.42		97.7	495	14.76		15.88	247	16.29	98	9.9	35.	16.e3
	435	15.56	435	17.60		17.34	338	16.50		15.22	358	14.80	33	6.9	9	6.79
Washington		14.05	<u>x</u>	13.85	90,	15.55	849	14.40		15.91	=	13.63	7,0	96.21	673	14.53
York	1,133	13.83	1,207	18.66	1,282	17.36	1,183	18.33		18.74	1,177	18.14	1,156	?! %	2	17.30
	-	_	_	_	_		_	_	-	-	-	-			_	

TABLE No. 29.

Number of Deaths in Each Month of 1898-1905, with Monthly Ratio Compared with a Standard of 100.

Peaths.  Str. 1, 431 1431 1432 1433 1432 1433 1432 1432		1898.	zć	1899.	6	1900		1901		1905.	શં	1903.	 2.	1904.	÷	1905.	ú
8.87         36.3         1,482         18.4         98.6         99.5         98.5         100.2         87.6         96.7         1,006         107.6         98.2         100.2         1,007         1,001         88.4         100.8         1,001         1,001         87.4         900         110.0         94.4         111.8         1,002         111.8         1,002         1,003	MONTHS.	Deaths	*.оітвЯ	реятра.	Ratio.	. Реатра.	Ratio.	.ептвэО	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Беятра.	Ratio.	Беятівэ.	Ratio.
S88   92.7   1,094   130.5   881   190.2   1,095   1	January	Ž	85.3	1,432	148.4	903	99.5	955	100.9	876	96.7	1,006	107.6	583	102.2	981	101.
888         92.7         985         98.9         1,00         11,13         1,13         19.7         929         102.5         986         106.5         1,00         11,75	February	$\frac{\infty}{x}$	97.1	1,019	130.5	<u>8</u>	100.8	1,091	4.68	006	110.0	944	111.8	1,035	6.811	1,009	115.6
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		<u>3</u>	92.7	935	6:96	1,095	110.1	1,132	119.7	6 <u>5</u>	102.5	966		1,00	117.8	1,197	123.8
985         100.0         880         98.2         1,08         107.3         944         99.9         101.4         980         99.5         1,08         107.7           791         87.3         78         82.2         78         82.3         78         82.2         80.9         91.8         786         85.9         80.1         80.9         80.5         80.9         80.0	\pril	915	101.6	3962	103.3	1,196	157.7	955	198.	933	107.1	686		1,116	119.7	1,023	109.4
State   Stat	Пву	935	100.0	668	93.5	1,068	107.3	144	6.66	918	101.4	930	99.5	1,038	107.7	957	99.0
814         87.5         788         81.1         889         88.4         837         92.4         901         96.4         800         83.0         83.0           1,008         107.1         1,081         1,068         1,078 <td< td=""><td>ane</td><td>162</td><td>ž</td><td>99.</td><td> </td><td>738</td><td>æ.</td><td>685</td><td>3:98</td><td>805</td><td>8.16</td><td>186</td><td>38</td><td>10%</td><td>36.5</td><td>830</td><td>88.8</td></td<>	ane	162	ž	99.	 	738	æ.	685	3:98	805	8.16	186	38	10%	36.5	830	88.8
1,008         107.1         1,081         10,68         10,68         87.1         87.1         86.1         95.0         86.2         92.4         80.6         97.2         1,1           1,118         12.7         13.2         10.2         1,007         110.5         97.0         110.6         91.1         100.5         97.1         100.5         97.2         1,1         10.2		8	.c.	32	81.3	833	4.	838	ž	12	8.	106	96.4	98	£.	392	79.4
1,118   127,3   193, 102,0   1,007   110,8   970   106,6   911   108,9   957   106,7   91,9   91,3   91,3   91,3   83,0   83,1   91,8   83,1   91,8   84,1   91,8   84,1   91,8   84,1   91,8   84,1   91,8	August	1,003	107.7	1,031	106.8	1,033	103.8	83	8.13	861	95.0	298	92.4	96%	93.0	1,006	101.0
1,684   111.1   382   91.4   91.5   88.3   88.4   94.3   84.5   92.5   999   94.3   88.5   88.5   88.5   88.5   88.5   88.5   91.5   88.5   88.5   91.5   88.5   91.5   88.5   91.5	eptember	1,143	27.3	953	102.0	1,037	110.8	026	105.6	116	103.9	957	105.7	206	6.	1013	80
837         92.9         781         83.6         782         83.1         80.8         83.9         80.5         83.1         91.8         81.7         83.1         91.8         81.7         83.7         94.9         88.3         94.9         94	october	1,034	=	ž	91.4	ᇙ	9.16	\$ <del>2</del>	93.3	ź	24.3	99	92.5	606	ਜ਼ ਰੋ.	89	8
91. 97.9 88. 91.3 886 86.1 897 91.9 988 110.1 919 98.3 944 97.9 1.0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	iovember	150 150 150	3.	18.	3.6	169	3.	8	30.8	830	93.5	8	8.16	<u>x</u>	, e	3.	ž
	becember	- - - -	6.76	ž	91.3	826	ž	5. 2.	6.	86.	110.1	616		5.	6.76	66.7	8
	Juknown	?ì	ī	ī	1	x	ı	61	1	24		50	1	21	1	-	1

\* In this column the maccuracies due to the unequal lengths of the months are eliminated.

TABLE Showing the Number of Deaths in the State, and in

	CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.
All caus	ses (including premature births)	11,607	913	831	1,811
1. (	General diseases	2,799	215	170	457
11. 1	Diseases of nervous system and organs of special sense	1,648	122	71	270
111.	Diseases of circulatory system	1,328	86	49	247
IV.	Diseases of respiratory system	1,391	134	90	167
v. :	Diseases of digestive system	1,303	149	175	164
VI.	Diseases of genito-urinary system and its adnexa	773	54	36	152
VII.	The puerperal state	84	3	9	13
V111.	Diseases of skin and cellular tissue	85	8	2	11
1X.	Diseases of organs of locomotion	12	2	2	2
х.	Malformations	75	8	3	8
X1.	Early infancy	488	32	61	65
XII.	Old age	724	36	44	126
X111.	Deaths from external causes	518	44	39	92
XIV.	Deaths from ill-defined causes	379	20	80	37

No. 30. Each County Arranged by Classes and Counties.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
291	554	1,139	486	270	514	1,336	277	326	577	412	684	1,186
62	110	254	130	54	117	382	73	92	131	95	183	274
40	69	234	61	39	70	165	37	50	86	60	82	192
30	66	130	74	38	67	129	23	48	63	62	91	125
33	86	139	32	23	58	175	36	55	62	49	99	153
35	66	103	44	25	53	155	27	15	71	35	70	116
26	34	68	27	26	38	79	15	27	31	27	41	92
2	8	5	2	2	3	8	1	4	9	2	7	6
3	5	8	1	5	3	14	5	2	4	3	5	6
-	-	-	1	-	-	-	1	2	1	-	-	1
1	1	11	9	1	3	6	4	1	4	3	1	11
13	20	45	20	5	24	47	12	9	25	13	21	76
14	45	54	50	28	39	82	20	10	42	41	39	54
21	18	51	25	10	21	65	17	8	32	9	20	46
11	26	37	10	14	18	29	6	3	16	13	25	34

TABLE No. 30—Continued.

Deaths by Classes and Counties.

			_			_	-	_			_	_	-		_	_	_
•																	
CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Напсоск.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Plscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
L.—General diseases	2,799	215	170	457	62	110	254	130	54	117	382	73	92	131	95	183	274
Typhoid fever	156	13	12	22	1	5	14	3	1	4	30	3	4	3	4	6	31
Intermittent fever and malarial cachexia	11	1		i							- 4		1			2	1
Measles	32	2	-	1	2	3	2	9	_	-	3	-	i	4	1	ĩ	3
Scarlatina	7	1	2	i	-	-	- 1	-		-	-	-	-	- '	-1	-	3
Whooping cough	38	2 7	2	10	1		2	1	-		-8	1	1	2	1	4	3
Diphtheria and croup	110	15	15	16 36	10	11	9	1 9	2 5	5	16	- 5	6	9 16	1	$\frac{5}{21}$	16 17
Influenza Cholera nostras	243 12	15	18	36	10	11	25 2		9	12	33	1	-6	10	-4	1	'í
Dysentery	35	-1	7	3	_	-	3	2	-	2	5	2	1	1	1	4	5
Erysipelas	27	2	1	6	-	2	2	2	1	3	- 1	1	2	- 1	-	2	3
Purulent septicemia and		_		_	.,		٠,				10	٠,		٠,			
Glanders and farcy	50 1	7	2	7	- 3	-	1	3	2	4	10	1	1	1	4	-	- 4
Actinomycosis, trichino-			-	1	-		-	-	-	-	-	- 1	-	- 1	-	-	_
sis, etc	1	-	-	-	- i	-	1	-	- 1	-	- i	- !	- 1	-	- i	-	-
Tuberculosis of larynx	16	3	-	3	-		-	-	1	4	1	- 1	-	-	-	=.	4
Tuberculosis of lungs	894	61	60	129	18	40	85	47	13		132	20	27	43	43	71	77
Tuberculosis of meninges Tuberculosis of the peri-	71	3	5	21	-	5	5	2	1	5	14	-	1	-	2	3	4
toneum	59	8	2	7	1	4	2	2	- 1	2	16	_	1	2	1	6	5
Pott's disease	8	- 1	-	i i	- 1	-	1	-	2	1	-	- 1	-1	2	-1	-	1
White swelling	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of other		,		-							- 2						
organs General tuberculosis	16 44	5	1	5 7	-1	-3	1	3	- 0	3	7	-3	_	2	-1	3	3 4
Scrofula	1	-	_ 1	_'	-,	1	-1	-3		- 0	_'	-0	_		-1	1	-*
Syphilis	ŝ	_	1	1	-	-1	-	-	1	_	2	-	1	-	-	-	2
Cancer of mouth	25	1	2	6	1		1	1	-	2	3	-	ĩ	3	-	4	-
Cancer of stomach and	200	20															
liver Cancer of per:toneum,	273	19	12	53	10	10	25	15	7	10	28	9	14	6	9	21	25
intestines and rectum.	76	5	3	13	2	4	6	5	1	3	11	1	3	5	3	1	10
Cancer of female genital					- 7	- 1			•		**	1				1	20
organs	100	10	2	16	-	4	8	3	1	5	9	4	3	9	5	12	9
Cancer of breast	51	8	2	12	2	1	10	1		1	-,	3	4	2	-	2	4
Cancer of skin	24	1	1	6	1	-	3	1	2	3	1	1	-	2	-	-	2
Cancer of other organs and of organs not spec-										- 1		1		- 1		- 1	
ified	113	- 8	2	17	2	6	15	6	6	2	18	4	3	4	7	2	11
Other tumors	12	1	2	3	-	-	3	~	-	1	1	ĩ	-	-	- 1	-	-
Acute articular rheuma		- 1										_				_	_
tism	39	1	1	9	1	1	6	-	- ,	2	4	3	1	2	1	2	5
(bronic rhenmatism and	21	9	3	1	_		1	2	1	- !	2	1	1	3	1	_	3
Diabetes	115	15	8	18	5	5	13	3	3	5	12	ŝ	5	4	2	4	5
Exophthalmic goiter	2	1	-	-	-	- "	1	-	-	-	- 1	-	- 1	-	-	- 1	-
Addison's disease	5	-	-	-	- [	-	-	1	-	-	1		1	1	-		1
Leukemia	9	-	~	1	-	2	-	1	1			1	-	-,	1	1	1
Anemia, chlorosis Other general diseases	63 5	-8	1	20 1:	1	1	2	4	1	5	5	1	3	4	2	1	-4
Alcoholism, acute and	3		-		-	-	-	-	-	-	•	-	-		-	1	
chronic	20	3	1	1	-	-	1	2	-	3	2	-	-	1	1	-	5
Other chronic poisonings	5	-	-	-	- [	-	-	-	-	1	1	-	-	-	-	1	2
			- 1		- 1	1	į	1			i	Į	- 1	1	_ [		_

TABLE No. 30—Continued.

Deaths by Classes and Counties.

-		-		1		-		-		-	-	_	1		-		=
Causes of Death.	State.	Androscoggin.	A roostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoe.	Somerset.	Waldo	Washington.	York.
II.—Diseases of the nerv-												i					_
ous system and of the	1.648	100	71	270	40	69	234	61	39	70	165	37	50	86	60	82	192
organs of special sense Encephalitis	13	- 1	- '	1		1	1	i	-00	-	1	-	-	1	1	3	- 2
Simple meningitis	216	22	13	45	7	8	28	3	5	9	19	9	1	10	4	8	25
Progressive locomotor	20	1	_	5		1	3	1	_	3	3	_	1	_	_	1	1
Other diseases of the		1											1				
spinal cord	45	5	1	7	1	2	6	1	-	4	2.	1	1	2	3	2	7
Congestion and hemor- rhage of the brain	751	46	21	144	14	33	83	33	17	33	79	12	36	45	26	32	97
Softening of the brain	29	2	-	3	2	1	3	-	1	2	6	-	-	1	2	2	4
Paralysis without speci-	235	13	11	18	6	10	43	7	6	5	22	9	4	15	14	15	87
fied cause General paralysis	37	3	1	4	2	2	8	_'	í	1	3	1	2	í	2	4	2
Other forms of mental																	
alienation	63 37	2	3	11 5	- 1	1	37 9	4	2	2 1	3	1	1	-	1 2	3	1
Epilepsy Eclampsia (non-puer-	31	9		, ,	-	1	0	*	-	1	3	1	1		-		
peral)	.7	1 7	1		-	-		1	1	-	1	1	-,		-	-	- 1
Convulsions of children. Tetanus	95	2	10	11	2	-6	-6	-6	1	-6	12	1	1	5	2	9	. 5
Other diseases of the		-			-		-	- 1	-	-	-		-	1			
nervous system	92	15	- 9	13	5	3	7	2	3	4	13	2	2	4	3	3	4
Diseases of the ear III.—Diseases of the cir.	1	-	-	-	- 1	-	- !	-	- 1	-	- 1	-	-	1	-	-	-
culatory system	1,328	86	49	247	30	66	130	74	38	67	129	23	48	63	62	91	125
Pericarditis	9	2	-	.1		1	4	-	-	-	-	-		- 1	-	٠.	1
Acute endocarditis Organic diseases of the	57	3	3	17	2	5	9	-	- 1	2	5	~	5	-	-	5	4
heart	1,068	70	42	190	22	52 7	99	55	32	55	100	21	38	57	53		110
Angina pectoris	88	5	3	1.8	3	7	6	9	3	4	13	-	1	1	3	8	-
Affections of the arteries (atheroma, aneurism,																	
etc)	40	2	-	4	1	3	- 6	1	1	2	2	-	2	3	5	5	5
Embolism and throm-							_									,	
Affections of the veins	44	2	-	12	2	-	5	6	2	2	6	-	2	1	1	1	2
(varices, hemorrhoids,		,		1				,				i		i			
phlebitis, etc.)	.3			2	-		1	1	-	1	2	-	-	-,	- 1	-	-
Hemorrhages Other diseases of the cir-	14	1	1	- 5	-	1	i - i	2	- 1	1	1	-2	-	- 1	-	-	,
culatory system	1	1	-	-	-	_	-	_	- !	-	- ,	-	_	-	-	-	-
IV.—Diseases of the res-	2 01		0.0	10=	00	0.0			2.0			00			411	1341	1.50
Diseases of the nasal	1,391	134	90	167	33	86	139	32	23	58	175	36	55	62	49	99	153
fossa	1	1	-	-	-	-	- 1	-	_	-	-	-	-	-	_	-	_
Affections of the larynx	5+	1	-	2	-	-	1	-	-	-	1	-	1	1	-	1	1
Affections of the thyroid body	9	_			_	_	_ 0		_			_	_	_	_	_	_
Acute bronchitis	102	- 6	11	10	1	3	11	3	3	8	16	5	2	1	3	1	15
Chronic bronchitis	116	11	9	22	. 2	12	10	2	5	4	29	3	4 5	3	5	6 12	13
Broncho-pneumonia	170 883	18	58	21 97	11 18	11 58	20 85	$\frac{1}{24}$	10	32	104	19	41	52	33	70	98
Pleurisy	21	2	ĩ	3	-	-	1	-1	-	2	4	2	-	-	1	-	5
Congestion of the lungs,	40		٠.								c					0	
pulmonary apoplexy	43	-6	-1	- 6	-1	3	-	-2		-1	-6	2	_	-	2	2	1
Asthma	12	3	1	-	_'	_	2	_	_	1	1	-	-	1	2	1	- 1
Pulmonary emphysema.	4	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-
Other diseases of the respiratory system																	
(phthisls excepted)	26	-	-	3	-	-	1	-	3	3	4	2	2	-	1	3	4
		<u>'                                    </u>		( )	ļ		- 1					- 1	1	į.	- 1		

TABLE No. 30—Continued.

Deaths by Classes and Counties.

X		orgin.	ok.	land.	_		PC.				ţ	a in	noc.	ن		ton.	
CAUSES OF DEATH.	State.	Androscoggin.	Aroo-took	Cumberland	Franklin.	Hane ck	Kennebec	Knox.	Lincoln.	Oxford.	Penobscot	Piscataquis	Sugadahoc	Somerset.	Waldo.	Wa-hington	York
Diseases of digestive	1,303	140	175	164	35	EE	103	44	25	53	155	27	15	71	35	70	11
fections of the mouth		140	17.7			00	100	**	20				10		00		•
and its adnexa ffections of the pharynx	11	-2	- 2	3	-	-	1	_ '	_		3	-	-	2	-	-	
iseasesof the esophagus	1	-	-	-	-	-	-	-	1	-	- !	- 1	-	-2	-	-	
lcer of the stomach ther diseases of the	22	2	4	3	1	1	3	-	-	-	4	1	-	2	-	-	
stomach (cancer ex-									_	7	,,,	2	1	12	6.	15	
cepted) nfantile diarrhea (under	170	14	7	20	5	11	13	6	7	- 1	17	2	1	12	0	10	
2 years)	561	73	116	64	11	23	39	14	3	18	76	9	7	21	5	26	
iarrhea and enteritis (2 years and over)	111	9	13	11	2	6	7	7	5	8	14	-	3	10	2	7	
itestinal parasites	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
ernias and other intes- tinal obstructions	94	10	6	15	7	5	9	3	1	3	11	1	2	6	6	4	
ther affections of the	• 24	2	3	4		2	1	2		2	_	2		1		3	
intestinescute yellow atrophy of	24	1 2	3	*	- 1	2	1	2	-	-	- 1	-	-	1	- 1		ĺ
liver	5	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	
ydatid tumors of the liver	1	-	-	-	-	_	_	-	-	-	-	-	-	1	-	-	
irrhosis of liver	44 23	-4	-1	5	1	4	3	3	3	4 2	1 2	3	-	1	6	1	
iliary calculither affections of the	20		1		•	1		1	-								
liver	65 5	10	5 1	10	4	4	8	-	3	4	5 2	2	-	1	2	2	
ffections of the spleen aflammatory peritonitis	Э		,	-	1	_	-	-	-	_			_	-			ļ
(puerperal excepted)	90	7	9	11	1	8	11	2	1	3	11	4		7	3	- 8	
ppendicitis and abscess of the iliac fossa	68	15	8	11	1	1	2	6	-	2	7	3	2	3	1	3	l
1.—Diseases of the gen-																	
ito urinary system and its adnexa	773	54	36	152	26	34	68	27	26	38	79	15	27	31	27	41	
cute nephritis	47 599	4	1 29	10 125	3 20	28	4 50	18	2 20	$\frac{6}{24}$	58	10	24	27	1 23	30	
right's disease ther diseases of the kid-	398	39	29	120	20	20	30						1				Į
neys and their adnexa.	26	4	3	4	-	-	1	3	1	1	4	1	1	-	1	-	
alculi of the urinary	1	-	-	-	-	-	-	-	-	-	-	-	-	-		-	
diseases of the bladder Diseases of the prethra,	42	2	-	6	1	2	1 8	1	1	3	6	-	1	1	2	3	
urinary abscess, etc	1		-	-	-	-	-	_	-	-	1	-	-	-	-		
biseases of the prostate.	25	2	1	4	-	1	2	1	2	1	4	1	-	2	-	1	ļ
onvenereal diseases of the male genital organs	1	-	-	-	-	-	-	-	-	1	-	-	-	~	-	-	l
terine hemorrhage,	6	1	1				2	_	_	_	_	L	_	_	_	ı	
) (non-puerperal) Iterine tumor (non-can-		'	1	-	-	-		_	-				١.				1
cerous)ther diseases of the	5	-	-	-	-	-	1	2	-	-	-	-	1	-	-	1	
uterus	7	1	-	3	ì	-	-	-	-	1	-	-	-	1	-	-	
Cysts and other tumors					1	_	_	_	_	1	_	-	_	_	_	2	
of the ovary Other diseases of the			~	-	1	_	-	]		1	1.					~	ĺ
female genital organs.	1 7	1	. 1	-	-	1	-	1	-	~	2	1	-	-	-	-	ı

TABLE No. 30—Concluded. Deaths by Classes and Counties.

		_	_		_	_		_	_			_	-	_		-	-
CAUSES OF DEATH.	State.	Androscoggin.	A roostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo	Washington.	York.
				1				1 .1	1 . 1					1		. 1	_
VilThe puerperal state Accidents of pregnancy Puerperal hemorrhage Other accidents of labor. Puerperal septicemia	83 15 6 3 32	3 1 - 1	9 1 - 1 4	13 1 1 - 7	- - - 2	8 2 - 1 2	- - - 3	2 1 - - 1	- - - 2	3 1 - 1	8 4 2	1 - - -	4 1 - - 2	1 - 3	- - 1	7 - 1 1	6 -1 -2
Puerperal albuminuria and eclampsia	10	1	1	3	-	1	_		_		1	_	1	_	_	1	1
Other puerperal acci-		•											1				
dents, sudden death VIII.—Diseases of the	17	-	2	1	-	2	1	-	-	1	1	-	-	3	1	3	2
skin and cellular tissue	85	8	2 2	11	3	5	8	1	5	3	14	5	2	4	3	5	6
Gangrene	70 4	7	_2	1	3	- 5	- 8	-1	- 5	3	12	3	-1	2 1	3	-4	1
Phlegmon, acute abscess	6	1	-	3	-	-	-	-	-	-	-	-	-	i		1	-
Other diseases of the skin and its adnexa	5	-	_	_	-	-	-	-	_	-	1	2	1	_	_	_	1
1XDiseases of the or-	12		2	2		_	_	,				1	2	,			
gans of locomotion Non-tuberculous diseases	12	2		2	-	-	-	1	-	-	-	1		1	-	-	1
of the bones	11	2	2	1	-	-	-	1	-	-	-	1	2	1	-	-	1
eases of the joints (tu-																	
berculosis and rheuma- tism excepted)	1	_	_	1	_	_	_	_ [		_	_	_	_	_	_		
X Malformations.	•			•							ĺ		i	-			_
Malformations, congeni- tal(still-birthsexcepted)	75	8	3	8	1	1	'n	9	1	3	6	4	1	4	3	1	11
XIEarly infancy	489	32	61	65	13	20	46	20	5	24	47	12	9	25	13	21	76
ity, and sclerema	398	27	56	42	9	19	39	12	3	19	38	11	8	20	13	17	65
Other diseases of early	20												İ	- 1			
Infancy Lack of care	29 62	3	3	18	3	1	1 6	7	2	3	4	1	-1	4	-	2	5 6
XII.—Old age.	724	36	44	126	14	46	5.4	50	28	39	82	20	10	42	41	20	
Senile debility					14	45	54						10	- 1	41	39	54
ternal causes Suicide by poison	518 11	44	39	92	21	18	51	25	10	21	65	17	8	32	9	20	46
Suicide by asphyxla	'n	-1	Ξ	-"	-1	-	-	- 1	-	- [	1	- 1	-	-	-	-	-1
Suicide by hanging or strangulation	23	2	_	3	3	1	2	2	1	_	1	1	2	1	1	1	2
Suicide by drowning	13	1	-	-	- 1	2	1	1	i	2	-	-	-	1	-	i	3
Suicide by firearms Suicide by cutting justru-	25	2	3	4	1	-	1	2	-	3	3	2	1	1	-	-	2
ments	9	-	-	3	-	-	-	1	-	1	2	-	-	1	-,	-	1
Other suicides Fractures	68	4	-6	17	5	1	-8	-6	2	2	7	_	-	3	1 2	3	2
Other accidental injuries Burns and scalds	142 39	11	6 5	28 6	1	3	11	4	1	7	27	-7	1	11	4	5	12 6
Sunstroke	1	-	í	-	-	-2	-	- 1	~ 1	-	-	- !	-	-	-	-1	-
Freezing	87	7	- 5	13	-6	-4	1 6	3	-1	-3	12	1 5	1	- 5	1	-6	9
Inanition (starvation)	2	- '	ĭ	-	-	~*	-6	-	-1	~	-	~	-	ĭ	-1	~	-
Absorption of deleter- ions gases (non-suicidal)	17	1	6	1	_	1	4	2		-	_	1		_			1
Other sente poisonings	24	1	2	4	1	1	3	- 1	-	-	6	-	1	-	-	2	3
Other external violence. XIV.—Deaths from ill-	50	11	4	6	2	3	8	2	- '	3	3	-	-	3	-	1	4
defined causes	379	20	80	37	11	26	37	10	14	$\frac{18}{2}$	29	6	3	16	13	25	34
Dropsy	23 20	1	1	1 2	-	1 2	3	3	14 3 2	_2	4 2	1		1	-1	1	3
Unspecified or ill-defined causes of death	336	19	75	34	11		33	7	9	16	23	5	3	13	12	23	30
causes of death	000	1.0	13	34	*1	23	33	- 1	1,5	10	20	3	3	10	12	20	30

7

TABLE No. 31.

Deaths from All Causes by Months—1905.

	1	1	1	1				1	_	1		-		=
Causes of Death.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
All causes (including premature births)	11,607	992	1031	1230	1037	983	851	786	1027	1030	972	839	814	15
IGeneral diseases	2,799	238	246	312	268	229	226	196	224	227	216	202	213	2
II.—Diseases of nervous sys- tem and organs of special sense	1,648	145	150	154	134	159	127	108	126	136	139	149	120	1
IIIDiseases of circulatory system	1,328	113	105	134	99	108	119	93	114	103	117	115	107	ı
IV.—Diseases of respiratory system	1,391	169	215	262	178	126	66	32	26	55	77	78	104	3
VDiseases of digestive system	1,303	54	69	64	66	75	62	112	259	240	160	81	59	2
VI.—Diseases of genito-uri- nary system and its adnexa	773	72	53	73	87	75	66	58	69	54	61	54	50	1
VIIThe puerperal state	83	9	5	9	6	7	7	8	5	4	5	8	10	-
VIIIDiseases of skin and cellular tissue	85	12	6	6	10	6	4	8	7	7	6	7	6	-
IX.—Diseases of organs of locomotion	12	_	3	1	1	2	-	1	1	-	1	1	1	_
XMalformations	75	8	3	5	9	6	6	7	6	7	s	3	7	-
X1Early infancy	489	33	36	47	38	58	37	43	45	52	36	34	31	1
XIIOld age	724	78	71	85	68	63	60	44	53	50	64	40	45	_
XIIIDeaths from external causes	518	30	33	45	86	50	49	51	61	47	47	36	30	3
XIV.—Deathsfromill-defined causes	379	31	<b>3</b> 6	33	37	19	22	27	31	48	35	31	28	1

TABLE No. 31—Continued.

Deaths from All Causes by Months—1905.

CAUSES OF DEATH.
Typhoid fever   156   13   10   12   12   7   10   6   12   27   22   14   11   11   12   13   14   15   15   15   15   15   15   15
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Scarlatina
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
Cancer of peritoneum, Intestines
and rectum
Cancer of female genital organs $\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Cancer of skin
Cancer of other organs and of
organs not specified
Acute articular rheumatism 39 3 6 3 1 6 2 3 5 3 1 4 2 -
Dishetes
Exophthalmic goiter 2 1 1
Leukemia 9 1 1 3 2 1 1 - Anemia, chlorosis 63 2 3 7 5 9 9 2 7 4 6 3 6 -
Other general diseases
Alcoholism, acute and chronic 20 3 3 - 2 1 1 1 1 3 - 2 3 - Other chronic poisonings 5 - 1 - 2 2 - 2 - 2 - 2 2
11Diseases of the nervous system
and of the organs of special sense   1,648   145   150   154   134   159   127   108   126   136   139   149   120   1   Encephalitis   13   2   -   2   1   -   1   2   1   2   1   1   -   1   2   1   2   1   1   -   1   2   1   2   1   1   -   1   2   1   2   1   2   1   1   -   1   2   1   2   1   2   1   1   -   1   2   1
Simple meningitis
Progressive locomotor ataxia 20 2 3 1 2 - 5 0 0 - 1 -
Other diseases of the spinal cord 45 2 5 6 3 3 4 3 3 6 3 3 4 - Congestion and hemorrhage of the
brain
Softening of the brain
General paralysis 37 5 5 3 5 3 2 1 3 3 2 5
Other forms of mental alienation   63 6 6 4 5 9 5 3 4 9 7 4 1 -
Convulsions of children
Tetanus
Otherdiseases of the ear

TABLE No. 31—Continued.

Deaths from All Causes by Months—1905.

Pericarditis			-				-	- 17					_		-
System	CAUSES OF DEATH.	Total.	January.	February.	March.	April.	Мяў.	June.	July.	Angust	September.	October.	November.	December.	Not stated.
ameurism, etc.)	system Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris	9 57 1,068	1 95	12 51	1 3 113	1 3 80	- 5 91	1 5 99	3 4 74	- 4 86	- 6 80	1 7 90	- 2 89	5 90	1 -
1	aneurism, etc.)	14	3	1 2	1	3	4	4	1 -	1	- 6		- 7 -		ī -
Affections of the thyroid body. Acute bronchitis.    102   17   15   22   12   13   3   4   44   45   65     17   18   18   18   18   18   18   18	system IV.—Diseases of the respiratory system Diseases of the nasal fossae.	1,391			-	178	-	66	32	6 2 -	1	77	-	-	3
Congestion of the lungs, pulmonary apoplexy.	Affections of the thyroid body. Acute bronchitis. Chronic bronchitis. Broncho-pneumonia. Pneumonia.	102 116 170 883	17 15 21	12 23 153	22 20 33 170	12 26 109	10 14 88	9 10	4 5 14	2 2 14	9 6 32	7 9 44	14 46	11 7 69	1 - 2
tem (pitthisis excepted)	Congestion of the lungs, pulmonary apoplexy. Gangrene of the lungs. Asthma. Pulmonary emphysema.	43 2 12	-3	5 1 1	8	8	4	i	2	1	1	5	2	1	
Diseases of the esophagus.	tem (phthisis excepted)	1,305	54	69	64	- 66	75 1	-	112		240 1	_	1	59	1
Diarribea and entertitis (2 years and over)	Diseases of the esophagus	1 22 170	1 12	- 3 15	- 1	1 12	- 2 18	- 4 11	18	19	1 1 14	3	-2 11	- 2	-
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Diarrhea and enteritis (2 years and over)	111	1	3	-2	-4	-3	5	-6	24 -	31 1	19 1	- 8	5	-
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Other affections of the intestines Acute yellow atrophy of liver Hydatid tumors of the liver Cirrhosis of liver	24 5 1 44	- - 4	- - - 3	-	1 1 5	1 - 4	1 1 - 1	1 1	1 - 6	- 3	-	- - 4	- - 2	-
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Other affections of the liver	65 5 90	1	9	-	-9	3	-6	-	~	3	1	- -	-	-
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	iliac fossae. VI.— Diseases of the genito-urinary system and its adnexa	68 773 47 599	72 4	53 4	73 5	87 2	75 11	66 6	58 4	69 2	54 2	61 2	54 3	50 2	1
abscess, etc	Other diseases of the kidneys and their adnexa	26 1 42	-	-	7	-	- 1	1	-	-	- - 4	1 -	- 1	-	-

## TABLE No. 31-Concluded. Deaths from All Causes by Months-1905.

Diseases of the prostate					_		-			_		-			=
Nonvenereal diseases of the male genital organs   1	CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August	September.	October.	November.	December.	Not stated.
Nonvenereal diseases of the male genital organs   1	Diseases of the prostate	25	1	2	1	4	2	1	3	6	_	1	2	2	Ī.
Uterine tumor (non-cancerous)	Nonvenereal diseases of the male			_	•		-	•					-	-	
Depart   D	genital organs /non puer	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Uterine tumor (non-cancerous)		6	-	1	1	-	1	1	_	1	_	-	1	-	-
Cysts and other tumors of the ovary other diseases of the female genital organs.  VII.—The poerperal state.  88	Uterine tumor (non-cancerous)				2		-	-	ı	-					-
Other diseases of the female gential organs.  VII.—The ponerperal state.  83 9 5 9 6 7 7 8 5 4 5 8 10 Accidents of pregnancy.  15 1 2 3 1 - 3 1 - 1 - 3 2 1 - 2 2 1 - 1 1 1 - 1 2 1 1 1 1 1 1 1			- 1		-	, 1	-	2	-,			-		-	-
Organs			_	-	_	- 1	-	-	-		-	-	1	-	-
Accidents of pregnancy	organa	.7	-		-			-	-				- 1		-
Purper   P	VII.—The puerperal state						7	- 7			4				-
Other accidents of labor	Puerperal hemorrhage				-	- 1	- 1	1	-"		1	- 1	- 1		
Puerperal albuminuria and eclampsia   10   -   2   1   1   1   2   -   2   -	Other accidents of labor	3	-			-	-	-	-	-	-	-		-	-
Description   Company		32	6	-	1	3	4	4	2	-	3	1	4	4	-
Other puerperal accidents, sadden death.   17		10	_ 1	- 1	9	1	- 1	- 1	1	9	_	_		_	
VIII.	Other puerperal accidents, sudden					•	1	•	١.	. ~			- 1		
Dular tissue	death	17	1	1	2	1	2	1	2	I	1	3	I	1	-
Gangrene. 70 9 5 5 9 6 3 6 6 6 6 3 8 Furnacle, boil, carbuncle. 4 - 1 1 - 1 - 1 1 1 - 1 1 1 1		85	10	6	R	10	в	4	٠	-	-	6	-	e	
Furuncle, boil, carbuncle		70													_
Other diseases of the skin and its adnexa.  IX.—Diseases of the organs of locomotion.  Non-tuberculous diseases of the bones.  Arthritis and other diseases of the joints (tuberculous and rhematism excepted).  X.—Wallormations.  Mail mattons congenital (still.  XI.—Early infancy.  Congenital icterus, debility, and scierema.  Other diseases of early infancy.  Congenital icterus, debility, and scierema.  Other diseases of early infancy.  Semile debility  XII.—Deaths from external causes Salicide by apphyxis.  Suicide by apphyxis.  Suicide by Janging or strangulation  Suicide by Janging or strangulation  Suicide by Unawning.  Suicide by Cutting instruments.  25 - 2 - 2 2 1 - 1 - 1 1 1 - 1 1 1 1 - 1 1 1 1	Furuncle, boil, carbuncle		- 1	-	1		-			- 1	- 1	-		1	-
Adhexal	Other diseases of the skip and its	6	2	-	-	1	-	1	1	-	-	-	-	1	-
IX.—Diseases of the organs of locomotion		5	1	1	-	_	- 1	_ [	1	-	1	-	-	1	_
Non-tuberculous diseases of the bones.	IX.—Diseases of the organs of lo-		i												
1	Son tuberculons discourse of the	12	-	3	1	1	2	-	1	1	-	1	1	1	-
Arthritis and other diseases of the joints (tuberculosis and rhemana tism excepted).  X.—Malformations, congenital (still. births excepted).  XI.—Early infancy.  Congenital icterus, debility, and congenital icterus, debility, and selections.  Selections of early infancy.  29		11	- 1	3	1	_	0	- 1	- 1	1	-	1	1	1	_
tism excepted).  X.—Malformations, congenital (still. births excepted).  XI.—Early infancy.  XI.—Early infancy.  Congenital icterus, debility, and congenital icterus, debility, and selections.  Selections of early infancy.  29	Arthritis and other diseases of the		- 1				-			-		-	1	- 1	
X.—Malformations.   Still-births excepted   Still-bi		,	- 1			, 1									
Mailformations, congenital (still-births excepted)	X.—Malformations.	1	-	-	-	1	-	-	- 1	-	-	~	-	-	-
XI.—Early infancy.	Malformations, congenital (still-														
Congenitàl icterus, debility, and scierema.  388 29 33 38 27 47 33 36 34 37 27 30 26 26 32 37 14 36 34 37 27 30 26 27 31 37 30 36 34 37 27 30 26 37 37 37 30 36 37 37 37 30 36 37 37 37 30 36 37 37 37 30 36 37 37 37 30 36 37 37 37 30 36 37 37 37 37 37 37 37 38 38 38 37 37 38 38 38 37 37 38 38 38 37 37 38 38 38 38 38 38 38 38 38 38 38 38 38			8						.7			. 5		.7	-
Selerema	Congenital icterus, debility, and	100	33	36	4.	38	58	31	41	40	52	36	34	31	1
Other diseases of early infancy.  Lack of care.  62 3 2 3 7 6 3 2 9 12 8 4 8 8 11 - 2 - 2 8 15 15 16 14 6 8 17 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			29	33	38	27	47	33	36	34	37	27	30	26	I
XII.—Old age. Semile debility XIII.—Deaths from external causes Sincle by polson.  11	Other diseases of early infancy			3		4		1	3				- '		-
Semile debility	VII _Old age	62		2	3	- 1	6	3	2	9	12	8	+	3	-
Salicide by polson	Senile debility			71		68	63	60	44	53	50	64	40	48	_
Sulcide by hanging or strangulation Sinicide by planning or strangulation Sinicide by drowning.	XIII.—Deaths from external causes											47	36		3
Sulcide by hanging or strangulation Sinicide by planning or strangulation Sinicide by drowning.	Snicide by poison			- 11	-3		2	-	-	- 11	1	- !	7.1		-
Salcide by drowning.	Sulcide by hanging or strangulation		-	1	3	-		1	2	2	6	1	2		_
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Suicide by drowning		-	-			2							- 1	-
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Sulette by artting instruments			- 3	3		- 1			2			2	- 1	-
Fractures	Other suicides		- 1	-	1	- '	_	-1	- 1	-	. '		Ξ.	- 1	_
Burns and sealds. 39 2 2 3 2 4 3 6 3 2 3 7 2 Sunstroke. 1 1 1	Fraetures											6			1
1															1
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			-2	_2	-0	- 1	-4	- 3		- 3		_"	-1	-2	Ξ
Absorption of deleterious gases, (non-suicidal)	Freezing	4	3	1	-	-	_	~	-	-	- !	- '	- 1	-	-
Absorption of deleterious gases, (non-suicidal)	Accidental drowning		-	-	2	8	15	15			6	3	3	4	ı
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Absorption of deleterious gases.	- 1	-	- 1	- 1	-	-	-	- 1,	- 1	-	-	-	- 1	-
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	(non-surcidar)				-	-	-	-	- 1				1		_
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Other acute poisonings						-					2			-
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	XIVDeaths from Ill.defined	90	3	3	Э	11	2	Ð	2	б	2	h	3	2	-
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	causes						19	2-2		31	48	35	31	28	1
Unspecified or ill-defined causes of	Dropsy	23	2		2	-2		-		3	3	2		3	_
	Unspecified or ill defined causes of	20	1	-	3	3	- 1	2	-	1	4	3	-	3	-
wearn	death	336	28	34	28	32	18	20	26	27	41	30	29	22	ı

TABLE Deaths from all Causes by

	i					_		
CAUSES OF DEATH.	Sex.	Total.	0.	1.	2.	3.	4.	0-4.
All causes	Totals Males	56,616 28,984	4772	744	361	223	179	6,27
Typhoid fever	Females Not stated . Totals Males	27,585 47 1,009 586	31	- 3 1	5	193 - 4 1	174 10 5	5,11 3 3
Typhus fever	Males	423 1 1		- -	- -	- - -	- - -	- -
Intermittent fever and malarial cachexia	Males	64 62		=	- 1 1	-	-	-
Smallpox	Males	2 22 14	4	-	- 1 - 1	-	-	-
Measles	Females Totals Males	8 144 59 85	34 20 14	27 11 16	9	5 4 1	2 1	333
Scarlatina	Females  Totals  Males  Females	66 28 38	4 1 3	5 3 2	8 5 3	5- 1- 4	13	8 1
Whooping cough	Totals Males Females	281 136 145	178 82	54 30	18	11 5 6	7 6 2 4	26 12 14
Diphtheria and croup	Totals Males Females	629 342 287		64 38 26	79 48	62 34 28	68 39 29	34 20 14
Influenza	Totals Males Females	993 445 548	118 71	24 13 11	10 5	6 3 3	8 3 5	16
Cholera nostras	Totals Males Females	75 36 39	2	-i	8	3 1 2	2 2 9	i 1
Dysentery	Totals Males	160 74 86	31 16 15	10 5 5	3	11 8 3	9 6 3	3
Erysipelas	Totals Males Females	117 57 60	14 6 8	-	- 1	-	-	1
Other epidemic affections	Totals Males Females	1 1	-	1 1 -	-	- 1	-	
Purulent and septicemic affections	Males Females	238 132 106	17 6 11	1 - 1	1 - 1	1 1 -	2 - 2	2
Glanders and farcy	Males	2 2 -	-	-	-	-	-	-
Malignant pustule and anthrax	Males Females	4 3 1	1 1 -		-	-	-	_
Actinomycosis, trichinosis, etc	Totals Males Females	- 1 - 1	-	-	-	-	-	-
Tuberculosis of larynx  Tuberculosis of lungs	Males	57 37 20 4.814	- - 66	1 1 - 28	1 1 18	16	- 8	130
	Males Females	4,814 2,148 2,666 307	43 23 59	15 13 44	6 12 28	8 16	4 21	76 6 16
Tuberculosis of meninges	Totals Males Females	150 157	29 30	23 21	13 15	8	10 11	85

No. 32. Age-Groups-1901-1905.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	89-89.	90-94.	95-99.	100-+.	T're from a more
083 571 512	831 399 432	1530 731 799	2026 970 1056	1983 891 1092	1778 821 957	1720 815 905	1731 850 881	1995 1010 985	2332 1221 1111	1407	3399 1805 1594	4396 2282 2114	4756 2498 2258	4877 2566 2311	3946 1990 1955	2397 1117 1280	915 369 546	231 76 155	29 9 20	48 30 16
22 111 5 6 6 6 8 8 9 9 6 6 6 8 11 1 9 7 7 4 4 3 3 5 1 4 4 4 4 19 2 5 5 5	677 266 411	1599 799 80 80 80 80 80 80 80 80 80 80 80 80 80	1822 1133 699	130 888 422 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	91 588 33 3 1 1 1 8 8 2 2 6 6	- 69 466 23 7 22 55 2 6 4 22 10 1 - 1 32 22 10 1 - 1 - 1 1 32 22 383 160 223	30 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	555 388 117	266 160 100 11 1 1 1 2 2 2 2 100 4 4 6 6	277 144 13 14 15 55 -1 1 1 -1 -1 1 12 20 11 11 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1	18 111 77 1 1 466 117 72 22 11 1 1 1 1 1 1 1 1 1 1 1 1 1	14 8 8 6 6 7 13 13 13 13 13 15 16 6 7 7 2 12 12 12 12 12 12 12 12 12 12 12 12 1	10 6 6 4 4	9 5 5 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		299 77 222 - 6 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 1 1 - 1 1	1	

TABLE

Deaths from all Causes by

							-	
Causes of Death.	Sex.	Total.	0.	1.	ci	.3.	+	0-4.
Tuberculosis of peritoneum	Totals	292	14	8 3	2	-	2	26
	Males Females	174	10 4	5	2	_	1	14
Pott's disease	Totals	44 20	3	1	-	-	-	
Cold abscess	Females	24 12	2 2	_1	1	-	-	4
COR absects	Males Females	5	1	-	1	-	-	
White swelling	Totals	20	-	-	-	-	-	-
	Males Females	13	_		-	Ξ		-
Tuberculosis of other organs	Totals Males	61 32	3	3 2	-	-	-	7
General tuberculosis	Fameles	29 210	11	1	- 6	-1	-	15
General tuberculosis	Males	106	8	í	5	i	-	13
Serofula		104 29	13	4	- 1 	1	_	18
	Males Females	16 13	10	1 3	-	-1:		11
Syphilis	Totals Males	34 21	9	٠. [	-	-	-	ç
Gonorrhea	Females	13	4	-	-	-	-	4
Gonormea	Males	1	- 1	-	-	-	-	-
Cancer of mouth		$\frac{1}{112}$	-1	-	-	-	-	-
	Males Females	90 22	-	-	- 1	-	-	-
Cancer of stomach and liver	Totals	1,186 560	2		-	-	-	- :
Cancer of perltoneum, intestines and	Females	626 352	- 2 1	-	-	-	-	1
rectum	Males	131	í	-	-	-	-	i
Cancer of female genital organs	Females	221 458	-	-	-	- 1	-1	_
	Males Females	458	-	-	-	-	5	
Cancer of breast	Totals Males	274 1	-	-	-	-	-	-
Cancer of skin	Females	273 134	-	- ;	-	- 1	-	-
Cancer of skin	Males	90	-	-	- 1	-	- 1	-
Cancer of other organs and organs not	Females Totals	44 540	1	2	-	-2		- 5
specified	Females	243 297	-1	1	-	- 2		8
Other tumors	Totals	51 14	-		-	-	-1	Ξ
Acute articular rheumatism	Females .	37	-	-	- 1	- 5	-	
Acute articular rileumatism	Males	170 94	-	-	-	-2	-	2
Chronic rheumatism and gout	Females Totals	76 106			11111	- 3	-	-3
	Males Females	55 51	-	-	-		-	-
Scurvy	Totals	i	1	-	-	=	=	1
Diehotos	Females	1	1		-	-	-	1
Dlabetes	Totals	468 223	-	2 1	3 2 1	2 1	3 2 1	10
	Females	245	-	1	1	1	1	4

No. 32-Continued. Age-Groups—1901-1905.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-41.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	30-84.	85-89.	90-94	95-99.	100-+.	Unknown.
13 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	10 9 6 3 3 3 1 1 1 1 2 2 1 2 1 2 2 1 1 1 1 2 2 1 2	28 108 188 3 3 3 200 20 8 1 1 1 1 1 1 1 1 1 1 1 1	38 13 3 25 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	38 122 6 4 4 2 2 2 1 1 3 1 1 2 2 6 6 19 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	18 13 2 1 1 1 3 2 1 1 1 4 2 2 2 1 1 1 1 8 8 10 8 2 6 6 2 1 1 1 1 2 8 10 8 2 6 6 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	18 9 9 4 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13 3 10 22 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	17 8 9 2 1 1 1 1 1 2 2 1 1 1 1 1 2 2 1 1 1 1	12 5 7 5 2 3 10 0 9 1 1 1 1 1 - 4 3 3 1 1 - 7 2 3 3 10 0 2 1 7 2 1 2 3 3 6 2 9 5 2 2 3 3 3 4 3 6 2 2 4 4 3 3 6 2 2 4 5 2 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 3 5 1 1 1 2 2 4 2 2 5 3 2 1 4 3 1 1 1 8 2 2 1 2 5 7 2 4 1 4 8 5 4 4 5 4 8 2 1 6 7 3 8 3 7 2 5 2 6 1 4 2 7 5 1 5 7 8 2 6 1 4 2 7 5 1 5 7 8 2 6 1 4 2 7 5 1 5 7 8 2 6 1 1 2 7 5 1 5 7 8 2 6 1 1 2 7 5 1 5 7 8 2 6 1 1 2 7 5 1 5 7 8 2 6 1 1 2 7 5 1 5 7 8 2 6 1 1 2 7 5 1 5 7 8 2 6 1 1 2 7 5 1 5 7 8 2 6 1 1 2 7 5 1 5 7 8 2 6 1 1 2 7 5 1 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5	17 13 4 4 4 3 3 1 1 1 1 1 1 1 1 1 2 2 5 5 2 3 3 1 5 9 9 7 2 6 6 3 6 3 6 3 3 3 1 0 5 5 5 1 0 7 3 3 9 1 6 7 8 3 9	16 5 5 11 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 3 3 5 5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 6 6 5 1 4 4 7 7 2 5 5	-		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

TABLE
Deaths from all Causes by

	ľ						
Sex.	Total.	0,	٦.	.5.	20	7.	0-4.
otals	11	-		-	-	-	-
ales	21 13	-	-	- 1 1	-	-	- 1
ales	38 22	-1	1	3	_l _	-	- 6 2
ales	257 96	$\frac{28}{13}$	- 8 2	1	- Ì	1	41 17
ales	11 5	4	-	-	1 1	-	24 5 2
ales	101 89		-	-	-	-	- - -
otals ales	3 2	-	-	-	2	-	2
otals	17 6	-	=	-	-	-	- -
otals	76 42	21 16	4 2	3 2	-	-	28 20
otals ales	1.146 598	438 237	14.2 74	58 28	23	16	
	1		- 9	-	-2	-4	332 1 46 28
emales otals ales	40 99 66	1	-	- - -	-1 -	-	28 1
otal∢ ales	245 134	8	-3	-	i	-	12
otals	$\frac{3,446}{1,722}$	49 28	12	4	-	_1 	66 36
otals	195 109	- 21	~	- 1	-		30 -
otals	1,180 556	8 5	4	-	_	-	12
otals	126 73		-	-	-	-	- -
otals	344 136		-	-	-	-	=
otals lales	208 159 92	4	- 1 1	1			15 9
emales otals ales	67 51 12	- - -	-	-	-	-	- - -
	stals ales males stals ales st	1   1   1   1   1   1   1   1   1   1	Stalls	Stalls	Stale	Mals	Mals

No. 32-Continued.

### Age-Groups—1901-1905.

		1																_		_
6-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	x6-89.	90-94.	95-99.	100-+-	Unknown.
11133211 	1	1		2 2 2 1 1 1 1 1 1 1 6 6 1 1 7 7 7 1 1 1 1 1 1	3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1 2 2 2 - 2 2 3 3 19 9 16 6 14 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 4 4 1 1 8 2 2 2 1 1 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1	11 12 12 11 12 12 11 12 12 11 12 12 11 12 12				3 3 3 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 1 - 1 - 2 - 2 1 1 1 1 1 1 1 1 2 2 2 2 1 1 1 1 1 1 1	21 1 1 1 2 2 2 1 1 1 1 1 2 2 2 4 2 2 4 2 2 4 2 2 4 2 1 1 1 1	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 2 2 1 1 2 2 1 1 3 3 1 1 2 1 1 3 3 3 - 1 1 -

TABLE

Deaths from all Causes by

			-		-			
CAUSES OF DEATH.	Sex.	Totals.	0.	1.	çi		4.	0-4.
Convulsions of children	Totals	457	328	72	35	12	9	456
	Males	256		41	21	2	5	256
Tetanus	Females Totals	201 44	141		14	10	4 2	200
Tetanus e	Males	28	4	-	-	- ,	2	- 6
	Females			-	-	Ξ	-	-
Chorea	Totals	4	-	-	-	-	-	-
	Females	4	-	-	-	-	- 1	_
Other diseases of nervous system	Totals	422			3		1	4
	Males Females	$\frac{204}{217}$	14 16		- 3	1 2	1	20
	Not stated .		'n			-		1
Diseases of the eye and its adnexa	Totals	3		-	-	-	-	-
	Males Females		-	-	-	-	-	-
Diseases of the ear	Totals	8		_	1	_	-	-
- 1000000 01 1110 041111111 111111111111	Males	7	5	-	-	-	-	
Pericarditls	Females	1 49	-	-	1	-	-1	
remearants	Males	26		_	-	_	- 1	-
	Females	23	_	-	-	-	1	
Acute endocarditis		206		-	-	1	1	
	Males Females	107	3		1 -	1	1	
Organic diseases of heart	Totals	5,069			2	3	4	10
	Males	2.870	54			3		
Angina pectoris	Females	2,199 415	29	6	_1	1	3	3
Angina pectoris	Males	245	-	-	_	1	-	-
	Females	170		i -	-	-	-	-
Affections of the arteries (atheroma, ane urism, etc.)	Males	178 121	-	1	-	-	-	
mism, etc.j	Females	57		1	-	-	-	
Embolism and thrombosis		201	3		-	-	-	ì
	Males Females					-	-	
Affections of the velns (varices, hemor	Totals	117	-	-	-	-	-	١.
rhoids, phlebitis, etc.)	. Males	7	-	-	-	-	-	-
Affections of the lymphatic system	Females			-	-	-	-	-
An ections of the lymphatic system	Males		i		-	_	-	ĺ
	Females	-	-	-	١	-	-	-
Hemorrhages	Totals	80				-	-	1 2
	Males Females	46		2	1	_	1 =	li
Other affections of the circulatory system	Totals		3		-	-	-	
	Males	- ,,	-,		-	-	-	-
Diseases of the nasal fossae	Females Totals			1		-	-	
	Males	3	1	H -	- 1	-	-	1
Affactions of the language	Females	1				٠.	-3	
Affections of the larynx	Males				3	4		1 2
	Females	36		5		2	3	1
Affections of the thyroid body	Totals	13		-	-	1		
	Males Females	13	-	-	-	-1	-	-
Acute bronchitis	Totals	623		74				42
	Males	298	176	35	10	6	1	
	Females	325	133	39	13	5	3	19
	1	1		1		1	ı	•

No. 32-Continued.

### Age-Groups-1901-1905.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84	85-89.	90-91.	95-99.	100-+.	Unknown.
3 3 4 4 200 5 15 15 10 10 10 10 10 10 10 10 10 10 10 10 10		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	4 2 2 3 3 4 4 4 6 6 6 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	2 2 2	11 18 44 45 5 66 66 	1 1 1	1	1 - 1 - 1 5	- 1 3		773344	1 1 26 13	9	144 777 7 3 3000 21 195 150 160 184 4 1 1	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	2 2 2 1 1 1 1 1 7 7 3	62 4 1 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		24 15 9 22 1 1 1

TABLE Deaths from all Causes by

- 13			_	_		_	=	_
CAUSES OF DEATH.	Sex.	Totals.	0.	1.	ei	3.	4.	0-4.
Chronic bronchitis	Totals Males	490 206		4	-	1	-	13 5
Broneho pneumonia	Totals Males	721 330		84 42	36 18	10 5	- 9 5	324 161
Pneumonia	Females Not stated . Totals Males Females	390 1 4,362 2,174 2,185	564 313 250	197 103 94	18 88 42 46	5 47 24 23	28 17 11	924 499 424
Plenrisy	Males	64	1 5 2 3	2	-	- 1 - 1	-	8 3
Congestion of the lungs, pulmonary apoplexy	Females Totals Males Females	38 278 138 140	59 35	1 12 6 6	- 1 1	4	-	5 76 44 32
Gangrene of the lungs		18 15 3	-	-	-	-	-	-
A sthma		110 59 51	7	4 2 2	- 1	-	-	12 5 7
Emphysema of the lungs	Males Females	16 10 6	-	-	- Î	۱ –	=	-
Other diseases of the respiratory system (phthlsis excepted)	Totals Males Females	136 71 65	6 9	- 2	-		1	18 7
	Males Females	19 12 7	13 6. 7	-	1	-	-	14 7
Affections of the pharynx	Males Females	81 44 37	9 4 5	3 1 2	- 1	6 3 3	3	11 13
	Totals Males Females	6 2 4	-	- i	-	-	-	-   1
Other effections of the stores (	Totals Males Females	92 39 53	- -	1	-	-	-	1
Other affections of the stomach (eancer excepted)  Infantile diarrhea (under two years)	Males Females	736 359 377	146 89 57	24 13 11	8	4 3 1	4 2 2	114 72
infanche diarrhea (under two years)	Totals Males Females Not stated .	2,260 1,264 995	1111	293 150 143	-	-	-	2253 1261 992
Diarrhea and enterItls (two years and over)	Totals Males Females	525 263 262	-	- 1 -	83 45 88	35 27 8	12 5 7	131 77 54
Intestinal parasites	Totals Males Females	10	1	4	1	-	-	7 6 1
Hernias and other intestinal obstructions	Totals Males Females	370 186 184	43 29 14	10 7 3	4	1 3	- 2	63 41 22
Other affections of the intestines	Totals Males Females	136 67 69	26 13 13	1	-	1	5	33 15
Acute yellow atrophy of liver	Totals Males Females	22 9 13	3 2 1	-	-	-	-	3 2 1

No. 32-Continued.

## Age-Groups-1901-1905.

_	_	_		,		_		_		_	_	_	_	===	_				_	_
.b−9.	10-14.	15-19.	20-24.	26-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	69-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100-+-	Unknown.
3 3 - 22 11 11	3 3 3 1 2	5 3 2 3 1	1 8 5 3	4 3 1 5 1	5 4 2 2	8 3 5 6 5 1	3 1 2 8 4 4	10	7	29 12 17 22 6 16	32 17 15 26 14 12	49 19 30 35 11 24	79 24 55 54 21 33	87 42 45 60 24 36	77 34 43 45 20 25	41 16 25 48 19 29	23 9 14 15 3 12	7 5 3 2	1 - 1	3 2 2 2 2 2 2 2 11 7 2 2
85	511 222 22 22 21 1 1 1 1 1 1 1 1 1 1 1 1	9774335-64225233111-68333111-444	132 81 51 51 10 8 8 2 6 6 3 3 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1	113 600 553 4 4 3 1 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1211 685 53 53 6 6 3 3 3 111 6 5 5 1 1 1 5 2 3 3 111 6 5 5 1 1 1 8 4 4 4 6 6 3 3 3 8 4 4 6 6 3 3 3 8 4 4 6 6 3 3 3	152 186 66 66 5 4 4 11 9 2 7 11 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	147 1855 62 64 12 66 24 1 - 7 443 - 15 441 - 16 18 19 19 19 11 11 11 11 11 11 11 11 11 11	175 1104 711 - 64 4 2 2 1 1 1 1 - 8 6 6 2 2 - 20 7 13 16 6 10 1 - 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6 3 5 3	214 1100 104 4 217 8 9 9 5 3 3 2 2 6 2 2 4 4	265511661149 - 1 1 9 9 5 4 4 2 2 2 1 1 8 3 3 1 1 1 1 9 1 1 1 1 1 1 1 1 1 1 1 1	363 363 198 22 - 157 8 1 - 116 9 9 7 3	$ \begin{array}{c} -4881511 \\ 1517 \\ -100 \\ 55 \\ 315 \\ 116 \\ 22 \\ -20155 \\ 222 \\ -835 \\ 511 \\ -523 \\ 2211 \\ 977 \\ 203 \\ 25 \\ \\ 401 \\ 19 \\ \\ 377 \\ 203 \\ 58 \\ 1 \\ -1 \\ \\ 100 \\ 10$	400 400 185 121 - 8 5 8 8 2 2 1 3 1 1 1 - 1 1 1 1 1 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 2 1 1 1 2	301 124 1177 1177 11 - 6 3 3 3 8 5 5 6 23 3 3	162 163 163 163 163 163 163 163 163	52 20 32 1 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1	1		20111772

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	0.	-	.5	m	4.	0.4,
Hydatid tumors of the liver	Males	1	-	-	-	-	-	-
Cirrhosis of the liver	Females Totals Males	242 153	- 2	-	-	-	-	2 1
Biliary calculi	Females Totals Males	89 72 23	- - -	-		-	-	- - -
Other affections of the liver	Males	49 336 190	19 13	ī	-		-	22 14
Affections of the spleen	Males	146 13 10	- -	- -	-	-	-	-
Inflammatory peritonitis (puerperal excepted)	Totals Males Females	388 164 224	27 15 12	8	5 3 2	- 4 3	4 1 3	48 26 22
Other affections of the digestive system (cancer and tuberculosis excepted)	Totals Males	- 3		- 2	-	- 1 -	-	-
Appendicitis and abscess of the illac fossa	Males	3 329 192	_2	2	- 3	2	5 4	16 10
A cute nephritis	Males	137 272 141	11 4	- 6 5		1 2	1	25 16
Bright's disease	Males	131 2,741 1,597	15 7	1	_1	1 5 1	5	28 12
Other diseases of the kidneys and their adnexa	Males	1,144 117 76	8 6 5	. 1 2 1	- - -	- -	-	16 8
Calculi of the urinary tract	Females Totals Males	41 10 6	_ _	- -	-	-	-	- -
Diseases of the bladder	Females Totals Males	256 230	6 5			-	-	- 6
Diseases of the urethra, urinary abscess	Females Totals Males	26 9 6	- - -	-	-	-	- 1	- 1
Disease of the prostate	Females Totals Males	3 102 102			1111111111111	-	-	-
Non-venereal diseases of the male genital organs.	Males	- 5 5	-	-	-	-	-	-
Uterine hemorrhage (non-puerperal)	Females Totals Males	16	=		-		- 1	-
Uterine tamor (non-cancerous)	Females	16 27	-	=	-	-	-	
Other diseases of the uterus	Females	27 57	-	=	-	-	-	-
	Famalas	57 53		-	Ξ.	-	-	-
Other diseases of female genital organs	Females	53 36	-	-	=	-	-	-
	Females	36	-	-	-	-	-	-

No. 32—Continued.
Age-Groups—1901-1905.

		_	-	_		_	-	-					-	-				_		-
5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	50-81.	85-89.	.16-06	95-99.	100-+.	Unknown.
55 33 3 2 2 1 11 12 2 1 1 1 1 1 1 1 1 1 1	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 3 3 2 2 1 1 1 1 2 1 3 3 4 4 2 2 7 7 1 5 6 8 8 3 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		$\frac{1}{122} \frac{211122}{528} \frac{1}{122} \frac{1}{122} \frac{211}{122} \frac{1}{122} \frac{1}{12$	$\begin{array}{c} -1 \\ -2 \\ 2 \\ -5 \\ 5 \\ 116 \\ 65 \\ 61 \\ 11 \\ -24 \\ 717 \\ -1 \\ -26 \\ 616 \\ 100 $	1 96 3 4 4 2 2 11 5 6	155	$\begin{array}{c} -1339943312299910335 \\ -15775758158475322 \\ -177107757783124711 \\ -17717783134741 \\ -17717783134741 \\ -17717783134744 \\ -17717783134744 \\ -17717783134744 \\ -1771783134744 \\ -1771783134744 \\ -1771783134744 \\ -1771783134744 \\ -177178313474 \\ -177178313474 \\ -177178313474 \\ -1771783134 \\ -1771783134 \\ -1771783134 \\ -1771783134 \\ -1771783134 \\ -1771783134 \\ -1771783134 \\ -17717831 \\ -$	$\begin{bmatrix} -1 & 5 & 10 & 10 & 10 & 10 & 10 & 10 & 10$	$\begin{array}{c} -1 \\ -216 \\ 511 \\ 29 \\ 325 \\ 117 \\ -1 \\ 126 \\ 6 \\ 42 \\ 14 \\ 50 \\ 24 \\ 26 \\ 42 \\ -1 \\ -55 \\ -1 \\ -1 \\ -5 \\ 52 \\ -26 \\ -64 \\ -1 \\ -1 \\ -1 \\ -5 \\ -1 \\ -1 \\ -1 \\ -5 \\ -1 \\ -1$	$ \begin{array}{c} 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 2 \\ 25 \\ 141 \\ 111 \\ 15 \\ 68 \\ 82 \\ 121 \\ 100 \\ 55 \\ 57 \\ 170 \\ 286 \\ 55 \\ 177 \\ 170 \\ 286 \\ 55 \\ 177 \\ 170 \\ 286 \\ 186 \\ $	42   42   16   16   16   17   17   18   10   17   17   17   17   17   17   17	$\begin{array}{c} -316158355401\\ 1158355401\\ 21921\\ 114955\\ -1733421\\ 242177\\ 2421558531\\ -174431\\ -2121\\ -17421\\$	$ \begin{array}{c} - \\ - \\ - \\ 266 \\ 115 \\ 114 \\ 286 \\ 612 \\ - \\ - \\ 207 \\ 156 \\ 38 \\ 207 \\ 128 \\ 80 \\ 207 \\ 141 \\ 156 \\ 38 \\ 207 \\ 141 \\ 156 \\ 38 \\ 207 \\ 141 \\ 156 \\ 38 \\ 207 \\ 141 \\ 156 \\ 38 \\ 207 \\ 141 \\ 156 \\ 38 \\ 207 \\ 141$	$ \begin{array}{c} -166 \\ 12 \\ 44 \\ 41 \\ 277 \\ 134 \\ 144 \\ -1 \\ -1 \\ 277 \\ 134 \\ 190 \\ 22 \\ 113 \\ 33 \\ 33 \\ -1 \\ -1 \\ 20 \\ 20 \\ -1 \\ 11 \\ -1 \\ -1 \\ -1 \\ -1 \\ -1 \\ -$	3 1 2 2 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

TABLE
Deaths from all Causes by

Causes of Death.	sex.	rotal.	0.		ci	20	4.	D-#.
								_
Non-puerperal diseases of the breast (cancer excepted)	Males	1	-	-	-	-	=	] =
Accidents of pregnancy	Females Totals Males	91	-	=	-	-	-	=
Puerperal bemorrhage	Females Totals	91 30	-	-	-	=	-	-
Other accidents of labor	Males Females	30 41		-	-	-	-	=
	Males	- 41	-	-	-	-	-	-
Puerperal septicemia	Totals Males Females	159 - 159	~	-	-	-	-	_
Puerperal albuminuria and eclampsia	Totals Males	70	-	-	-	-	-	-
Other puerperal accidents sudden death	Females Totals Males	70 83		-	-	-	-	
Gangrene	Females Totals	83 326	-7	-	-	-	=	-
Furuncle (boil, carbuncle)	Males Females	187 139 16	2		-	-	=	
	Males   Females	13 3	-	-	-	-	-	-
Phlegmon, acute abscess	Totals Males Females	38 22 16	- 4	2	-	- 1	-	
Other diseases of the skin and its adnexa	Totals Males	21 8	6 9	i	-	-1	-	
Affections of the bones (non-tuberculous)	Totals Males	55	4	- 5		-	=	1
Arthritis and other diseases of the joints	Females Totals	23 3	- 1	3	-	-	1	_
(tuberculosis and rheumatism excepted)  Amputation	Females Totals	- 3	-	-	-	=	-	-
	Males Females	- 2	-	-	-	-	-	-
Other affections of the organs of locomo- tion				-	-	-	Ē	-
Malformations, congenital (still births excepted)	Totals	167	155	4	-	2	-	15
Congenital icterus, debility and sclerema.	Females Not stated . Totals	143 2 1,824		-	-	-	_ 1 	13
songerman total and accounty and soleteina.	Males Females	1,030	937 714	-	-	-	-	93 71
Other diseases of early infancy	Not stated. Totals Males	128 68	126	-	-	-	-	1 12 6
	Females Not stated .	59 1	58 1	-	-	-	-	5
Lack of care	Totals Males Females	252 144 106	144	_	-	-	=	25 14 10
	Not stated.	2		-	-	-	-	100

No. 32-Continued.

## Age-Groups—1901-1905.

=	1	ī												-	1	1				_
5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100-+.	Unknown.
2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 14 14 12 12 7 - 7 - - - - - - - - - - - - - - - -	200 66 55 56 56 56 199 141 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1	244 6677 735 3514 1425 	22 - 22 - 8 9 9 - 9 6 36 111 116 11 - 1 - 2 2 2 - 2 - 2 2 - 2 2 - 2 - 2	12	5 5 4 4 4 7 7 4 5 8 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	68333111	12666111	244 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	344 8 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	511111111111111111111111111111111111111	63 477 166 47 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	599 400 199 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	=	133 66 7	4 2 2 2		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

TABLE Deaths from all Causes by

CAUSES OF DEATH.	ز	Fotals,						
	Sex.	Tol	÷.	-:	oi	;;	÷	0.4
Old age	Males	3,544 1,574	-	-	-	-	-	-
Suicide by poison	Females Totals Males	1,970 60 41	-	-	-	-	-	-
Suicide by asphyxia	Females Totals Males	19 2 1	-	-	-	-	-	-
Suicide by hanging or strangulation	Females	1 129 107	-	=	=	-	-	-
Suicide by drowning	Females	22 57 30	-	-	Ī	-	-	-
Suicide by firearms	Females	27 124 118	-	-	Ξ	=	- 1	
Suicide by cutting instruments	Females	6 34 26		1 -	-	-	-	-
Suicide by jumping from high places	Females	8 2 2	-	-		-	-	-
Other suicides	:Females	14 10	_	-	-	-	-	-
Fractures	Females	267 169	- 3	_	-	- 2 2	-	-
Dislocations and sprains	Females	98 4 4		-1	-	-	-	-
Other accidental injuries	Females	764 655	13		- 16	7		4
Burns and scalds	Females	109 202 78	5	14	4 23	3 15	4 8	1
Sunstroke	Females Totals Males	124 18 13	3	10		- 6 -	- -	
Freezing	Females	5 19 17.	- - -	-	-1 -	-	-	-
Electric shock	Females	15 14	-	-	-	-	-	-
Accidental drowning	Females	574 524	- 4 3	- 8 6	3 2	4	18 16	- 93 93
nanition	Females Not stated.	48 2 5	1		- - -	=	2 - -	-
nbalation of deleterious gases (suicide excepted)	Females Totals Males	65 45	3	-	-	- 2 1	- 1	-
Other acute poisonings	Females	20 112 65	14 9	- 13 6	13 6	8	- 5 1	5 2

No. 32-Continued. Age-Groups-1901-1905.

_					_	_								-	_				_	_
5-9,	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	.69-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100-+.	Unknown.
55 30 21 17 44 13 56 66 6	11	11 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					12.9 9 3 3 2 2 2 111 111 1 1 1 1 1 1 1 1 1 1 1				6 4 4 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	466 188 288 5 4 1 1 866 22 - 277 7 4 3 3 1 1 1 1 1 1 0 1 4 4 1 1 1 1 1 0 1 4 4 1 1 1 1	267 121 1146 107 3 3 2 2 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	590 267 323	1012 483 529 	953 420 533 1 1 1 1 - - - - - - - - - - - - - - -	298 	143 51 92		191091 - 1 - 22 - 22 - 33 - 11 111 114 114

TABLE
Deaths from all Causes by

CAUSES OF DEATH.	Sex.	Totals.	0.	1.	e i	.00	4.	0-4.
Other external violence	Males	184 116	98 61	3 1	4 1 3	2	1	108 64
Dropsy	Totals Males Females	68 175 85 90	37 1	3 1 2 2 1	- -	- -	- 1 -	44 4 1 3
Sudden death	Totals Males Females	140 91 48	20 8 12	-	-	1	1 - 1	22 8 14
Unspecified or ill-defined causes of death .	Not stated	2,056 1,003 1,048 5	445	29	- 9	7 3 4	- 8 4 4	904 490 411 3

No. 32-Concluded.

## Age-Groups-1901-1905.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	.68-89.	90-94.	95-99.	100-+-
2 1 1 2 2 2 - - - 21 9 12	6 3 3 3 - 3 - 12 5 7	5 3 2 2 2 2 1 20 10	6 3 3 1 5 3 2 - 29 11 18	8 7 1 3 3 1 2 27 10 17 17	5 2 3 2 1 5 5 5 12 13	3 3 - 5 2 3 1 - 1 - 46 12 34	2 - 2 - 6 2 4 - 46 19 27	5 5 6 3 3 3 3 3 - 42 10 32	544844 19221	2 1 1 9 5 4 7 5 2 - 63 36 27	6 4 2 13 7 6 18 15 3 - 124 58 66	4 3 1 22 16 12 13 11 2 - 154 67 87	1 1 29 14 15 19 14 5 - 138 63 75	4 4 - 38 22 16 9 7 2 - 142 65 77	3 1 2 16 5 11 3 2 1 - 93 47 45 1	- 4 2 2 6 5 1 - 66 32 34	5 3 2 1 - 1 - 24 8 16	1 - 1 - 2 - 2 - 2	

TABLE Deaths in Each Town from Special

	Population in 1900.			9
	.E.		.i	Diphtherla and sroup.
	e e		Scarlet fever	<u> </u>
THE STATE AND COUNTIES.	=	zi.	Ť.	e
	95	3	E	5 G
	چَ	Measles	ar.	Dipbt
	P.	M	å	c D
MAINE	694,466	32	7	110
Androscoggin	54,242	2	1	7
Aroostook	60,744		2	15
Cumberland	100,689 18,444	1 2	1	16
Franklin Hancock	37,241	3	_ [	- 2
Kennebec	59,117	9	-	2 9
Knox	30,406	9	-	1
Lincoln	19,669 32,238	-	-	1 2 5
OxfordPenolscot	76,246	- 3	-	16
Piscataquis	16,949	-	- !	-
Sagadahoe	20,330	1	-	6
Somerset	33,849 24.185	1	-	9
Wouldington	45,232	1	-	5
York	64,885	3	3	16
ANDROSCOGGIN COUNTY	53,806	2	1	7
Auburn	12,951	-	-	1
Dueban	1,230	- ,	-	1
Greene	2,129 826	- 1		-
Leads	1,065	_	_	-
Lowiston	23,761	1	1	2
Lisbon	3,603 1,125	-	-	-
Mechanic Falls	1,687		_	_
Minot	808		-	-
Poland	1,648	- 1	-	-
Turner	1,842 1,131	-	-	- 3
Webster	1,101	-		9
AROOSTOOK COUNTY	54,493	-	2	15
Ashland	1,080	-	-	-
Bancroft. Benedicta	318 350	- 1	_	_
Pletne	954	-	_	_
Reidonwater	1,179	-	-	-
Caribon	4,758 567	-	-	-
Castle Hill	280	-	_	_
Faston	1,215	-	-	-
Fort Fairfield	4,181	-	-	-
Fort Kent Frenchville	2,528 1,316	-		- 4
Grand Isle	1,104	-	-	- '
Havnesville	316	-	-	-
Horsey	1,130	_	_	_
HodgdonHoulton	4,686	_		1
Island Falls	1,063	-	-	$\frac{1}{2}$
Limestone	1,131	-	-	-

No. 33. Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erystpelas.	Pnerperal septicenia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Choleta nostras.	Infantile dlarrhea.	Tnbercnlosis of langs.	Tuberculosis, other forms.	Malarial disease.
						<sup>1</sup>		- 1	- 1			
38	156	,27	32	50	243	35	111	12	561	894	215	11
2 2 10 1 - 2 1 - 8 1 - 8 1 1 - 8 1 1 1 2 1 4 3 1 4 3 1 4 3 1 4 3 1 4 3 1 4 3 1 4 3 1 4 3 1 4 3 1 4 3 1 4 3 1 4 3 1 4 3 1 4 3 3 3 1 4 3 3 1 4 3 3 3 3	13 12 22 1 5 14 3 3 4 3 4 3 4 6 31	2 1 6 - 2 2 2 2 1 3 - 1 - 2 2 2 2 1 - 3 - - - - - - - - - - - - - - - - -	1 4 4 7 2 2 2 3 1 2 1 2 3 1 1 2 2 3 1 1 1 2 2 3 1 1 1 2 2 3 1 1 1 2 2 3 1 1 1 2 2 3 1 1 1 1	7 2 7 3 3 2 4 10 10 11 1 1 4	15 18 36 10 11 25 9 5 12 33 5 6 16 4 21	- 25 - 25 - 25 - 21 - 25 - 21 - 1 1 1 4 5	9 13 11 2 6 6 7 7 5 8 14 - 3 10 2 7	1 2 2 2 2 2 1 1	73 116 64 111 23 39 14 3 18 7 21 5 26 56	61, 600, 129, 140, 855, 47, 13, 28, 132, 200, 217, 43, 43, 71, 71,	20 8 45, 2 12 19 8 6, 16 40 3 2 13 21	1 - 2 - 4 - 1 - 2 1
2	13	2	1	7	15	-	9	1	73	61	20	1
1 1 -	2 2 - 8 - 8	1 - 1	1	5	6, - 5 - 1 1 1 - 1 1		1 - 2 - 5 - 5 - 1	1	8 3 2 1 1 555 - 2 1 - 1	12 2 2 2 31 2 31 4 4 3	5 - - 11 - - 1 - 1	1
2	12	1	4	2	18	7	13	2	116	60	s	-
1	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	1	1			1			-2 -1 11 14 	1 2 5 1 1 2 1 9 2 1 3 2 1	1 2 - 1 - 1 - 1 - 1	

TABLE

Deaths in Each Town from Special

AROOSTOOK

				710011
COUNTY AND TOWNS.	Population in 1900.	Measles.	Searlet fever.	Diphtheria and eroup.
Linneus	834	- '	_	_
Littleton	956	- 1	-	-
Ludlow	394	-	-	-
Madawaska	1,698	-	-	3-
Mars Hill	1,183	-	-	-
Masardis	438	-	-	-
Monticello	1,332	-	-	-
New Limerick	600	-	-	-
New Sweden	867	-	-	-
Oakfield Perham.	580	-	-	-
Presque Isle	3,804	-		-
St. Agatha	1,396		- 1	-
Sherman	980	_	_ 1	_
Van Buren	1.878	-	_	_
Washburn	1,225	-	-	ι
Westfield Weston	259	-	1	-
Weston	367	-	- 1	-
Woodland	1,096	-	- 1	-
Caswell Pl	368	-	- 1	
Connor Pl	455 502	-		2
Čyr PlEagle Lake Pl	406	_		_
Hamlin Pl	574	-		
Hill Pl	124	_	_	_
Merrill Pl	298	-	_	-
Naw Conorla Pl	419	-	- 1	-
Oxbow Pl. St. Francis Pl.	153	-	-	-
St. Francis Pl	568	-	- i	2
St, John Pl	371	-	-	-
Wade Pl	271	_	-	-
Wallagrass Pl Westmanland Pl	784 100	_		_
CUMBERLAND COUNTY	98,389	1	1	16
Bridgton	2,868	-	-	
Brunswick	6,806	-	-	2
Casco	783	-	~	-
CumberlandFalmouth	1,404 1,511	-	-	-
Freeport	2,339			- 1
Gorham	2,540	_		
Grav	1,388		-	_
Harnswell	1,750	-	-	-
Harrison	969	-	-	-
Vanles	813	-		-
New Gloucester	1,162	-	1	-
North YarmouthOtisfield	642 728	_	- 1	-
Portland.	50,145	_	-	10
Raymond	823			- 20
Scarboro	1,865	1	-	-
Sebago	576	_ ^	i - I	-
South Portland	6,287	-	-	1
Standish	1,504	-	-	
Westbrook	7,283	-	-	2
Windham Yarmouth	1,929 2,274	-	-	-
I de la contracta de la contra	2,214	_	-	_

No. 33-Continued.

COUNTY-CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	luftuenzu.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		1		1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	32	1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	
10	22	6	7	7	36	3	11	2	64	129	45	-
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	4 1	-	- 1 - 1	1	3		- 8 	48 1 1 22 5 5 1 1 1 3 3 7 7 7 7 2 1 1 8 8 7 4	1 4 4 - 3 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-

 $\begin{tabular}{ll} TABLE \\ Deaths in Each Town from Special \\ \hline FRANKLIN \\ \end{tabular}$ 

COUNTY AND TOWNS.	Population in 1900	Measles.	Scarlet fever.	Diphtheria and croup.
FRANKLIN COUNTY	14,443	2	-	-
Carthage	354	_	_	_
Chesterville	709	_	_	_
Exemination	3,288	2	-	-
Freeman	397	-	~	_
Industry	553	-	-	-
Jay	2,758	-	~	-
Kingfield	693	-	-	-
Madrid. New Sharon.	326	-		_
New Vineyard	946 584		-	_
Phillips	1,899	- 1	-	_
Strong	637	- [ ]	_	1 -
Wilton	1.647		_	_
Dallas Pl	172	-	-	-
HANCOCK COUNTY	34,228	3	-	
	,	3	-	
Aurora	152	-	-	-
Aurora Bluchill Brooklin	,		-	-
Aurora Buehill Brookstin	152 1,828	-		-
Aurora. Bluchill. Brooktin. Brooksville. Broksvort.	152 1,828 936 1,171 2,339	-	-	-
Aurora Bluchill Brookstin Brooksville Bucksport	152 1,828 936 1,171 2,339 925	-	-	-
A trora. Bluehill Brooklin Brooksville Brooksville Broksport Satine Deer Isle.	152 1,828 936 1,171 2,339 925 2,047	-	-	-
Aurora Bluchill Brookstin Brooksville Bucksport Satine Deer Isle Eden	152 1,828 936 1,171 2,339 925 2,047 4,379	-	-	-
Aurora Bluchill Brookstin Brooksville Bucksport Bucksport Bucksport Bucksport Bucksport Bucksport Bucksport Bucksport Bucksport Bucksport	152 1,828 936 1,171 2,339 925 2,047 4,379 4,297	-		-
Aurora Bluchill Brookstin Brooksville Bucksport Za-tine Deer Isle Eden Ellsworth	152 1,828 936 1,171 2,339 925 2,047 4,379 4,297 1,201	-	-	-
Aurora Bluchill Brookstill Brooksville Bucksport Sactine Bucksport Sactine Bucksport Sactine Bucksport Sactine Bucksport Sactine Sactine Gen Gen Gouldsboro	152 1,828 936 1,171 2,339 925 2,047 4,379 4,297 1,201 1,259	-		-
Aurora Bluchill Brookstin Brooksville Bucksport Satine Deer Isle Eden Ellsworth Franklin Gouldsboro	152 1,828 936 1,171 2,339 925 2,047 4,379 4,297 1,201 1,259 900			-
Aurora Bluchill Brookstin Brooksville Bucksport Gastine Deer Isle Bucksport Gastine Franklin Gouldsbore Hancock Isle au Ilaut	152 1,828 936 1,171 2,339 925 2,047 4,379 4,297 1,201 1,259 900 182			-
Aurora Bluchill Brookstin Brooksville Bucksport Sastine Deer I sle Biden Gien Gien Gien Gien Gien Gien Gien Gi	152 1,828 936 1,171 2,339 925 2,047 4,297 1,201 1,259 900 182 594 218			-
Aurora Bluchill Brookstin Brooksville Bucksport Za-tine Deer Isle Eden Ellsworth Franklin Gouldsboro Hancock Isle au Haut Lamone Mariaville Mount Desert	152 1,828 936 1,171 2,339 925 2,047 4,297 1,201 1,259 900 182 594 218			-
Aurora Bluchill Brooksville Bucksport Satine Deer Isle Eden Elisworth Franklin Jouldsboro Jouldsboro Jouldsboro Jounne Mariaville Mariaville Mont Desert	152 1,828 936 1,171 2,339 925 2,047 1,297 1,291 1,259 900 182 594 218 1,600 1,251			-
Aurora Bluchill Brookstin Brooksville Bucksport Batho Berlsbe Berlsbe Berlsbe Blsworth Franklin Gouldsboro Hancock Isle au Haut Banone Mariavilles Mont bless Mont bl	152 1,828 936 1,171 2,339 939 92,047 4,379 4,297 1,201 1,250 900 900 182 594 218 1,600 1,156			-
Aurora Bluchill Brookstin Brooksville Bucksport Satine Deer Isle Eden Ellsworth Franklin Gouldsboro Hancock Sie an Haut. Mariaville Mount Desert Orland Penobscot Sede wick	152 1,828 936 1,171 2,339 925 2,047 1,297 1,291 1,259 900 182 594 218 1,600 1,251			-
Aurora Bluchill Brookstin Brooksville Bucksport Za-tine Deer Isle Eden Ellsworth Franklin Gouldsboro Hancock Isle au Haut Lamone Mariaville Mount Desert Driand Penoboot sedgwick South West Harbor	152 1,828 9,828 1,171 2,339 925 2,047 4,379 4,297 1,201 1,259 906 182 1,600 1,251 1,156 902			-
Aurora. Bluchill Brookstin. Brooksville Bucksport Satine Deer Isle. Scien. Bilsworth. Franklin. Granklin. Granklin. Granklin. Janione. Jan	152 1,828 936 1,171 2,339 925 2,047 4,297 1,201 1,250 900 1,82 218 1,600 1,251 1,156 902 			-
Aurora Bluehill Brookstill Brooksville Bueksport Sactine Bueksport Sactine Bueksport Sactine Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bushoro Hancock Bushoro Hancock Bushoro Hancock Bushoro Hancock Bushoro Hancock Bushoro Hancock Bushoro Hancock Bushoro Hancock Bushoro Hancock Bushoro Hancock Bushoro Hancock Bushoro Hancock Bushoro Bus	152 1,828,936 1,171 2,339 925 2,047 4,297 1,201 1,251 1,156 900 1,251 1,156 900	3		
Aurora Bluchill Brookstin Brooksville Bucksport Satine Deer Isle Eden Ellsworth Franklin Gouldsboro Hincock Sie an Haut Aumone Mariaville Muriaville Muriaville Stranklin Stranklin Hincock Sie an Haut Sauone Mariaville Sie sei Haut Sauone Mariaville Stranklin Strankl	152 1,828 936 1,171 2,339 925 2,047 4,297 1,201 1,259 906 1,82 594 218 1,600 1,251 1,156 1,156 902 			
Aurora Bluchill Brookstin Brooksville Bucksport Sa-tine Deer Isle Eden Ellsworth Franklin Gouldsboro Hancock Sie an Haut Lamone Mariaville Mount Desert Combood Selewick South West Harbot Stonington Sulry Surry Wan's Island Tremont	152 1,828,936 1,171 2,339 925 2,047 4,297 1,201 1,251 1,156 900 1,251 1,156 900	3		
Aurora Bluchill Brookstin Brooksville Bucksport Sa-tine Deer Isle Eden Ellsworth Franklin Gouldsboro Hancock Sie an Haut Lamone Mariaville Mount Desert Combood Selewick South West Harbot Stonington Sulry Surry Wan's Island Tremont	152 1,828 936 1,171 2,935 2,047 4,297 1,201 1,259 900 182 594 218 1,600 1,251 1,156 900 758	3		
Aurora Bluchill Brookstin Brooksville Bucksport Buckspor	152 1,828 936 1,171 2,339 925 2,047 4,379 4,297 1,201 1,259 900 1,251 1,156 902 	3		
Aurora Bluchill Brookstin Brooksville Bucksport Satine Deer Isle Eden Ellsworth Franklin Gouldsboro Hinneock sle an liaut Lamone Mariaville Hount House Stephology House Stephology House Stephology House H	152 1,828 936 1,171 2,925 2,047 4,297 1,291 1,250 900 182 1,601 1,156 902 1,648 1,634 900 758 2,010 4,591	3		
Aurora Bluchill Brookstin Brooksville Bucksport Eastine Deer Isle Eden Deer Isle Gouldsbor Hancock Isle an Haut Lamone Mariaville Mount Desert Orland Penobsot Sedgwick South West Harbor Stonington Surry Swan's Island Tremont Tremont Tremont Tremont Tremont Tremont No. 33 Pl. KENNEBEC COUNTY	152 1,828 936 1,171 2,339 925 2,047 4,297 1,291 1,259 900 100 1,251 1,155 1,156 1,251 1,156 2,010 458 2 458 2 458 2 458 2 458 2 458 2 458 2 458 2	3		
Aurora Bluehill Brooksville Brooksville Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bueksport Bushoro Bu	152 1,828 936 1,171 2,339 932 2,047 4,379 4,297 1,201 1,259 900 1,25 1,156 900 1,21 1,156 1,156 900 1,25 1,156 900 1,25 1,156 8,103 1,156 1,156 1,156 1,156 8,103 1,156	3		9
Aurora Bluchill Brooksville Brooksville Brooksville Broksville Broksville Broksville Bliswith Bliswith Gouldsbord Hancock Isle an Haut Lanone Mariaville Mont Desert Orland Penobsot Sedgwick South West Harbor Stonington Stonington Sullivan  152 1,828 936 1,171 2,339 925 2,047 4,297 1,291 1,259 900 100 1,251 1,155 1,156 1,251 1,156 2,010 458 2 458 2 458 2 458 2 458 2 458 2 458 2 458 2	3			

No. 33-Continued.

COUNTY.

Whooping cough.	Typhoid fever.	Erysipelus.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms,	Malarial disease.
1	1	- '	2	3	10	-	2	-	11	18	2	-
1			1		1 4 1 1 2 2 1 1		1		1 - 8 2	1 1 2 - 3 2 - 1 1 1 1 5	1	-
-	5,	2	2	-	11	-	6	-	23	40	12	-
			1						1 - 1 - 2 - 4 1 1 1 - 3 1 - 2 1 3 3 - 2 - 1 - 2 - 3 1 - 2 - 3 1 - 3 - 3 1 - 3	2 33 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 2 2 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1	
2	14	2	3	1	25	3	7	2	39	85	9	2
-	- 6 1 -	- 1 -	- 2 - 1	-	- 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	= ;	- 1	-	19	1 21 1 2	- 1 -	- 1 -

# TABLE Deaths in Each Town from Special

			KEN	NEBEC
COUNTY AND TOWNS.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and eroup.
	0.000			
Chelsea	3,092 1,380	-	-	-
China	1,398	-	-	-
Farmingdale	848	_		_
Fayette	560	_		
Gardiner	5,501	_		_
flallowell	2,714	_	_	_
Litchfield	1,057	-	-	-
Manchester	518	-	-	-
Monmonth	1,236	-	-	-
Mount Vernon	906	-	-	-
Oakland	1,913	- 1	~	-
Pittston	1,177	-	-	-
Randolph	1,077	-	-	-
Readfield	994	- ,	-	-
Sidney Vassalboro	1,068 2,062	1	-	-
Vassalboro	406	-	=	-
Waterville	9,477	1		- 5
Wayne	707	_ ^	_	- 0
West Gardiner	693	-	_	_
Whalson	782	-	-	-
Winslow	2,277	-	-	1
Winthrop	2,088	-	-	-
KNOX COUNTY	29,084	9	-	1
· ·	1			
Appleton	975		-	-
Cauden	2,825	1	-	-
Friendship	814 257	-	-	-
North Haven	551	- 1	-	-
Rockland	8,150	4	_	_
Pools post	2,314	± "	-	_
St. George. South Thomaston.	2,206	- 1	-	1
South Thomaston	1,426	-	-	-
Thomaston	2,688	-	-	-
Union	1,248	-	-	-
Vinalhaven	2,358	- 0	-	-
Warren Washington	2,069 1,019	3	-	
Mattineas Isle Pl	184	=	=	-
LINCOLN COUNTY	17,010	-	-	2
Boothbay	1,766	- 1	-	-
Postplay Herber	1,926	-	-	-
Bristot. Damatiscotta	2,572	-	-	-
Damauscotta	876	-	-	-
Dresden	882	-	-	
Jefferson Newcastle	1,155	-	-	-
Newcastle	1,075	- 1	_	_
Somerville	374	- 1	- 2	
Waldoboro	3,145		-	-
Whitefield	1,156	_	_	-
Wiscasset	1,273	- 1	-	2
				-

No. 33—Continued. Causes, Mostly Infectious Diseases.

COUN	TY-0	CONCL	UDED.	CITOU		, seaso	J.					
Whooping cough.	Typhold fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
1	1	1	1		- 2 1 1 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1	1	3	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 1 1 2 2 2 3 3 3 3 3 3 3 1 1 1 1 1 1	1 2 2 1	-
1	3	2	1	3	9	1	7	2	14	47	8	-
1	1	2	1	1	1 5 1 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1,	2 2 1 1 1 2 2	2	1 - 9 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	- 3 2 - 18 3 3 2 1 4 4 2 8 8 3 3	1 - 4 - 1 - 1	
-	1	1	2	2	5	-	5	-	3	13	6	-
		1	1	1	1 - 1 - 2 1 - 1		2 2 2		1 1 1	2 1 2 - 3 - 1 1 1 2	3 1 1	

TABLE

Deaths in Each Town from Special

ONFORD

COUNTY AND TOWNS.	Population in 1900	Mensles.	Scarlet fever.	Diphtheria and eroup.
OXFORD COUNTY	28,846	-	-	
Albany,	538	_	_	_
Bethel	1.835	-	-	-
rownfield	1,019	-	-	-
Suckfield	1,139	-	-	-
auton	946	-	-	-
enmark	634: 1.052		-	
ryeburg	1,052	_		
ryeburg	340	_	_	
rafton	81	_	_	_
teen wood	741	-	_	-
artford	(360)	-	-	-
ebron	494	-	-	~
iram	1,015	-	-	-
ovell	693. 67	-	-	-
asonexico	816	_	_	_
OFW8V	2,902	_	_	-
xford,	1.331	-	-	-
aris.	3,225 773	-	-	-
ern	773	-	-	-
orter	886	-	-	
dumford	3,770, 270		-	
towumner	802			_
weden	282	_	_	
pton	242	_		-
Vaterford	917	-	-	-
PENOBSCOT COUNTY	60,704	3	-	
Alton	314	_	-	_
rgyle	\$20	-	_	-
Sangor	21,850	-	-	-
adford	954 682	-	-	-
radley	4,835	_		_
Surlington	394	**	-	-
armel	932	-	-	
arioll	487	-	-	-
harleston	842	-	-	-
Infton	286	-	-	-
orinna	1,170 1,042	- 1	_	
Orinth	2,941	- '	-	
Dixmont	843	-	1 -	-
	663	-	-	-
Sddington	527	-	-	-
Eddingtonstna		-	_	1
Eddingtonthu	857			
Eddington	461	-		
Eddington Strin Sarland Jenhurn Jennyah	461 586	-		_
Eddington btm Sarland Jienburn Greenbush Hamplen Hermon	461	=	-	-

## No. 33-Continued.

## Causes, Mostly Infectious Diseases.

COUNTY.

COUN	cri.											
Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	lnflaenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tubereulosis, other forms.	Mularial disease.
-	4	3	. 1	4	12	2	8	-	18	28	16	-
	1 2	2	1	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	3 - 1 - 1 - 1	2	1 1 1 1 - - - - - - - - - - - - - - - -		1 2 2 4 1 1 - 6 - 6 - 1	- 2 - 2 - 2 1 - 1 - 1 - 2 1 - 3 - 3 2 2 1 3 - 4	- 2 - 1 - 3 - 1 - 4 - 2 - 1	
8	30	-	-	10	33	5.	. 14	-	76	132	40	4
1	17 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 2 2 1	9 - - 3 1 1 - 1 1 1 1 1		4 1 1 - 1 - - - - - 1		1 12 1 13 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 1 399 16 16 16 11 3 3 34 4 5 5 11 11 1 1 5 5 1 1	12 1 5 5 - 2 2 1 1 2 2 - 2 1 2 2 - 2 1 1 2 2 - 2 1 1 2 2 - 2 1 1 1 2 2 - 2 1 1 1 2 2 - 2 1 1 1 1	1

COUNTY AND TOWNS.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
Howland	519 423	- 1	-	-
Kingman	936	_	_	_
Lagrange	574	-	-	_
Lee	801	-	-	-
Levant	789	-	-	-
Lincoln	1,731	-	-	-
Medway Milford	297 838	-	_	-
Millinocket	1,144		_	_
Mt. Chase.	299	_	_	
Newburg	734	- 1	-	-
Newport	1,533	-	-	-
Old Town	5,763	-	-	
Orono	3,257	-	-	
Orrington Passadumkeag	1,266 409		-	-
Plymouth	658	-	-	-
Prentiss	502		_	-
Springfield	532	- 1	-	
Stetson	503	-	-	-
/eazie	555	-	-	-
akeville Pl	129	-	-	-
Seboeis Pl	96	_	-	-
Stacyville Pl	347 124	-	_	-
No. 1 R. 7.	42	_	-	-
ndian Township	- 1-	-	-	-
PISCATAQUIS COUNTY	13,909	-	-	-
A bbot	716	_	_	
Atkinson	495	- 1	-	_
Brownville:	1,570	- 1	-	-
Dover	1,889	-	-	-
Foxeroft	1,629	-	-	-
Greenville	1,117	-	-	-
Milo	1,544 1,150		-	-
Monson	1,116	=		_
Orneville	325	_	-	_
Parkman	718	-	-	-
sangerville	1,294	-	-	-
Shirley	248	-	-	-
Barnard Pl	98	-	-	-
SAGADAHOC COUNTY	20,089	1	-	
Bath	10,477	1	_	
Bowdoin	937	- 1	_	_
Bowdoinham	1,305		-	-
	799	-	-	
Georgetown	1,254	-	-	-
GeorgetownPhlopsburg.	1,204			
Georgetown Phippsburg Richmond	2,049	-	-	-
Georgetown Phippsburg. Richmond Topsham	2,049 2,097	-	-	_
GeorgetownPhlopsburg.	2,049			-

No. 33-Continued.

COUNTY-CONCLUDED.

Whooping cough,	Typhold fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 5			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2	- 2 		1 - 3 3 2 - 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 1 1 5 5 1 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	1
1	3 - - - - - 1 2	1		1	5 - 1 - 1 1 1 1	- - - - 1 - 1		1	9 - 2 - 3 - 1 - 1	20 - 2 - 1 1 1 4 3 - 1	3	
1	- 11 - 21 - 21 - 21 - 21 - 21 - 21 - 21	2	2	1	6	1	3	-	1 7	2 2 2 1 27 19 3	2	I - - 1
- - - 1	_ 1 1	1	1		- 1	-	-		- 1 - 1	- - 3 - 2	-	-

 $\begin{tabular}{ll} TABLE \\ Deaths in Each Town from Special \\ SOMERSET \\ \end{tabular}$ 

COUNTY AND TOWNS.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
SOMERSET COUNTY	31,244	4	-	9
Anson Athens Bingham Cambridge Canaan. Concord Conville. Embden Fairfield Harmony Hartland Madison Mercer Moscow New Portland Norridgewock Palmyra Pittsfield. Ripley St. Albans Skowhegan Smithfield Solon Starks Bigelow Pl Caratunk Pl Jackman Pl	. \$96 \$411 364 364 569 569 3,878 571 1,115 2,764 493 1,495 915 2,891 449 1,037 5,180 449 996 636 636 636 636 636 636 63	2		3 - - 3 - 1 - 1
WALDO COUNTY	93,548	ì	-	1
Belfast Brooks Brooks Burnham Frankfort Freedom Islesboro Knox Liberty Lincolnville Montville Montville Stupport Frospect Frospect Searsmont Searsport Stockton Springs Swanville Thorndike Trov Unity Unity	669 766 1,211 479 923 558 737 1,223 982 545 757 648 949 1,349 872 502 407			1

No. 33—Continued.

Causes, Mostly Infectious Diseases.
COUNTY.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile dlarrhea.	Tuberculosis of lungs.	Taberculosis, other forms.	Malarial disease.
2	3	-	3	1	16	1	10	-	21	43	6	-
1	1		1	1	1 - 1 - 1 - 1 - 1 - 2 - 3 - 3 3 - 1 1	1	1		3 - 1 - 2 1 1 1 1 2 2 - 1 - 4 - 2 2 - 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1	4	-	1	4	4	1	2	-	5	43	4	-
1	1 1 - 1 - 1 - 1 - 1 - 1		1	2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1		1 - 1 - 1 - 2	301021111 - 3051221122131111111111111111111111111111	1 - 2 - 2	

COUNTY AND TOWNS.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
WASHINGTON COUNTY	42,594	1	-	5
Addison Alexander Baileyville Baring Brookton Calais	1,059 333 215 231 285 7,655	-	-	-
Calais. Columbia. Columbia Falls. Columbia Falls. Dauforth. Dauforth.	1,859 516 569 565		-	1
Dennysvine East Machias. Eastport Ednumds Harrington Jonesbore Jonesport	1,521 5,311 492 1,165 606 2,124	-	-	- 2 - 1
Johes por Liber Li	3,005 2,082 1,218 227	-	-	i - - - -
Northfield Pembroke Perry Princeton Roque Bluffs Steuben	126 1,652 1,245 1,094 168 901	-		-
Talmage Topsfield Topsfield Trescott Vanceboro Waite Winting	98 282 463 550 135 399	-	-	-
Whitneyville. Codyville Pl. Grand Lake Stream Pl. No. 21 Pl	424 68 221 86	- 1 -	-	-
YORK COUNTY	64,198	3	3	16
Acton Alfred Berwick Biddeford Buxton Cornish	778 937 2,280 16,145 1,838 984 473	- - 1	- - - - 1	- 1 9 -
Hollis	1,458 1,274	-	=	-

No. 33. Causes, Mostly Infectious Diseases.

COUNTY.

COUN	TY.											
Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infanthe diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial disease.
4	6	2	1	-	21	4	7	1	26	71	13	2
1	3 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1			3 1 2 2 1 1 1 1 2 5 5 2 2 1 1	3	1			16	1 1 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	1
3	31	3	2	4	17	5	7	1	56	77;	21	1
- - 1 - -	13	- 1 1 - -		1	- 1 1 1 - 1 - 2	1	1 - 3 1 - 1		19 11 - 1 4 1	- 1 2 20 2 - 2 - 3 1	1 9 - 1	1

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Deaths in Each Town from Special} \\ & \text{YORK} \end{array}$ 

COUNTY AND TOWNS.	Population in 1900.	Measles.	Scarlet fever.	Diphtheria and croup.
Kennebunk Kennebunkport Kittery Lebanon Limerick NewYield North Berwick Old Orchard Parsonsfield Saco Sanford Shapleigh South Berwick Waterboro Wells York	3,228 2,123 2,872 1,335 874 1,001 676 1,748 964 1,131 6,122 6,078 847 3,188 1,169 2,007	2	2	1 2 1 2

No. 33-Continued.

#### COUNTY-CONCLUDED.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Diarrhea and enteritis.	Cholera nostras.	Infantile diarrhea.	Tuberculosis of lungs.	Tuberculosis, other forms.	Malarial discase.
1 1	- 1 1 1 2 9 1 3		1	1	1 1 - - - 1 - 1 1 - 1 2 1 2 1	1 2	1		2 - - 1 1 1 - 4 14 14 1 2 - - 1 3	4 3 3 1 1 1 1 2 12 7 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	-4 	

TABLE

Deaths in Each Town from Certain

						1	
	Population in 1900.						
	<u> </u>		- 1			Diseases of early infancy.	
						ž	
	.=		ੜੰ			9	
THE STATE AND COUNTIES.	=	Alcoholism.	Rheumatism			č	
THE STATE AND COUNTIES.	.2	.r	£		on.	70 .	
	=	70	<u>۾</u>	- 2	Diabetes	ج <u>نو</u>	old age.
	1 = 1	ē.	E	Cancer	, ž	Disease	90
	1 5 1	- 8	5 I	ĕ	= -	9 3	_
	ا د ا	-	£ 1	ಹ	~	2 2	=
	-	~	-	9	-		~
	-					-	
MAINE,	691 166	20	60	662	115	489	724
manal j	50 1,1.0					100	, - 1
	# 1 a 1 a	3		52	3.5	32	0.0
Androscoggin	54,242 60,744	1	3	24	15	6)	36
Aroostook	100,744	- 1	10	123	18	65	44 126
Franklin	100,689	- 1		18	5	13	
Hancock	18,444 37,241	-	1	25		20	14
Kennebec	59,117	- 1	1 7	68	13	46	45
Kennebec	30,40⊬	2	2	31	3	20	54 50
Lineoln	19,669	~	î	17	3	5	28
Oxford	32,238	- 3	2	26	5	24	39
Penobscot	76.246	2	6	70	12	17	82
renonscot	16,949	-	4	22	8	12	20
Piscataquis	20,330	-	2	28	5	9	10
Sagadahoc		- 1	5	31		25	
Somerset	33,849		2		4 2	13	42
Waldo	24,185	1	2	21			41
Washington	45,252		8	42	4	21	39
York	64,885	5	8	61	5.	76	54
			1				
ANDROSCOGGIN COUNTY	54,242	3	3	52	15	32	36
Auburn	12,951	1	-	14	5	9	10
Durham	1.236	-	- 1		- '	1	-
East Livermore	2,129	-	-	- 1	1	-	1
Greene	826	-	-	4	- 1	-	5
Leeds	1.065	-	-	- "	1	-	-
Lewiston	23.761	2	1	23	4	18	13
Lisbon	3,603	-	1	4	-	3	1
Livermore	1,125	-	1	-	-	-	-
Mechanic Falls	1,687	- }	- 1	1	2	-	
Minot	808	-	- 1	1	- "	-	-
Poland	1,648	-	- 1	3	-	- 1	1
Turner	1,842	-	-	1	-	-	5
Wales	436	-	- 1	-	~	1	-
Webster	1,131	-	- !	1	2	-	-
	į						
AROOSTOOK COUNTY	57,952	1	4	24	8	61	44
Amity	404	-	-	1	-	1	1
Ashland	1,080	-	-	-	-	-	-
Bancroft	318	-	-	- [	-	-	-
Benedicta	350	-	-	-	-	-	-
Blaine	954	-	-	1	1	1	1
Bridgewater	1,179	- 1	-	- 1	-	1	~
Caribon	4,758	-	-	4	1	8	7
Castle Hill	567	-	-	-	-	-	-
	370	-	-	1	1	-	-
Crystal		-	- 1	-	-	-	-
Dyer Brook	280						
Dyer Brook	280 1,215	-	-	1	-	2	-
Dyer Brook Easton Fort Fairfiell	280 1,215 4,181	-	-	_ 1	-	-	_
Dyer Brook Easton Fort Fairfiell Fort Kent	280 1,215 4,181 2,528	-	-	- 1	-	- 3	- 4
Dyer Brook Enstor Fort Fairfiel. Fort Kent Frenchville	280 1,215 4,181 2,528 1,316	-	-	-	-	-	1
Dyer Brook Eastor Fort Fairfiel I Fort Kent Frenchville Grund 1sle	280 1,215 4,181 2,528 1,316 1,104	-	-	-	-	- 3 -	- 4 1 2
Dyer Brook Easton Fort Fairfiel I Fort Kent Frenchville Grand tsle Haynesville.	280 1,215 4,181 2,528 1,316 1,104 316	-	-	-	-	-	1
Dyer Brook Eastor Fort Fairfiel I Fort Kent Frenchville Grund 1sle	280 1,215 4,181 2,528 1,316 1,104	-	-	-	-	- 3 -	1

No. 34. Diseases and Groups of Diseases.

Ercephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes,
229	751	667	1,222	1,053	218	120	631	47	599	51	84	434
22 13 46 8 9 29 4 5 9 20 9 1 11 5 11 27	46 21 144 14 33 83 83 17 33 79 12 36 45 26 32 97	54 80 18 27 122 24 17 28 66 16 13 29 39 68	80 48 226 27 62 118 64 35 61 118 21 44 58 85 119	104 67 118 29 67 105 25 15 39 133 22 46 56 82 110	17 20 32 33 15 5 5 12 24 8 6 4 8 10 28	13 37 17 1 4 13 2 3 7 18 6 3 2 6 7 7	67 46 89 22 57 57 23 17 27 65 18 59 40 28 37 53	4 1 10 3 2 4 1 2 6 4 2 2 7	89 125 20 28 50 18 20 24 58 10 24 58 27 23 30 74	2 5 6 1 1 - 2 8 1 2 6 1 6 1 4	6 3 16 5 3 6 7 2 6 6 7 3 3 3 4 2 9	38 36 76 16 15 18 15 18 15 15 18 16 17 18 18 18 18 18 18 18 18 18 18
22	46	54	80	104	17	13	67.	4	39	2.	6	38
6 1 13 - 1 1 1	13 2 1 1 2 14 3 1 3 - - - - - - - - - - - - - - - - -	9 3 - 1 - 35 8 - 1 1 1	17 38 8 1 - 34 5 2 1 1 1 6 1	22 5 7 - 4 49 3 3 2 1 1 3 5	2 - 1 - 9 1 1 1 - - 1	2 1 1 1 - 9	- 7 - 2 - 3 44 - 1 - 3 - 2 5 	3	6 2 1 20 1 1 1 4 1 1 - 1	1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5 1 1 1 1 19 3 1 1 - 3 - 2 1
13	21	87	48	67	20	3	46	1	29,	5	3	36
1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 1 - 3 - 4 1 1 1 2 1 1	- 1 - 2 - 6 - 1 - 1 - 2 - 2	1 33 1 1 1 - 8 - - 4 1 1 - 1	1	1	- - - 1 3 - 1 - - 4 - 1 1,		1 - 4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1 - 1	1	1 3 3 1

TABLE
Deaths in Each Town from Certain
AROOSTOOK

					-		
COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism .	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Holgdon Holgdon Island Falls. Limestone Limestone Linness Littleton Ludlow Madawaska Mapleton Mars Hill Masardis- Monticello New Limerick New Sweden Oakfield Orlent Perham Perham St. Agath Sherman Shourn Westfield Weston Woodland Caswell Pl Chapman Pl Connor Pl Cyr Pl Eagle Lake Pl Garfield Pl Holl Hill Holl Holl Holl Holl Holl Holl Holl	1.130 4.686		1	1 2 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1 3 3 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
CUMBERLAND COUNTY	100,689	1	10	123	18	65	126
Baldwin. Bridgton Brunswick Cape Elizabeth Casco Cumberland Falmouth Freeport	821 2,868 6,806 887 783 1,404 1,511 2,339		- 1 1 - - - -	2 2 4 - 2 - 1 4	- 1 - 1 - 1 - 1	- 15 1 - 1 - 1	- 4 - 8 - 2 - 8 3

No. 34—Continued.

Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of beart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Futalities of reproduction.	Suicide.	Accidents and other external causes.
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 7 7 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1		2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 3 3 4 4 4 5 5 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6	1	- 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		8 8 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		1	
46	144	80	226	118	32	17	89	10	125	6	16	76
- 1 - 1 - 1	- 4 10 3 - 3 1 4	1 3 7 - 2 - 1 4	5 16 3 2 5 3 8	- 4 14 - 1 1 1 1 2	- 5 - 1	2	2 5 1 -	1	1 7 8 - 3 2 3 3	- 1 - 1 -	1 - 1 - 1 - 1	1 6 - 1 - 6 2

TABLE
Deaths in Each Town from Certain
CUMBERLAND

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Gorham Gray Gray Harpswell Harpswell Harpswell Harrison Naples New Gloucester. North Yarmouth Otisfield. Pownal. Raymond. Scarboro Schago. Sonth Portland. Standish Westbrook Windham Yarmouth	2,540 1,388 1,750 969 969 642 728 50,145 592 823 1,865 576 6,287 1,929 2,274	1	5	5 1 2 1 1 61 2 2 5 5 7 3 3	1 - 9 - 1 - 1 - 1 - 1	1 - 1 - 31 - 1 - 5 - 4 2	4 1 1 2 - 8 - 1 50 1 1 2 2 1 9 5 7 6 2 2 2 2 2 2 2 2 2 3 2 3 5 7 6 2 6 2 6 2 7 6 2 6 2 7 6 2 6 2 7 6 2 6 2
FRANKLIN COUNTY	17,754	-	1	18	5	13	14
Avon Carthage. Chesterville Eustis. Farmington Freeman Industry Jay Kingfield Madrid New Sharon New Vineyard Phillips Rangeley Rangeley Wild Wild Temple Weld Wilton Dullas Pl Rangeley Pl	448 334 709 4366 3,288 307 2,758 6633 2,653 1,399 961 1957 633 394 1,647 172 98 98		1	- 1 - 3 2 - 1 - 1 1 2 1 - 3 3 1	- 1 - 2 	- 1 -	3 - 2 1 - 3 - 3 - 1 1 - 2 - 1 - 1 - 2 - 1 - 1 - 2 - 1 - 1
HANCOCK COUNTY	36,534	-	1	25	- 5	20	45
Amberst Aurora. Binehili Brooklin. Brooksville. Bucksport	364 152 1,828 936 1,171 2,339	-	-	- - 1 - 1	- 1	-	- 1 3 2 4

No. 34-Continued.

			1									
Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pnenmonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
- 1 1 1 - 2 - 27 - 1 1 1 - 2 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7	5 2 3 1 1 3 1 2 70 3 1 3 1 3 1 2 3 3 1 3 3 1 3 3 4 4 3 3 3 3 3 4 3 3 3 3	3 - 2 - 1 - 2 - 42 - 1 - 4 24 - 1 - 1 - 1	7 4 5 7 2 1 110 4 - 3 1 8 2 1 1 7 10	5, 2 2 2 2 2 1 1 - 65 1 - 2 1 1 1 6 3 1 1 6 3 1 1 6 3 1 6 3 1 1 6 3 1 6 3 1 6 3 1 6 3 1 6 3 1 6 3 1 6 3 1 6 3 1 6 3 1 6 3 1 6 3 3 3 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100	52 1 - - - - - - - - - - - - - - - - - -	9	- 2 - 1 3 1 67 1 2 2 - 3 3 6 6 77 2	3	- 1 - 1 - 2 9 1 - 1	1 44 4 1 1 4
8	14	18	27	29	3	1	22	3	20	-	5:	16
2 2 3 3 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3	1 2 1 2 2 1 1 - 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 4 2 2 2 2 3 3	1 1 3 1 1 1 2 2 1 1 1 1 1 1 2 6	1 4 1 2 2 1 3 1 2 2 1 1 3 3 1 2 2 1 1 1 3 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 1 2 2 1	1	1	1	1	1 - 8 - 1 - 4 - 1 - 1 - 2 - 1 - 1 - 1 - 1		3	1 - 2 1 - 1 - 3 1 - 1 - 3 3
9	33	27	62	67	15	4	37	2	28	6	3	15
- - 2 - 2	- 1 3 - 4	1 - 3	- 1 5 1 2 8	- 1 - 1 1 2 3	- 2 2 1 -	1	- 1 - 3 1 5		- 1 3 2 1	- - 1 - 1	-	- 1

TABLE
Deaths in Each Town from Certain
HANCOCK

	1					- 1	
	Population in 1900.					h	
	= 1			ŀ		early	
	Ξ.		ė	ĺ		e e	
COUNTY AND TOWNS.	e l	Alcoholism.	Rhenmatism	1		of	
	. ŧ	=======================================	ä		Diabetes.	8 : 1	
	- E	2	<u> </u>	Cancer	et	e Se	20
	ž l	ဒ	19.	ă	4	8 2	=
	ŭ	4	22	ဒိ	盃	Diseases of infancy.	Old age.
						!	
astine	925	~	-	1	-	1	
ranberry Isiesedham.	374 327	~	-	- 2	-	_	
eer Isle	2,047	_	_	2	_		
len	4.379		- 1	4	1	4	
llsworth	4,297	Ţ.	1	1	-	2	
ranklinouldsboro	1.201 $1.259$	-	_	-	_		
aneock	900	_	_	- 2	_	_ [	
le au Haut	182	-	-		- 1	-	-
amoine ariaville	594 218	-	-		-	-	
ount Desert	1,600	-	_	1	- 1	- 2	_
rland	1,251	_	- 1	2	- 1		
is	152	-	- 1	-	-		-
enobscotedgwiek.	1,156	-	-	1	- 1	2	
outh West Harbor	302	-	_	- 1	- 1	- 1	_
onington	1,648		_	2	-	2	_
illivan	1,034	-	-	-	-		-
arry	900 758	-	_	-	-	1	
wan's Island	2,010	-	_	_	_	_ 1	-
renton	459	_	-	1	-	-	
erona	234	-	-	- 1	-	-	-
altham	192	-	-	1	-	- 1	-
	6-1					1	
Vinter Harborong Island Pl	571 174	-	_	-	-	- 1	_
ong Island Pl	174	-	- 7	- 68	- 13	- 46	-
ong Island Pl		1	7	68	-	-	
ENNEBEC COUNTY	174 59,117 878	1	_	_	- 13 -	- 46	
ennebec county	59,117 878 11,683	-	- - 7 - 1	- 11	- 13 - 5	46	
ennebec county  bion agusta elgrade	174 59,117 878	1	_	_	- 13 -	- 46	
ong Island Pl  ENNEBEC COUNTY  Ibion  ngusta. elgrade. elgrade. enton	59,117 59,117 878 11,683 1,058 1,097 3,092	- 1 - 1	- - 1 -	- 11 2 2 3	- 13 - 5 1	46 1 14	
ennebec county  blion ngusta elgrade enton belsea hina	59,117 59,117 878 11,683 1,058 1,097 3,092 1,380	- 1 - 1	- - 1 -	- 11 2 2 3	- 13 - 5 1 2	46	
ennebec county  Ibion  Busta	59,117 878 11,683 1,058 1,097 3,092 1,398	- 1 - 1	- J - 1 	- 11 2 2 3	- 13 - 5 1	46	
ong Island Pl  ENNEBEC COUNTY  Dioin ngusta elgrade enton telsea linton uruingdale avette	59,117 59,117 878 11,683 1,058 1,097 3,092 1,380	- 1 - 1	- - 1 -	- 11 2 2 3	- 13 - 5 1 2	46 1 14	
ennebec county    blion	59,117 59,117 878 11,683 1,058 1,097 3,092 1,380 1,398 848 560 5,501	- 1 - 1	- 1 - 1 2	- 11 2 2 3 2 8 - 1	- 13 - 5 1 2	46 1 14 - - - - - 2	
ong Island Pl  ENNEBEC COUNTY  Ibion ugusta. elgrade. enton. leisea. liiton urningdale ayette ardiner. allowell.	59,117 878 11,683 1,058 1,097 3,092 1,398 848 5600 5,501 2,714	- 1 - 1	- J - 1 	- 11 2 2 3 2 3 - 1 5 2	13 - 5 1 2 - 1 - - 2	46	
ong Island Pl  ENNEBEC COUNTY  ibion ngusta elgrade enton heisea hina linton armingdale ayette ardiner allowell ttchfield	59,117 878 11,683 1,058 1,092 1,380 1,388 848 560 5,501 2,714 1,057	- 1 - 1	- 1 - 1 	- 11 2 2 3 2 8 - 1	- 13 - 5 1 2 - - 1	46 1 14 - - - - - 2	
ong Island Pl  ENNEBEC COUNTY  ibion ngusta elgrade enton heisea hina linton armingdale ayette ardiner allowell ttchfield anchester onmouth	59,117 878 11,683 1,058 1,097 3,092 1,398 848 5600 5,501 2,714	1	- 1 - 1 - - - - 2	- 11 2 2 3 2 3 - 1 5 2	13 - 5 1 2 - 1 - - 2	46 1 14 - - - - - 2	
ong Island Pl  ENNEBEC COUNTY  Ibion ngusta elgrade enton helsea hina linton arruingdale ardiner allowell ttchfield anchester onmouth ount Vernon	59,117 878 11,688 1,097 3,092 1,398 560 5,501 2,714 1,057 518 1,236 906		- 1 - 1 2 2 1	- 11 2 3 3 2 3 - 1 5 2 1	13 5 1 2 - 1 - - 1	46 1 14 2 2 2	
ong Island Pl  ENNEBEC COUNTY  Ibion  ngusta elgrade elgrade enton heisea hina liinton armingdale agette ardiner allowell ttchifield anchester ount Vernon akland	59,117 878 11,683 1,058 1,097 3,092 1,380 1,388 560 5,501 1,2,714 1,057 518 1,236 906 1,913			- 11 2 3 3 2 3 8 - 1 5 2 1 - 2 1	13 5 1 2 2 1 1 2 1	46 1, 14 	
ong Island Pl  ENNEBEC COUNTY  Ibion ngusta elgrade enton helsea hina linton armingdale ayette allowell techfield anchester onmouth oonut Vernon akland titston	59,117 878 11,683 1,058 1,097 3,092 1,380 1,398 848 560 5,501 2,714 1,057 518 1,236 906 1,913 1,177	1	1 - 2 - 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	- 11 2 3 3 2 3 3 2 3 3 1 5 1 1 - 1	13 5 1 2 1 1 2 1	46 1, 14 	
ong Island Pl  ENNEBEC COUNTY  Ibion agusta elgrade enton helsea hina linton armingdale ayette armingdale ayette armingdale ayette onnouth connt Vernon akland litston andolph endfield	59,117 878 11,683 1,058 1,097 3,092 1,380 1,388 560 5,501 1,2,714 1,057 518 1,236 906 1,913			- 11 2 3 3 2 3 8 - 1 5 2 1 - 2 1	13	46 1, 14 	
ong Island Pl  ENNEBEC COUNTY  Ibion  ugusta  trade enron helsea hina liinton armingdale ayette ardiner allowell itchfield anchester count vernon akland and	59,117 878 11,683 1,058 1,097 1,380 1,380 1,380 5,501 2,714 1,057 518 1,236 906 1,913 1,177 1,077 994 420		- 1 - 2 - 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1	- 11 2 2 3 3 2 3 5 5 1 1 1 1	13	46 1 14 2 2 2 1 1 - 3 - 3	
ong Island Pl  ENNEBEC COUNTY    Dion	59,117 87.8 11,683 1,058 1,380 1,390 1,398 848 560 5,501 2,714 1,057 518 906 1,913 1,177 1,077 994 420 1,068	1	- 1 - 2 - 2 - 1 - 1 1 1 1 - 1	- 11 2 2 3 3 2 3 2 3 1 5 5 1 1 1 3 1 1 1 1 1 1	13	46 1 14 2 2 2 1 1 - 3 1 1	
ong Island Pl  ENNEBEC COUNTY  Ibion  ugusta  egrate  egrate  egrate  linton  armingdale  ayette  ardiner  allowell  itchfield  anchester  count Vernon  akland  litstod  lits	59,117 878 11,683 1,057 3,092 1,398 1,398 5,501 2,714 1,057 5,50 1,177 1,077 944 420 1,068 2,068		- 1 - 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	- 11 2 2 3 3 2 3 5 5 1 1 1 1	133	46 1 14 2 2 2 1 1 - 3 - 3	
Inter Harbor ong Island P1  ENNEBEC COUNTY    bion	59,117 87.8 11,683 1,058 1,380 1,390 1,398 848 560 5,501 2,714 1,057 518 906 1,913 1,177 1,077 994 420 1,068	1	- 1 - 2 - 2 - 1 - 1 1 1 1 - 1	- 11 2 2 3 3 2 3 2 3 1 5 5 1 1 1 3 1 1 1 1 1 1	13	46 1 14 2 2 2 1 1 - 3 1 1	-

No. 34-Continued.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalittes of reproduction.	Suicide.	Accidents and other external causes.
	1 - 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	3 4 4 5 3 3 4 5 5 3 2 1 1 1 3 6 6 7 5 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 9 9 255 11 - 5 1 - 1 1 1 1 2 4 4 1 1 1 - 2	1 2 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	2 - 1 3 4 4 1 2 2 - 3 - 1 1 - 2 2 - 2 - 2 - 2		5 2 2 2 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
29	83	122	118	105	21	13	57	4	50	1	6	45
8 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 12 4 1 2 3 3 1 1 1 1 29 1 1 - - - - - - - - - - - - - - - - -	1711144-1111111111111111111111111111111	2 26 4 3 1 1 6 4 4 3 3 3 3 13 1 1 1 1 1 1 1 1 1 1 1 1	2 16 3 4 4 1 2 3 3 3 1 14 6 4 2 2 2 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2	1 3 - 2 - 1 1 1 - 2 - 2 - 3 - 3 - 3	2 1 - 2 - 2 - 1 - 1 - 1 - 4 - 4	2 11 1 2 5 1 1 2 5 1 1 2 2 5 1 1 2 2 1 1 2 2 1 1 1 1		-10 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1	1		- 6 1 - 1 - 1 - 6 - 2 - 1 1 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1

TABLE

Deaths in Each Town from Certain

KENNEBEC

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
West Gardiner Windsor Winslow Winthrop Unity Pl. Togus	698 782 2,277 2,088 50	-		1 3 2 7 -	-	- 4 1	1 1 - 2 -
KNOX COUNTY	30,287	2	2	31	3	20	50
Appleton Camden Camden Cushing Friendship Hope Hurricane Isle North Hawen Rockland St. George South Thomaston Thomaston Union Union Warren Warren Washington Matinicus Isle Pl	975 2,825 604 814 599 257 551 8,150 2,314 2,206 2,688 1,248 2,358 2,069 1,019	2	1 1	33 33 - 2 - 1 9 4 1 1 2 2 - 2 1 1	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	- 6 3 1 2	- 3 1 1 1 1 15 3 6 11 5 2 4 7
LINCOLN COUNTY	19,669	-	1	17	3	5	28
Alna Boothbay Boothbay Harbor Bremen Bristol. Damariscotta. Dresden Edgecomb. Jefferson Newcastle Nobleboro Sonthport Waldoboro. Westport. Wildened Wiscasset Monlegan Pl	444 1,766 657 2,572 876 882 607 1,155 1,075 810 374 527 3,145 330 1,156 1,273			2 1 1 3 2 2 - 2 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1	-	1 - - 1 - 1 1	- 4 1 1 - 3 3 3 - 1 1 2 2 1 2 1 6 3

No. 34-Continued.

COUN		NCLUDE										
Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis,	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
5	- 1 2 3 -	1 2 1 4	1 3 2 4	2 1 2 1 -	- 1 4	1	2 1 2	-	1 - 1 - 2	-		- 1 3 6 1
4	33	24	64	25	5	2	23	1	18	1	7	18
3	2 2 2 3 3 1 5 2 1 - 5 2 4 - - - -	1 - 4 - 1 6 - 4 2 2 4 1 1 - 1	4 9 1 - 13 77 2 5 5 7 3 5 5 6 6 1 1 1	1 3 - - 1 9 2 - 2 - 1 2 3 3 1	1 2 1	1	- 2 1 1 - 1 2 3 3 - 2 - 3 1	1	2 - 2 - 2 1 1 2	1	- 1 - 2 1 1 - 1 - 1 - 1 - 1	1 1 1 7 7 2 1 3 3 2 2 -
5	17	17	35	15	5	3	17	2	20	-	2	8
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 - 3 - 2 - 2 - 6 - 3 - 3	- 1 2 3 3 4 - 1 - 1 - 2 - 3 1 1	1 1 2 2 5 1 3 3 1 1 2 2 2 8 2 8 2 8 8 8 8 8 8 8 8 8 8 8	3 2 - - 2 - - 5 1 - 2	1 1 - 1	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	- 2 - 3 1 - 1 1 1 1 - 1 1 3 - 1 2 - 2	2	3 2 2 1 1 1 1 3 3 - 1 1 5 - 2 - 2 - 2		1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Deaths in Each Town from Certain} \\ & \text{OXFORD} \end{array}$ 

			-				
COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early Infancy.	Old age.
OXFORD COUNTY	31,817	3	2	26	5	24	39
Albany Andover Bethel Brownfield Brownfield Byron Canton Denmark Dixfield Fryeburg Grafton Grafton Grafton Hanner Hanner Hanner Hiram Lovell Mason Mexico Newry Norway Oxford Paris Peru Porter Roxbury Rumford Stonebam Stow Snumer Sweden Upton. Wachford Woodstock	538 727 1,835 1,019 1,024 634 1,052 640 811 721 214 214 214 214 214 214 214 214 214 2	1	2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		1 1 1 2 2 2 2 2 1 1 1 1 1 2 2 2 2 2 2 2	2 4 4 1 1 2 2 2 3 3 2 2 3 1 1 1 1 1 1 2 2 2 3 3 3 2 2 3 3 3 3
PENOBSCOT COUNTY	73,733	2	6	70	12	47	82
Alton. Argyle Bangor. Bradford Bradford Bradford Bradley Brewer Brewer Burlington Carnel	314 320 21,850 954 682 4,835 394 932 487	- - - - - - -		30 1 1 1 4 -	- 4 - 2 	- - 9 - 5 1 2	1 21 - 4 - 1 2

No. 34—Continued.

COUNTY.

COUNT											-	
Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitls.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suichte.	Accidents and other external causes.
9	33	28	61	39	12	7	27	б	24	2	6	15
	3 3 2 2 2 1 1 1 2 2 3 3 1 1 1 1 1 1 1 1 2 2 - 2 2 - 1 1 1 2 2 - 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	2 2 4 1 1 1 2 2 1 1 2 2 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 1 2 2 1	- 2324412 63 1123 555511 3 23 321	2 1 3 3 3 3 1 1 2 - - - 1 1 1 1 2 2 2 2 - - - - - -	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		11 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	11 11 11 11 11 11 11 11 11 11 11 11 11	1		
20	79	66	118	133	24	18	65	4	58	5	7	58
1 4 - 3	- 24 3 - 4 - 1	- 1 28 - 4 - 1 2	- 40 3 2 6	- 48 - 13 1 1	7	3 2 1	24 2 1 1 1 2 3	1	- - 22 - 1 - 2	- 2 - 1 - 1	3	

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Deaths in Each Town from Certain} \\ \textbf{PENOBSCOT} \end{array}$ 

						LNUB	SCOT
COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rhenmatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age,
Charleston Chester Clieton Corinta Corinta Corinta Dexter Dixmont Eddington Eddington Eddington Exeter Ethn Exeter Garland Genburn Greenbush Hampden Hermon Holden Howland Hudson Kenduskeag Kingman Lagrange Lee Levant Lincoln Lowell Mattawamkeag Medway Millord Mattawamkeag Medway Millord Moder Newborr	842 842 843 843 844 843 843 845 845 845 845 845 845 845 845	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 3 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2
PISCATAQUIS COUNTY	15,994	-	4	22	8	12	20
Abbot. Atkinson. Blanchard Brownville Dover Foxcroft.	716 495 248 1,570 1,889 1,629		1	- 1 - 4 5		- - 22 1	1 1 - 1 2

No. 34-Continued.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external canses.
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 1 1 2 2 2 1 1 1 3 3 5 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2 2 1 4 4 6 2 2 3 3 3 1 1 4 4 2 2 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 3 3 3 3 3 3 5 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 2 2 2 1 1 1 1 1 1 3 3 3 2 2 3 3 3 3	11 - 11	1	1 1 2 2 2 3 3 1 1 2 2 2 2 2 2 2 2 2 2 2
9	12	16	21	22	8	6	18	2	10	1	3	14
- - 1 -	- 1 - 1 2	- - - 2 - 6	1 2 3 2	- - 4 1 3	- - - 1	- - - 2	1 2 - 2 8	-	- - 1 1	- - - - 1	-	- - 2 - 1

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Deaths in Each Town from Certain} \\ & \textbf{PISCATAQUIS} \end{array}$ 

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Greenville Guilford Milo Monson Orneville Orneville Parkman Sangerville Selbec Steles Williamsburg Williamsburg Williamsburg Williamsburg Kingsbury Pl Lake View Pl Katahdin Iron Works	1,117 1,544 1,150 1,116 325 718 1,294 593 248 413 117 419 106 173 114		- 2 - 1 	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1	1311	1 2 1 2 2 3 3 2 2 - 1 1 1
SAGADAHOC COUNTY	20,269 180 10,477 937 1,305 799 1,254 2,049 2,097 291 880		1	28 - 9 2 - 3 1 7 3 1 2	5 - 1 - 1 - 1 1 1	9 - 5 - - 1 2	10 - 2 1 - 2 - 2 - 2 - 1 2
SOMERSET COUNTY	32,802	1	5	31	4	25	42
Anson Athens Bingham Cambridge Cannan Concord Cornville Detroit. Embden Fai field Harmony Hartland, Madson. Metcer Mo-cow New Portland. Norridgewock Palmyra. Pitt-field. Ripley St. Albans.	1,830 896 841 364 977 291 689 527 569 3,878 571 1,115 2,764 493 378 913 1,495 915 2,891 449 1,037		1	6 1, - 3 1, 2 1, 4 1, 1	1	2 1 1 1 - - - 4 - 3 1 1 1 - - - 3	1 - 3 - 5 - 4 - 3 - 1 1 4 4 5 5 2 2 2 3 3

No. 34-Continued.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonfa.	Bronchitts.	Other diseases of respiratory system.	Disenses of digestive system.	Acute nephritis.	Bright's disease.	Fatahties of reproduction.	Snicide.	Accidents and other external causes.
2 -4 -1, -1	1 1 -1 -3 1 -1 -1		3 1	2 3 3 - 1 4 1 -	2 1 1 - 2		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1 - 2 - 2 - 2 - 1		- 2 1	
1	36 - 17 2 3 1 6 3 1	13 -	- 22 4 22 - 2 9 1 1 2 2	46 - 20 4 3 2 - 6 4 - 7	4 2	3	5		24 	2 - I 1	3	
11	45 177 13 15 21 15 21 1 31 1 11 13	29 -1 -1 -1 -2 -5 -1 -1 -1 -2 -1 -1 -2 -1 -1 -2 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1	58	56 4 5 1 - 1 - 2 - 2 - - - - - - - - - - - - -	1	1	40 3 4 2 1 1 1 3 3 1 1 1 2 1 1 2 1 1 1 2 1 1 1 1		27 1 1 - 3 - 1 1 1 2 - - 1 1 2 - - 1	6	1	

 $\begin{tabular}{ll} TABLE \\ Deaths in Each Town from Certain \\ &somerset \\ \end{tabular}$ 

County and Towns.   Coun								
Smithfield	COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	s of	Old age.
Smithfield	Skowhegan	5,180	- 1	3	5	1	7	_
Solon	Smithfield	449	-	-	-	-	- '	1
Bigelow P1	Solon	996	-	-	1	-	-	2
Bigelow P1.	Starks			-	- 1		- 1	2
Caratunk PI	Bigelow Pl				-			-
Highland Pl.   67	Brighton Pl				-			-
Pleasant Ridge Pl.	Caratuok Pl		-	-	-		1	-
Pleasant Ridge Pl.	Highland Pl	67	- ,	-	- ,		-	
Pleasant Ridge Pl.	Jackman Pl		-	-				2
West Forks F1	Pleasant Pidgo Pl				1			-
West Forks F1	The Foult Pl				-		_	-
Rockwood   76	Wo. t Forks Pl			_				- 1
WALDO COUNTY	Rockwood		_		_	_		- 1
Belfast	Mock wood							
Belmont	WALDO COUNTY	24,185	1	2	24	2	13	41
Belmont	Belfast	4.615	_	-	4	_	_	2
Burnham	Belmont		-	-	-	-	-	2
Frankfort.	Brooks		-	1				1
Freedom         479         -	Burnham		-	-		-	- 1	-
Isleboro	Frankfort		-	-	1	-	-	2
Jackson     439     -     -     1     -     2       Knox     558     -     2     1     -     2       Liberty     737     -     -     -     2       Montville     1223     -     1     -     1     -       Montville     982     -     1     -     -     1     -       Mortill     420     -     -     -     1     -     2       Mortill     545     -     2     2     -     -     1     -     1       Northport     545     -     2     2     -     -     -     1     -     2     2       Palermo     757     -     -     2     2     -     -     -     -     2     2       Prospect     648     -     1     -     -     4     1     3     3     3     -     -     -     1     3       Searsmont     1349     -     4     1     1     3     3     3     -     -     1     3     3     -     -     1     3     3     -     -     -     1     3     3     - <t< td=""><td>Freedom</td><td></td><td>-</td><td>-</td><td>-</td><td>-</td><td>-</td><td></td></t<>	Freedom		-	-	-	-	-	
Monroc   958   -   -   -   -   -     -	Isleboro	923			-		-	2
Monroc   958   -   -   -   -   -     -	Jackson		~		- 0		-	2
Monroc   958   -   -   -   -   -     -	Knox		-		2	1	-	1
Monroc   958   -   -   -   -   -     -	Liberty	1 000	-		- ,	-	- ,	3
Montville	Monroe				- 1			- 2
Northport					1	_	- 1	
Northport	Morrill		- 1	_	_ ^		_	ī
Palermo.   757	Northport	545	- 1	-	2	-		
Prospect   648   -   1   -   4	Palermo	757	-	-	-	-	2	-
Searsport     1,349     -     4     -     1     3       Stockton Springs     872     -     -     -     1     3       Stockton Springs     872     -     3     3     - </td <td>Prospect</td> <td></td> <td>- 1</td> <td></td> <td>1</td> <td></td> <td>-</td> <td>4</td>	Prospect		- 1		1		-	4
Stockton Springs					- 1			
Swanville					4		1	
Thornolike	Stockton Springs		-		-		-	1.
Troy	Swanville		-		-		- 1	-
Cinity     877     -     -     -     2     3       Waldo     468     -     1     -     1     2     -     -     6       Washington County     44,207     -     2     42     4     21     39       Addison     1,059     -     -     1     -     1       Alexander     333     -     -     -     -     1       Balleyille     233     -     -     -     -     -       Calabi     7,655     -     8     2     4     7       Centerville     91     -     1     -     -     7       Charlotte     315     -     1     -     -     -     -	Thorndike				- 1		-	- 2
Waldo     468     -     1     -     -     1     2       Winterport     1,623     1     -     2     -     -     6       WASHINGTON COUNTY     44,207     -     2     42     4     21     38       Addison     1,059     -     -     1     -     -     1       Alexander     333     -     -     -     -     -       Barleyville     215     -     -     -     -       Barring     231     -     1     -     -       Calais     7,655     -     8     2     4     7       Centerville     91     -     1     -     -     -       Charlotte     315     -     1     -     -     -	Unitar				_ 1		- 0	
WASHINGTON COUNTY     44,207     -     2     42     4     21     38       Addison     1,059     -     -     1     -     -     1       Alexander     333     -     -     -     -     -       Barleyville     215     -     -     -     -     -       Baring     231     -     1     -     -     -       Calais     7,655     -     8     2     4     7       Centerville     91     -     1     -     -       Charlotte     315     -     1     -     -	Waldo		_		_ 1	_		9
Addison 1,059 - 1 - 1 - 1 Alexander 333 Balleyville 215 Baring 231 - 1 Calais 7,655 - 8 2 4 7 Centerville 91 - 1 Charlotte 315 - 1	Winterport		1	- 1	2	-	- 1	6
Alexander 333	WASHINGTON COUNTY	44,207	-	2	42	4	21	39
Alexander 333	Addison	1 050	_	_	1	_		1
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			_	-	_ 1	-	1 - 1	- '
Baring         231-         1         -         1         -         2         -         8         2         4         7         6         -         8         2         4         7         Centerville         1         -         -         1         -	Bailevville		-	-	-	_	- 1	-
Calai     7,655     -     8     2     4     7       Centerville     91     -     1     -     -       Charlotte     315     -     1     -     -     -	Baring	231	-		1		- 1	-
Centerville	Calais	7,655	_			2	4	7
Charlotte	Centerville	91	-			-	-	-
Cherryfield 1,859 1	Charlotte	315	-	-	1	-	- 1	-
	Cherryneld	1,859	-	-	-	-	-	1

No. 34—Continued.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
1	8 3 1	5	8 - 8 - 3 1 1 1 1 1	7 - 1 1 1 1	1		9 1 1 1		6 1 2 - 2 - 2 - 2 - 2	-		7 1 2 1 2 1 2 1 1 2 1
5	26	29	56	35	8	6	28	1	28	1	2	7
	2 1 1 2 2 3 1 1 2 3 3 1 1 3 3 3 1 3 3 3 1 3 3 3 3	4 1 1 - 2 - 3 - 1 - 4 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14 11 2 - 2 1 2 1 2 4 2 1 1 - - - - - - - - - - - - - - - - -	8 - 1 2 3 - 1 1 - 2 3 1 1 - 5 - 3	2 2 2 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 1 1 1 1 1 1 1 1 2 2 2 2 1 1 1 1 1 1 1	1	9 - 2 - 1 - 3 - 1 - 3 - 3 - 2 - 2	1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
11	32	39	85	82	10	7	37	3	30	6	2	18
4	7	- 3 - 1 - 6 	- - 19 - 1	6 - 1 - 10 - 2	1	1	1 - 10 -	1	- - 4 -		1	- - - 3 - 1

 $\begin{array}{c} \textbf{TABLE} \\ \textbf{Deaths in Each Town from Certain} \\ \textbf{WASHINGTON} \end{array}$ 

							_
COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatism .	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Columbia Columbia Falls Columbia Falls Cooper Crawford Cutler Danforth Danforth Dennysyfile East Machias East East East East East East East East	516 569 569 569 569 569 569 569 569 569 56		2	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		1 1 3 3	1 1 2 2 3 1 1 2 2 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 1 2 2 1
YORK COUNTY	64,885	5	. 8	61		76	54
Acton Alfred Berwick Baddeford Buxton Cornish Dayton Eliot Hollis Kennebunk Kennebunk Kennebunk Limington Limerick Limington Lyman	778 937 2,280 16,145 1,838 984 473 1,458 2,123 2,872 1,335 874 1,001 687	1	1 - 2	100		1 1 1 - 6 - 2	4

No. 34—Continued.

Diseases and Groups of Diseases.

sumple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suichle.	Accidents and other external causes.
	4 - 1 1 1 3 3 - 2 2 - 1 1 2 2 - 1 2 2 - 1 1 2 2 2 - 1 1 2 2 2 - 1 1 2 2 2 - 1 1 2 2 2 - 1 1 2 2 2 2	3 3 - 2 - 111 - 1 3 3 1 - 2 - 1 1 1 - 1 1 1 1 1 1 1 1 1 1 1 1	2 4 15 - 1 4 7 5 1 1 1 1 1 1 1 1 1	3 3 2 2 3 3 2 2 3 3 1 1 1 1 1 2 2 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 1 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	1 1 - 1 - 2 - 1 1 1 - 2 1 1 1 - 2 1 1 1 - 2 1 1 1 - 2 1 1 1 - 2 1 1 1 - 2 1 1 1 - 2 1 1 1 - 2 1 1 1 - 2 1 1 1 - 2 1 1 1 - 2 1 1 1 - 2 1 1 1 1	1	1 2 2 2 1 2 2 1 1 2 2 2 1 1 2 2 1 1 2 2 1 1 1 2 2 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
27	97	6.8	119	110	28	15	53	4	74	4	9	37
1	1 4 4 7 1 3 2 5 5 6 6 6 3 1 3 1 3	18 3 3 1 1 1 2 2 1 1 1	3. 722.64 - 25.667.97.	37 55 1 1 2 3 3 4 2 2 2	1 - 1 6 3 1 1 1 - 1 1 - 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1	1 12 4 1 1 1 - 2 1 3 3 1 3	1	1 1 16 2 3 3 3 1 1 2 1 1 1 1 1	-	1	- 10 10 11 11 11 11 11 11 11 11 11 11 11

TABLE Deaths in Each Town from Certain

YORK

COUNTY AND TOWNS.	Population in 1900.	Alcoholism.	Rheumatlsm.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Newfield. North Berwick Old Orchard. Parsonsfield Saco Sanforl Shapleigh South Berwick Waterboro. Wells. York	676 1,748 964 1,131 6,122 6,078 847 3,188 1,162 2,007 2,668	2	- 1 - 1 - 1 - 1	-1 -2 1 10 8 -4 -2	1	1 1 1 3 15 2 1	3 4 6 1 2 1 4 6

No. 34-Concluded.

Encephalitis and simple meningitis.	Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Aceidents and other external causes.
- - - 5 2 - -	3 3 7 9 8 8 3 9 -	4 1 - 4 6 3 - 4 3 5 6	2 2 2 2 3 8 9 - 3 1 5 4	1 5 3 9 11 3 4 - 4 4	- 3 - 2 1 - 1 1 1 3	- - - - 1 - 1	1 - - 10 3 - 1 1	1 - 2	2 2 4 13 7 1 3 -	1	1 1 1 - 1 2	1 1 1 - 4 1 - 4 4 - 4 - 2

TABLE
Deaths by Ages, Sex

														_
COUNTIES	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30,	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Androscoggin, males	112	26	8	17	38	24	34	31	74	57	31	9	_	Γ.
females	59	23	12	17	29	33	37	45	70		39	4	-	
not stated		-	10	24	- 23	-	- 9	-	-	50	- 22	- 2	-	-
Aroostook, males	144 113	41 39	4	25	33	19 18	16	28 20	38	41	33 18	7	-1	
not stated	-				-	-	-		-		-	- <b>'</b>	- 1	
Cumberland, males	118	35	21	41	64	52	64	- 98	143	149		10	-	
females	111	30	16	28	47	59	65	88	141	176	90	30		-
not stated Franklin, males	16	- 5	-3	7	- 5	- 5	7	17	18	42	16	1		
females	25	6	5	4	7	. 8	6	12	21	28	13	5	-	
not stated	-			-	- '	-	-	-		-	-	- ,	-	-
Hancock, males	19	13 13	3	10 6	13 27	10 21	13	26 31	43 30	60 55	42 36	3 5	-	-
females not stated	10	- 13	- '	-0		21	- 9	31	50	- 30	- 50	-	-	_
Kennebec, males	81	24	4	22	28	36	39	63	104	93	79	5	-	•
females	56	27	7	17	22	46	38	60	76	110	57	13	1	- 2
not stated Knox, males	26	10	- 2	10	20	10	13	22	47	43	33	- 2	-	- 5
females	25	7	5	9	14	10	17	25	29	48	36	11	-	
not stated	-	-	-	-	- 1	-	-	-	-	-	-	-	-	-
Lincoln, males	14	3	3	2	7	5	7	15	28	38	31	2	-	]
females not stated	9	-5	2	4	- 6	7	_7	11	15	23	17	6	-	1
Oxford, males	38	11	3	- 5	11	15	22	25	44	49	32	6	-	- 7
females	29	9	7	- 6	13	16	17	23	35	48	33	8	-	-
not stated	- 1	40		-	- 1		-	-	-	-		- 6	-	-
Penobscot, males	99 86	31	14	18° 24	51 60	57 31	52 49	67 52	84 93	103	82 80	10	1	-4
not stated	-	-	-		-			-	-	-	-	100	-	_ '
Piscataquis, males	21	4	3	9	11	9.		7	14	27	22	3	-	2
females	13	4	3	6	6	15	9	12	19	26	15	1	-	-
not stated! Sagadahoc, males	19	-5	-2	- 5	11	7	13	-7	33	32	15	4	_	_
females	12	5	3	5	14	8	15	18	27	38	22	2	-	-
not stated	-		~	-	- 7.4	-		-	-	-	-	-	-	-
Somerset, males females	46) 24	16	- 6 1	15 17	14 25	9 21	15 12	23 23	49 36	59 53	33 36	11	-	2
not stated	-"	- 1	- 1			- 21	- 1		- 30	-	-		- 1	_
Waldo, males	5	6	5	3	12	6	14	25	35	42	29	6		-
females	17	2	1	7	18.	8	10	25	34	47	38	6	1	-
not stated Washington, males	52	20	- 9	20	21	- 9	17	35	47	73	41	3		_
females	45	20	2	19.	31	19	19	29	29	69	32	11.	-	1
not stated		- 00		-	-	-	-	7.	-	-	-		-	-
York, males females	125 76.	39	11	21 16	38	33 25	36 35	42 56	104	110 115	53 77	11	- 1	_
not stated	-	-	-	-	-	2.7	-	-	-	-	-"		-	_
1-											_		-	
Total, males females	965 719	298 246	107	$\frac{229}{210}$	351 390	306 349	364 364	531 530	880	1027	677 639	77 141	- 4	23 16
not stated	- 10	- 241)	- 17-1	-10	- 0	949	904	990	797	1040	008	141	~	10
							- 1							
Grand total	1684	544	201	439	741	655				2073		218	4	40

No. 35. and Months, by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
42 29	36 32	31 35	54 36	37 44	27 29	47 34	37 46	43 30	32 53	41 31	34 37	1 2	462 438	-
22 30	33 29	32 32	- 40 30	- 36 37	25 40	18 18	53	68 42	45 37	25 20	29 25	1	427 375	900
74 87	81 88	- 77 76	- 75 80	- 79 78	72 63	- 76 59	95 75	79 70	83 76	60 68	50 68	- 2 1	903 884	802 - -
13	- 7	24	- 17 17	- 14	13	- 5	- 11	- 15 9	- 8	4	12	-1	143	178
-18	10 - 21 21	23 - 35	-28	13 - 22	15 - 15	10 - 21	- 6 27	26	13 - 23	6 - 26	10	1	140 - 282	28
21 - 55	21 - 55	- - 60	18 - 55	- 49	15 - 43	19 - 41	12 - 50	-24 -53	- 46	18	21 - 43	-	262 - 584	54
55 - 20	40 - 21	61 - 20	46 - 18	42 17	-41 -19	- 11	34 - 28	43 - 25	-41 20	44 27	45 19	1	531 240	111
19	15	17	18 25 - 10	- 12	- 15	-16 -12	23 17 - 13	22 - 14	21 - 15	19	23	-	238 - 156	47
17 17	10	10	- 8	_12	- 8	- 6	- 9	- 9	- 9	4	12 - 18	-	113	- 26
37 19	31 23	32 32	19 28	24 19	14 18	16 17	24 23	17 20 -	16 17 -	14 13 -	15	-	262 244 -	50
64 55	57 72	76 69	56 57	61 45	42 48	55 37	80 42	47 51	42 61	56 47	39 44	1	676 629	130
15 8	12 14	8 14	13 7	11 10	12 8	10 14	13 5	11	12 11	10 12	13 8	1	141 129	27
18 12	17 17	12 33	14 12	13	14 14	9	12 19	12 8	11 15	11 14	16 10	-	153 169	32
22 20	25 17	28 45	29 30	22 21	- 23 17	11 13	28 11	45 22	21 26	17 26	23 18	1	295 266	-
17 13	20 29	22 32	17 21	26 20	18 15	- 9 16	- 5 11	16 16	14 12	14 16	13 15	-	- 191 216	56 - -
27 30	- 27 31	41 46	- 37 30	23 23	21 26	20 18	40 22	26 34	33 24	30 27	- 22 14	- 1	347 326	40
- 44 53	57 52	45 83	49 47	45 49	36 39	46 39	78 51	44 53	- 46 46	36 38	- 46 35 -	1	578 585	67 - 117
505 476	510 499	556 641	531 492	491 466	409 421	407 361	589 417	541 471	467 491	421 405	399 400	9	5835 5545 1	-
981	1009	1197	1023	957	830	768		1012	958	824	799		11,381	

TABLE No. 36.

Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Fourteen Years, 1892-1905.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals	475	433	884	2,326	2,987	15,285	7,266	14,112	3,193	8,069
Males	213	209	408	1,163	1,696	6,663	-	6,897	1,501	3,932
Females	261	224	476	1,162	1,290	8,621	-	7,210	1,692	4,137
Not stated	1	-	-	1	1	1	-	5	-	-
January	45	32	sī	239	227	1,311	93	2,162	412	747
February	39	35	69	214	194	1,252	84	1,951	393	725
March	56	59	84	148	252	1,557	103	2,061	421	704
April	49	39	69	153	218	1.473	116	1,774	365	689
May	68	39	64	172	207	1,489	110	1,378	304	685
June	47	35	79	125	159	1,291	192	733	201	635
July	52	21	80	137	147	1,233	1,014	332	146	591
August	29	19	90.	130	234	1,150	2,368	289	96	646
September	12	28	73	161	372	1,087	2,097	422	142	625
October	30	37	59	252	415	1,172	820	767	215	649
November	25	48	58	301	290	1,068	168	951	217	649
December	23	41	76	292	266	1,188	98	1,341	275	720
Not stated	-	-	2	2	6	14	3	11	6	4

TABLE No. 37.

Mortality by Months Reduced to a Standard Mean of 100, Fourteen Years, 1892-1905.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchltis.	Apoplexy.
January	111.55	87.00	107.88	120.98	89.48	100.99	150.70	180.38	151.92	109.00
February	107.05	105.36	101.75	119.93	84.66	106.78	15.07	180.22	160.45	117.13
March	138.82	160.41	111.88	74.92	99.33	119.94	16.69	171.96	155.24	102.73
April	125.26	109.55	94.96	80.15	88.79	117.25	19.42	152.95	139.08	103.89
Мау	168.57	106.04	85.24	87.07	81.60	114.70	17.83	115.98	112.10	99.95
June	120.39	98.34	108.73	65.48	64.76	102.76	32.15	63.19	76.59	95.75
July	128.90	57.10	106.55	69.35	57.94	94.98	164.31	27.70	53.84	86.24
August	71.89	51.66	119.87	65.80	92.24	88.59	382.11	24.11	35,40	94.26
September	30.73	78.67	100.47	84.34	155.59	86.52	351.13	36.38	54.11	94.24
October	74.37	100.60	75.58	127.56	163.59	90.28	132.88	58.99	79.28	94.70
November	64.04	134.87	79.82	157.67	118.12	85.01	28.13	88.99	82.69	97.86
December	57.02	111.47	101.23	147.81	104.85	91.51	15.88	111.89	101.40	105.06
Mean	100.00	100.00	160.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

### NOTES ON DEATHS AND THE CAUSES OF DEATH.

Death-rates.—The number of deaths registered in the year 1905 was 11,381 (12,147 in 1892, 11,134 in 1893, 11,012 in 1894, 10,464 in 1895, 10,626 in 1896, 11,236 in 1897, 10,956 in 1898, 11.370 in 1899, 11,389 in 1900, 11,133 in 1901, 10,673 in 1902, 11,000 in 1903, and 11,346 in 1904). The number of deaths for this registration year was, therefore, 35 more than for 1904, 372 more than for 1903, 708 more than for 1902, 248 more than for 1901, 8 less than for the year 1900, 11 more than for 1899, 425 more than for 1898, 145 more than for 1897, 755 more than for 1896, 917 more than for 1895, 369 more than for 1894, 247 more than for 1893, and 766 less than for 1892. The death-rate for the State for the year 1905 was 15.92 for every 1,000 of population (18.37 in 1892, 16.84 in 1893, 16.66 in 1894, 15.83 in 1895, 16.07 in 1896, 16.99 in 1897, 16.57 in 1898, 16.45 in 1899, 16.40 in 1900, 16.03 in 1901, 15.37 in 1902, 15.85 in 1903, and 16.34 in 1904).

By referring to Table No. 4, it will be seen that the death-rate of Aroostook county was lower than that of any other county, being only 12.38. The counties Androscoggin, Aroostook, Franklin, Hancock, Knox, Lincoln, Oxford, Piscataquis, Sagadahoc and Washington had lower death-rates than that of the whole State; while the counties Cumberland, Kennebec, Penobscot, Somerset, Waldo and York had death-rates larger than that of the State. The highest county death-rate was that of Kennebec, 18.13.

The death-rate in the cities was 16.79 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, 18.10 in 1899, 18.34 in 1900, 17.90 in 1901, 17.03 in 1902, 17.16 in 1903, and 18.00 in 1904), as compared with that of the rest of the State with the cities omitted, which death-rate was 15.49 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, 15.24 in 1898, 15.52 in 1899, 15.47 in 1900, 15.13 in 1901, 14.58 in 1902, 13.39 in 1903, and 15.54 in 1904).

Scasons and Mortality.—The largest number of deaths occurred in March, 1.197. The smallest number of deaths in any one month was 768 in July. During the spring months 3,177 deaths occurred; during the summer, 2,604; during the

autumn, 2.794; in the winter, 2.789. The following shows the month in which the largest and the smallest number of deaths occurred in the years 1892-1905:

	Largest Number.	Smallest Number.	
1892	January 1,577	November	790
1893	August 1,080	November	796
1894	January 1,266	November	761
1895	March 1,053	June	715
1896	August 1,079	November	667
1897	March 1,259	June	769
1898	September 1,147	June	791
1899	February 1,049	June	768
1900	April	November	769
1901	March	June	789
1902	December 998	June	805
1903	January 1,006	June	786
1904	April 1,116	July	800
1905	March	July	768

The following is a tabular statement of the number of deaths in each quarter of the fourteen years 1892-1905:

	1st Quarter.	2d Quarter.	3d Quarter.	4th Quarter.
1892	3,964	2,926	2,780	2,427
1893	2,653	2,825	2,878	2,750
1894	3,166	2,660	2,774	2,402
1895	2,780	2,412	2,764	2,503
1896	2,728	2,717	2,836	2,339
1897	3,026	2,681	2,856	2,671
1898	2,567	2,641	2,964	2,782
1899	3,416	2,632	2,767	2,544
1900	2,879	3,057	2,909	2,536
1901	3,178	2,688	2,637	2,610
1902	2,787	2,503	2,585	2,774
1903	2,946	2,705	2,723	2,615
1904	3,100	2,961	2,603	2,670
1905	3,187	2,810	2,786	2,581

The following table shows the number of deaths which have occurred in each of the twelve months in each of the years from 1892 to 1905:

DEATHS IN EACH MONTH FOR THE YEARS 1892-1905.

Totals.	12,147	11,134	11,012	10,464	10,626	11,236	10,956	11,370	11,389	11,153	10,673	11,009	11,346	11,381	155,876
Not stated.	20	ši	10	5	9	C.	G1	=	30	8	č	8	21	11	215
Бесешрег.	793	1,037	830	828	833	837	911	881	928	268	×66	919	#6	199	12,3%
Хочетьет.	38	796	761	743	199	835	837	ž.	769	8	850	<u>8</u>	817	8	11,102
October.	844	917	3	306	88	666	1,034	ž	911	8	168 168	989	606	828	12,611
September.	976	97.9	926	1,023	616	266	1,147	953	1,037	970	16	957	206	1,012	13,733
Asugu A	888	1,080	953	828	1,079	1,019	1,003	1,631	1,033	831	9	265	968	1,006	13,533
Auly.	998	80	392	808	845	840	<u>x</u>	22	833	838	Z	9.	ŝ	9-	11,620
June.	833	813	816	715	814	769	7.91	165	793	32	802	Ž.	202	830	11,135
May.	1,045	696	851	3	196	895	935	668	1,068	944	918	98	1,038	357	13,251
April.	1,048	1,037	588	82	3	1,020	915	365	1,196	925	939	8	1,116	1,023	13,932
Матер.	1,095	929	950	1,053	944	1,259	863	935	1,095	1,132	656	966	1,080	1,197	14,457
February.	1,292	5	086	33	921	25	518	1,049	8	1,091	96	941	1,035	1,009	13,436
January.	1,577	<del>5</del>	1,266	906	8	916	88	1,432	9.88	922	876	1,006	989	38	14,402
Years.	892	893	F681	268	963	1817	868	6681		1901	5065	808	1904	1905	Total

Table No. 29 exhibits the total number of deaths which occurred in each month of the years 1898-1905. The number of deaths for 1905 in each month by counties is shown in Table No. 35.

Sex and Mortality.—Of the 11,381 decedents, 5,835 were males and 5,545 were females. The sex of one was unstated.

Among children dying before they were 5 years old, 1,263 were males and 965 were females; there were 298 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages of from 50 to 80; and from 80 to 100, more among females. At the age of 100 years and over four women died. See Table No. 35.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under I year of age 1.684 14.80 per cent. From 1-5 years of age 4.78 per cent. 544 From 5-10 years of age 1.77 per cent. 20 I From 10-20 years of age 3.86 per cent. 439 From 20-30 years of age 741 6.51 per cent. 655 5.76 per cent. From 30-40 years of age From 40-50 years of age 728 6.40 per cent. From 50-60 years of age 1.061 9.31 per cent. From 60-70 years of age 1,677 14.74 per cent. From 70-80 years of age 2,073 18.21 per cent. From 80-00 years of age 1,316 11.56 per cent. From 90-100 years of age 218 1.02 per cent. 100 years of age and over, 4 0.03 per cent. Ages not stated 40 0.35 per cent.

The Causes of Death.—The following table shows the mortality from ten prominent causes in the eight years 1898-1905. The various diseases of the brain have occupied the first place among the causes of death, and consumption was the next most prominent cause until 1898 when it was reduced to the third place in the list; in 1899 and 1900 it occupied the fourth place; in 1901, the third place; in 1902, 1903, and 1904 it again occu-

pied the fourth place, which it still keeps this year. Diseases of the heart have the second place, and pneumonia has the third place.

MORTALITY FROM TEN PROMINENT CAUSES-1898-1905.

CAUSES OF DEATH.	1905.	1905.	1904.	1903.	1902.	1901.	1900.	1899.	1898.
Brain disease*	1,364	1	1	1	1	1	1	1	1
Heart disease	1,222	2	2	2	2	2	3	3	2
Pneumonia	1,053	3	3	3	3	4	2	2	4
Consumption	894	4	4	4	4	3	4	4	8
Old age	724	5	5	5	5	5	5	5	
Cancer	662	6	7	7	6	6	7	7	7
Kidney disease†	646	7	6	6	7	8	8	8	8
Infantile diarrhea	561	8	8	8	8	7	6	6	5
Bronchitis	218	9	9	9	9	9	9	9	10
Diphtheria and croup	116	10	10	10	10	10	10	10	9

<sup>\*</sup>Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain, and its membranes, and other brain diseases.

By referring to Table No. 30 it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 30.

Infectious Diseases.—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State:

fincluding deaths certified as from nephritis, Bright's disease, albuminuria and uremia.

### SIX INFECTIOUS DISEASES BY COUNTIES-1905.

Counties.	Estimated population for 1905.	Aggregate deaths from six infectious diseases—1505.	Infectious death- rate per 10,000 -1905.
Androscoggin	56,879	25	4.40
Aroostook	66,322	31	4.67
Cumberland	105,559	50	4.74
Franklin	19,140	4	2.09
Hancock	37,241	10	2.69
Kennebec	60,170	27	4.49
Knox	30,406	14	4.60
Lincoln	19,669	3	1.52
Oxford	33,064	9	2.72
Penobscot	77,937	57	7.31
Piscataquis	17,357	4	2.30
Sagadahoc	20,769	12	5.78
Somerset	31,460	18	5.80
Waldo	24,185	7	2.89
Washington	45,607.	16	3.51
York	65,913	56	8.50
State	714,678	343	4.80

In the foregoing table the second column shows for each county the whole number of deaths for 1905 from the infectious diseases; the third column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:

### SIX INFECTIOUS DISEASES BY CITIES-1905.

Auburn. 13,8 Augusta 12,2 Bangor. 23,3 Bath 11,8 Belfast. 4,6 Biddeford. 16,5 Brewer 5,1 Calais. 7,5 Eastport. 5,6 Ellsworth 4,5 Gardiner. 5,3 Hallowell 2,1 Lewiston 24,7 Old Town 5,4 Portland 55,4 Rockland 5,6	Aggregate deaths from six infectious diseases—1905.	Infections death- rate per 10,600 - 1905.
Bangor       23,3         Bath       11,3         Belfast       4,4         Biddeford       16,3         Brewer       5,1         Calais       7,5         Eastport       5,6         Ellsworth       4,3         Gardiner       5,6         Hallowell       2,5         Lewiston       24,7         Old Town       5,7         Rockland       8,8	02 3	2.17
Bath     11,8       Belfast     4,6       Biddeford     16,3       Brewer     5,1       Calais     7,7       Eastport     5,6       Ellsworth     4,3       Gardiner     5,6       Hallowell     2,5       Lewiston     24,7       Old Town     5,7       Rockland     8,8	61 9	7.34
Belfast       4.4         Biddeford       16.3         Brewer       5.4         Calais       7.7         Eastport       5.5         Ellsworth       4.3         Gardiner       5.4         Hallowell       2.5         Lewiston       24.3         Old Town       5.5         Portland       57.4         Rockland       8.5	24 19	8 18
Biddeford.       16.5         Brewer.       5.1         Calais.       7.7         Eastport.       5.5         Ellsworth.       4.5         Gardiner.       5.5         Hallowell.       2.5         Lewiston.       24.         Old Town       5.5         Portland       57.4         Rockland       8.5	54 6	5.28
Brewer         5,1           Calais         7,5           Eastport         5,4           Ellsworth         4,3           Gardiner         5,4           Hallowell         2,5           Lewiston         24,5           Old Town         5,5           Portland         57,6           Rockland         8,5	15	4.33
Calais.     7.5       Eastport.     5.4       Ellsworth     4.3       Gardiner.     5.4       Hallowell.     2.5       Lewiston.     24.       Old Town     5.5       Portland     57.4       Rockland     8.5	96 2	1.35
Eastport       5.4         Ellsworth       4.3         Gardiner       5.4         Hallowell       2.5         Lewiston       24.         Old Town       5.5         Portland       57.6         Rockland       8.5	56 1	1.94
Ellsworth       4.3         Gardiner       5.4         Hallowell       2.5         Lewiston       24.         Old Town       5.4         Portland       57.4         Rockland       8.5	38	3.83
Gardiner         5.4           Hallowell         2.5           Lewiston         24           Old Town         5.5           Portland         57.6           Rockland         8.5		-
Hallowell         2.5           Lewiston         24           Old Town         5,6           Portland         57,0           Rockland         8,6	97 -	-
Lewiston.         24.           Old Town         5.           Portland         57.           Rockland         8.		-
Old Town         5,5           Portland         57,1           Rockland         8,1	14 -	-
Portland         57,           Rockland         8,	91 13	5.24
Rockland 8,	989 1	9 15.03
	005 23	4.91
S900 6	150	6.13
Site of the state	46	9.76
80. Portiand	287	2 3.18
Waterville	362	7.50
Westbrook	309	6.57
Collectively	915 14	5.92

By consulting the following table it will be seen that the number of deaths from measles and grippe was larger than in 1904. There was a smaller number of deaths from typhoid fever, scarlet fever, whooping cough, diphtheria and croup, tetanus, and malarial disease.

DISEASES.	1895.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	Total.
Smallpox	-	3	2	-	12	7	3	-	27
Chickenpox	-	-	1	-	-	-	-	-	1
Measles	41	39	84	26	28	36	22	32	308
Rotheln (German measles)	-	-	1	-	-	-	-	-	1
Scarlet fever	43	48	35	18	13	18	10	7	192
Grippe	145	380	236	266	122	196	166	243	1,754
Whooping cough	44	96	99	28	51	110	54	38	520
Mumps	3	1	-	-	-	1	-		5
Diphtheria and croup	240	152	155	127	115	115	162	110	1,176
Cerebro-spinal meningitis	43	50	42	44	33	-	-	-	212
Tetanus	4	11	7	5	7	11	14	- 7	66
Typhoid fever	216	195	196	224	162	225	242	156	1,616
Malarial disease	8	10	13	11	20	9	13	11	95

Smallpox.—In 1905, as in 1904, there were no deaths from smallpox. In 1903, smallpox was the cause of 7 deaths; in 1902, 12; in 1901, 0; in 1900, 2; in 1899, 3. No deaths were due to this disease from 1892, when our system of registration went into effect, until 1899.

Measles.—This disease caused the death of 32 persons, of whom 14 were males and 18 were females. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, 39 in 1899, 84 in 1900, 26 in 1901, 28 in 1902, 36 in 1903, and 22 in 1904.

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS
—1896-1905.

BY COUNTIES.		By months.		By age periods.	
Androscoggin	29	January	31	Under 1	98
Aroostook	56	February	33	1-5	128
Cumberland	48	March	36	5-10	28
Franklin	7	A pril	33	10-20	27
Hancock	21	Мау	52	20-30	21
Kennebec	27	June	37	30-40	25
Knox	17	July	41	40-50	18
Lincoln	3	August	24	50-60	6
Oxford	15	September	10	Over 60	16
Penobscot	38	October	26	Not stated	:
Piscataquis	10	November	21	Total	36
Sagadahoc	6	December	18		
Somerset	32	Total	362		
Waldo	9				
Washington	17				
York	27				
State	362				

Scarlet Fever.—The total mortality from this disease was 7 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, 48 in 1899, 35 in 1900, 18 in 1901, 13 in 1902, 18 in 1903, and 10 in 1904), 1 male and 6 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 2 in March. There were 3 deaths in the first quarter, 2 in the second, 1 in the third, and 1 in the last quarter of the year.

Androscoggin county had I death from scarlet fever; Aroostook, 2; Cumberland, I; and York, 3. Of the 7 deaths from this cause, 3 were in the cities.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the thirteen years 1893-1905:

SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

BY COUNTIES.
By Counties.  Androscoggin.  Anoostook.  Cumberland.  Franklin  Hancock  Kennebec  Knox  Lincoin.  Dxford.  Penobscot.  Piscataquis.  Sagadahoc.  Somerset.  Waldo  Washington.

The scarlatina death-rate per 10,000 for this State was 0.09; for the cities, 0.12.

Grippe.—During the year for which this report is made, 243 deaths were attributed to grippe. By months the percentage distribution of deaths from this cause was as follows: January, 8.68: February, 19.84: March, 33.47; April, 19.84; May, 6.61; June, 2.89: July, 1.65; August, 0.41; September, 0.83; October, 1.65: November, 2.48: December, 1.65. The following shows the age incidence of deaths reported as having occurred from grippe:

The grippe death-rate for the whole State was 3.40 for each 10,000 of living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897, 2.19 in 1898, 5.50 in 1899, 3.40 in 1900, 3.83 in 1901, 1.87 in 1902, 2.82 in 1903, and 2.39 in 1904).

DEATHS FROM GRIPPE BY COUNTIES AND MONTHS-

	1905.													
Counties.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	Decembe :	Not stated.	Total.
Androscoggin	3	1	7	2	-	-	-	-	-	-	1	1	-	15
Aroostook	1	2	1	9	2	1	-	-	1	-	~	-	1	18
Cumberland	6	13	7	7	1	1	-	-	-	1	-	-	-	36
Franklin	-	-	4	3	1	2	-	-	-	-	-	-	-	10
Hancock	-	1	6	2	1	-	1	-	-	-	-	-	-	11
Kennebec	1	4	11	2	1	1	-	1	-	1	1	2	-	25
Knox	2	2	2	-	-	-	1	-	-	-	2	-	-	9
Lincoln	1	-	3	-	1	-	-	-	-	-	-	-	-	5
Oxford	1	1	4	3	1	-	-	-	-	1	-	1	-	12
Penobscot	-	10	10	- 6	à	-	1	-	-	-	1	-	-	33
Piscataquis	-	2	2	-	1	-	-	-	-	-	-	-	-	5
Sagadahoc	-	3	1	1	-	-	-	-	-	-	1	-	-	6
Somerset	1	3	3	5	1	1	-	-	1	1	-	-	~	16
Waldo	1	-	3	-	-	-	-	-	-	-	-	-	-	4
Washington	1	4	10	4	1	1	-	-	-	-	-	-	-	21
York	3	2	7	4	-	~	1	-	-	-	-	-	-	17
State	21	45	81	48	16	7	-4	1	2	4	б	4	1	243

Whooping Cough.—The number of deaths from whooping cough was 38 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, 96 in 1899, 99 in 1900, 28 in 1901, 51 in 1902, 110 in 1903, and 54 in 1904), of which 20 were males and 18 females. The number of deaths in the cities was 9. Twenty-four of the 38 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping cough was 0.53 per 10,000; that of the cities, 0.38.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods:

WHOOPING COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS—1905.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	2	January	4	Under 1	2:
Aroostook	2	February	3	1-5	13
Cumberland	10	March	2	5-10	-
Franklin	1	April	2	10-20	_
Hancock	-	May	1	20-30	-
Kennebec	2	June	3	30-40	_
Knox	1	July	6	40-50	-
Lincoln	-	August	5	50-60	-
Oxford	-	September	2	60-70	-
Penobscot	8	October	3	Not stated	
Piscataquis	1	November	1	Total	38
Sagadahoc	1	December	6		
Somerset	2	Total	38		
Waldo	1				
Washington	4				
York	3				
State	38				

Diphtheria.—There were for the year 1905, 110 deaths from diphtheria (106 in 1892, 69 in 1893, 77 in 1894, 135 in 1895, 109 in 1896, 200 in 1897, 185 in 1898, 92 in 1899, 155 in 1900, 127 in 1901, 115 in 1902, the same in 1903, and 162 in 1904). Of the decedents, 68 were males and 42 were females.

Ages: Under 1, 13; 1-5, 57; 5-10, 15; 10-20, 16; 20-30, 6; 30-40, 1; 40-50, 2.

Of the 110 deaths, 42 were in the cities, and 68 in other places. The diphtheria death-rate for the State was 1.54, and for the cities, 1.76.

The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

# DIPHTHERIA BY COUNTIES AND MONTHS-1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total. Death-rate
Androscoggin	-	1	-	-	-	-	2	1	-	2	-	1	7 1.2
Aroostook	-	2	1	2	1	1	-	2	2	1	-	3	15 2.2
Cumberland	2	3	1	-	2	1	-	2	1	ì	1	2	16 1.5
Franklin	-	-	-	-	-	-	-	-	-	-	-	-	
Hancock	1	-	-	-	-	-	3	_	-	-	-	-	2 0.5
Kennebec	2	-	1	1	-	1	1	1	1	~	1	-	9 1.5
Knox	-	1	-	-	-		-	-	-	-	-	-	10.3
Lincoln	-	-	-	-	-	-	-	-	-	-	2	-	2 1.0
Oxford	-	-	-	-	1	-	-	-	-		3	1	5 1.5
Penobscot	3	1	1	1	-	1	1	1	1	1	2	3	16 2.0
Piseataquis	-	-	~	-	-	-	-	-	-	-	-	-	
Sagadahoe	1	1	-	-	-	-	1	-	-	-	1	2	6 2.8
Somerset	1	3	-	~	-	1	1	-	1	ì	-	1	9 2.6
Waldo	-	1	-	-	-	-	-	-	-	-	-	-	1 0.4
Washington	-	-	1	1	1	1	-	-	-	-	-	1	5 1.1
York	1	7	2	_	-	1	-	1	-	-	2	2	16 2.4
State	11	20	7	5	5	7	7	8	-6	- 6	12	16	110 1.5

The following tabulation shows the number of deaths from diphtheria for the thirteen years 1893-1905, arranged by counties, months, and age-periods:

DIPHTHERIA	BY	COUNTIES,	MONTHS,	AND	AGE-
	F	ERIODS—189	3-1905.		

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	266	January	219	Under 1	299
Aroostook	379	February	200	1-5	971
Cumberland	435	March	136	5-10	503
Franklin	37	A pril	138	. 10-20	234
Hancock	47	Мау	151	20-30	49
Kennebec	186	June	105	30-40	25
Knox	84	July	124	40-50	13
Lincoln	28	August	120	50-60	7
Oxford	48	September	142	60-70	5
Penobscot	144	October	227	Over 70	3
Piscataquis	14	November	283	Not stated	5
Sagadahoe	67	December	267	Total	2,114
Somerset	77	Not stated	2		
Waldo	28	Total	2,114		
Washington	74				
York	200				
State	2,114				

Typhoid Fever.—There were 156 deaths from typhoid fever. Of these, 94 were males and 62 were females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value; 74 per cent. died between 10 and 50 years of age.

Ages: Under 1, 0: 1-5, 9: 5-10, 11; 10-20, 31, 20-30, 43: 30-40, 25; 40-50, 16: 50-60, 10: 60-70, 7: 70-80, 3; not stated, 1.

The largest number of deaths, 27, occurred in September, and the smallest number, 6, in July. By quarters, 35 were in the first quarter, 29 in the second, 45 in the third, and 47 in the last quarter of the year.

The typhoid death-rate of 3.29 in the cities is considerably greater than that in the villages and rural towns, which is 1.07. The rate for the State is 2.18.

The following exhibits the number of deaths from typhoid fever in each county, by months, with death-rate in each county:

TYPHOID FEVER-1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	1	-	-	-	1	_	1	-	1	6	2	1	13	2.29
Aroostook	1	-	1	-	1	2	1	-	3	1	2	-	12	1.81
Cumberland	2	2	2	-	1	1	1	4	3	4	1	1	22	2.08
Franklin	-	-	-	-	-	1	-	-	-	-	-	-	1	0.52
Hancock	1	-	-	-	-	-	-	1	2	1	-	-	5	1.34
Kennebec	1	3	-	4	-	1	-	2	-	2	1	-	14	2.33
Knox	-	1	-	-	-	-	-	-	1	-	1	-	3	0.99
Lincoln	-	-	-	-	-	-	-	-	-	-	-	1	1	0.51
Oxford	1	-	1	-	-	-	-	-	-	1	1	-	4	1.21
Pensbscot	4	3	3	4	3	3	-	-	4	1	3	2	30	3.85
Piscataquis	-	-	-	-	-	-	1	-	2	-	-	-	3	1.73
Sagadahoc	-	1	-	-	1	1	-	1	-	-	-	-	4	1.93
Somerset	-	-	-	-	-	-	-	1	2	-	-	-	3	0.87
Waldo	-	-	1	1	-	-	-	1	-	-	-	1	4	1.65
Washington	-	-	1	1	-	-	1	-	2	-	1	-	6	1.32
York	2	-	3	2	-	1	1	2	7	6	2	5	31	4.70
State	13	10	12	12	7	10	- 6	12	27	22	14	11	156	2.18

The following exhibits for the thirteen years 1893-1905 the distribution of deaths from typhoid fever by counties, months, and age-periods:

TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	260	January	217	Under 1	16
Aroostook	230	February	191	1-5	104
Cumberland	382	March	240	5-10	155
Franklin	63	April	214	10-20	637
Hancock	108	Мау	194	20-30	853
Kennebec	293	June	148	30-40	40
Кпох	65	July	139	40-50	259
Lincoln	53	August	219	50-60	148
Oxford	123	September	332	60-70	99
Penobscot	460	October	373	70-80	6
Piscataquis	51	November	251	Over 80	18
Sagadahoc	50	December	253	Not stated	2
Somerset	89	Not stated	6	Total	2,77
Waldo	63	Total	2,777		
Washington	135				
York	352				
State	2,777				

Malarial Diseases.—Eleven deaths were registered as due to malarial diseases. In all these cases the disease was contracted outside of this State; six of these persons having contracted the disease in the war of the rebellion. All of the decedents were males; their respective ages were: 50-60, 1; 60-70, 7; 70-80, 3.

Tuberculosis.—In 1905, tuberculosis in its various forms was the cause of 1.109 deaths (1,513 in 1892, 1,446 in 1893, 1,449 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, 1,239 in 1898, 1,241 in 1899, 1,215 in 1900, 1,250 in 1901, 1,165 in 1902. 1,076 in 1903, and 1,217 in 1904). The death-rate per 10,000 from this cause was 15.30.

Cerebral Tuberculosis.—(Tubercular Meningitis.)—The number of deaths was 71; 39 were of males and 32 of females.

The number for the cities was 34. The death-rate for the State was 0.99; for the cities, 1.42.

Ages: Under 1, 14; 1-5, 33; 5-10, 13; 10-20, 6; 20-30, 1; 30-40, 2; 40-50 0; over 60, 2.

Pulmonary Tuberculosis. (Consumption.)—From this cause 894 deaths were registered in 1905, which is equivalent to a death-rate of 12.50 per 10,000 of population. The death-rate for the cities was 15.09. The following is a tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the fourteen registration years, together with the death-rate from consumption for each year:

	-	•
	Number of	Death rate
	deaths.	per 10,000.
1892		20.24
1893	1,299	19.35
1894	1,262	18.80
1895	1,195	17.71
1896	1,172	17.21
и897	,128	16.47
1898	1,021	14.85
1899	1,015	14.69
1900	1,027	14.79
1901	1,033	14.87
1902	970	13.97
1903	901	12.97
1904	1,016	14.63
1905	894	12.50
7111	-0.6 1 (1 (1	. 0

There were in 1905, 458 fewer deaths than in 1892, 405 fewer than in 1893, 368 fewer than in 1894, 301 fewer than in 1895, 278 fewer than in 1896, 234 fewer than in 1897, 127 fewer than in 1898, 121 fewer than in 1899, 133 fewer than in 1900, 139 fewer than in 1901, 76 fewer than in 1902, 7 fewer than in 1903, and 122 fewer than in 1904.

Ages: Under I, 15; I-5, I3; 5-10, I1; 10-20, 108; 20-30, 252; 30-40, 166; 40-50, 109; 50-60, 91; 60-70, 63; 70-80, 52; 80 and over, 10; not stated. 4.

It is thus shown in this report, as it was in the thirteen preceding reports, that the smallest number of deaths occurred at the age-period 5-10 years, and that, of the decedents whose ages were given, 81 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 410 of the decedents, or 46.0 per cent., were males; and 484, or 54.0 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

#### CONSUMPTION BY COUNTIES AND MONTHS-1905.

Counties.	ary.	February.	þ.					ıst.	September.	ber.	November.	December.	Not stated.		Death-rate per 10,000.
	January.	Febr	March.	April.	May.	June.	July.	August.	Septe	October.	Nove	Dece	Nots	Total.	Deat per 1
Androscoggin	4	3	6	s	9	4	7	5	2	4	2	6	1	61	10.72
Aroostook	4	3	14	5	10	5	1	7	1	3	3	4	-	60	9.05
Cumberland	16	11	10	17	7	12	12	9	8	9	٤	10	-	129	12.22
Franklin	2	1	2	5	3	1	-	1	1	-	1	1	-	18	9.40
Hancock	3	6	3	3	3	2	5	4	3	4	2	2	-	40	10.74
Kennebec	4	5	14	10	8	10	7	3.	11	3	4	6	-	85	14.13
Knox	3	5	5	6	2	5	4	3	3	3	4	4	-	47	15.46
Lincoln	-	1	1	-	2	-	1	2	2	3	-	1	-	13	6.61
Oxford	3	2	5	4	2	4	-	2	1	2	2	1	-	28	8.47
Penobscot	14	15	11	11	12	14	12	12	s	s	7	8	-	132	16.94
Piscataquis	3	2	3	-	3	-	2	1	4	1	-	1	-	20	11.52
Sagadahoc	5	_	2	3	3	1	2	1	3	3	-	4	-	27	13.00
Somerset	2	2	6	6	3	5	2.	4	5	2	5	1	-	43	12.48
Waldo	4	4	8	3	5	4	2	3	3	-	3	4	_	43	17.78
Washington	s	5	8	3	5	7,	7	10	3	s	5	2	-	71	15.57
York	5	3	7	4	9	6	9	9	7	7	7	4	-	77	11.68
State	80	68	105	88	84	80	73	76	65	60	53	59	1	894	12.51

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age-periods:

### CONSUMPTION BY SEX AND AGE-PERIODS-1905.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-20.	50-60.	60-70.	70-80.	sound over.	Not stated.	Total.
Males	6	8	2	40	112	71	63	47	35	17	6	3	410
Females	9	5	9	68	140	95	46	4.4	28	35	4	1	484
Total	15	13	11	108	252	166	103	91	63	52	10	4	894

For the thirteen years 1893-1905, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table.

CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 1,054	January 1,165	Under 1 207
Aroostook 885	February 1,145	1-5 202
Cumberland 2,038	March 1,427	5-10 130
Franklin 340	April 1,346	10-20
Hancock 748	May 1,357	20-30 4,111
Kennebec 1,237	June 1,177	30-40
Knox 717	July 1,131	40-50
Lincoln 393	August 1,045	50-60
Oxford 524	September 989	60-70 1,087
Penobscot 1,635	October 1,047	70-80
Piscataquis 304	November 992	80 and over 209
Sagadahoe 395	December 1,097	Not stated 66
Somerset 707	Not stated 15	Total 13,933
Waldo 596	Total 13,933	
Washington 1,026		
York 1,334		
State 13,933		

Tuberculosis Mesenteric.—There were 59 deaths from this cause, 21 males and 38 females.

Ages: Under 1, 0; 1-5, 3; 5-10, 6; 10-20, 6; 20-40, 20; 40-60, 13; over 60, 11.

Tuberculosis, Other Forms.—Of these deaths, 85 in all, the cause assigned was: tuberculosis or general tuberculosis, 44; tuberculosis of larynx, 16; tuberculosis of stomach, 3; tuberculosis of kidneys, 1; tuberculosis of joints, 1; Pott's disease, 8; and others, 12.

There were 27 deaths from erysipelas; 50 from pyemia and septicemia, and 32 from puerperal fever—giving a special deathrate of 1.53. The following shows the distribution of puerperal fever by mouths and counties:

January	6	Androscoggin	I
February	O	Aroostook	4
March	I	Cumberland	7
April	3	Franklin	2
May	4	Hancock	2
June	4	Kennebec	3
July	2	Knox	I
August	U	Lincoln	2
September	3	Oxford	1
October	I	Penobscot	О
November	4	Piscataquis	О
December	4	Sagadahoc	2
		Somerset	3
Total	32	Waldo	I
		Washington	1
		York	2
		Total	32

Twenty deaths were returned under alcoholism. The special death-rate from alcoholism was 0.28.

Rheumatism.—The returns give 60 deaths from this cause (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, 56 in 1899, 56 in 1900, 53 in 1901, 45 in 1902, 58 in 1903, and 60 in 1904), 32 males and 28 females. Sixteen of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.84, while that in the cities was 0.67. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1905.

BY COUNTIES.		By months.		By age-periods.	
Androscoggin	3	January	4	Under 1	-
Aroostook	4	February	9	1-5	1
Cumberland	10	March	4	5-10	2
Franklin	1	A pril	2	10-20	4
Hancock	1	Мау	7	20-30	7
Kennebec	7	June	4	30-40	4
Knox	2	July	6	40-50	8
Lincoln	1	August	7	50-60	9
Oxford	2	September	4	60-70	14
Penobscot	6	October	3	70-80	1-
Piscataquis	4	November	5	Over 80	4
Sagadahoe	2	December	5	Total	60
Somerset	5	Total	60		
Waldo	2				
Washington	2				
York	8				
State	60				

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the thirteen years 1893-1905:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

BY COUNTIES.		By months.		By age-periods.	
Androseoggin	36	January	62	Under 1	1
Aroostook	44	February	72	1-5	8
Cumberland	104	March	65	5-10	24
Franklin	10	A pril	51	10-20	55
Hancock	34	Мау	. 69	20-30	53
Kennebec	64	June	39	30-40	44
Knox	32	July	58	40-50,	51
Lincoln	25	August	57	50-60	97
Oxford	40	September	38	60-70	159
Penobscot	81	October	47	70-80	151
Piscataquis	22	November	68	Over 80	50
Sagadahoc	24	December	71	Not stated	:
Somerset	40	Not stated	3	Total	700
Waldo	33	Total	700		
Washington	40				
York	71				
State	700				

Cancer.—From cancer in its various forms and locations there were 662 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, 541 in 1899, 526 in 1900, 570 in 1901, 615 in 1902, 598 in 1903, and 611 in 1904). Of the decedents, 238 were males and 424 were females. The cancer death-rate for the State was, therefore, 9.26.

Distributed as to its more frequent locations, there died of cancer of the stomach, 180; female genital organs, 100; liver, 85; intestines, 76; breast, 51; mouth, 25; skip, 24; kidneys, 11; abdomen, 9; throat, 9; pancreas, 8; pelvis, 7; bladder, 6; neck, 3; lung, 3; spleen, 3; thigh, 2; leg, 2; various, 27; unspecified, 31.

The deaths from cancer, arranged by sex and age-periods of the decedents, is exhibited in the following:

# CANCER BY SEX AND AGE-PERIODS-1905.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	.00-70	70-80.	Over 80.	Not stated.	Total.
Males	1	1	1	2	2	14	18	39	74	60	25	1	238
Females	1	1	1	2	7.	35	66	95	102	85	26	3	424
Total	2	2	2	4	9	49	84	134	176	145	51	4	662

The distribution of cancer by counties and age-groups, and the special death-rate for each county are shown in the following for 1905, and for the thirteen years 1893-1905:

# CANCER-1905 AND 1893-1905.

	190	5.	1893 - 1	905.					NUM of DE.	
COUNTIES.	Number of deaths.	Death-rate per 10,660.	Number of deaths.	Mean death. rate per 10,000.	Λ	GE-G1	ROU	PS.	1905.	1893-1905.
Androscoggin	52	9.14	537	7.26	Under	1 yes	ır		2	8
Aroostook	24	3.62	252	2.92	From	1-5 y	ears	3	2	12
Cumberland	123	11.65	1,252	9.12	**	5-10	**		2	11
Franklin	18	9.40	221	8.88		10-20	**		4	30
Hancock	25	6.71	346	7.14	**	20-30	**		9	105
Kennebec	68	11.30	640	8 18	"	30-40			49	384
Knox	31	10.19	349	8 83	**	40-50	* *		84	866
Lincoln	17	8.64	243	9 50	"	50-60	**		134	1,487
Oxford	26	7.86	322	7.49		60-70	**		176	1,860
Penobscot	70	8.98	735	7.25	**	70-80	* *		145	1,615
Piscataquis	22	12.68	139	6.16	Over 8	30 yea	rs		51	608
Sagadahoe	28	13.48	222	8 22	Not st	ated.			4	39
Somerset	31	9.00	374	8 35	То	tal			662	7,022
Waldo	· 24	9.92	271	8.62						
Washington	42	9.21	388	6.54	ı İ					
York	61	9.25	731	8 58	3					
State	662	9.26	7,022	7.56	3					

Diabetes.—The deaths from this cause numbered 115 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, 95 in 1899, 74 in 1900, 87 in 1901, 83 in 1902, 92 in 1903, and 91 in 1904. The special death-rate from diabetes was, therefore, 1.61 in 1905. Fifty-one of the decedents were males and 64 were females.

Ages: 1-5, 2; 5-10, 3; 10-20, 6; 20-30, 5; 30-40, 7; 40-50, 9; 50-60, 28; 60-70, 30; 70-80, 14; 80-90, 2,

Old Age.—There were registered 724 deaths as due to old age, 320 men and 404 women. Of these decedents, 26 were from 60 to 70 years of age; 179 were from 70 to 80; 400 were from 80 to 90; 116 were from 90 to 100; while 4 were 100 years of age and older.

From Table No. 35, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years or more was 3.611 (3.801 in 1892, 3.147 in 1893, 3.242 in 1894, 2.807 in 1895, 3.045 in 1896, 3.232 in 1897, 3.109 in 1898, 3.378 in 1899, 3.355 in 1900, 3.332 in 1901, 3.289 in 1902, 3.404 in 1903, and 3.532 in 1904), or one death in every three and one-seventh was of a person who was between 70 and 100 years of age or older. Assuming that all these 3.611 died of old age, the death-rate from old age would be 50.53 among every 10.000 living at all ages.

The following shows the number of deaths in each county of persons 70 years of age and over, and the number of their deaths in each 10,000 of the population at all ages:

COUNTIES.	Deaths.	Rate per 10,006.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin	207	36.39	Oxford	176	53.23
Aroostook	152	22.92	Penobscot	384	49.27
Cumberland	560	53.05	Plscataquis	94	54.16
Franklin	105	54.86	Sagadahoe	113	54.41
Hancock	204	54.77	Somerset	200	58.04
Kennebec	358	59.50	Waldo	169	69.88
Knox	173	56.90	Washington	229	50.21
Lincoln	117	59.48	York	370	56.13

OLD AGE-1905.

Centenarians.—Among the persons whose decease occurred in 1905, three had exceeded the age of 100 years, while one was just 100. All were females. Their names, together with a few facts relating to the life history of each, are as follows:

August 12, Mary M. Cunningham died at Bangor at the age of 105 years, I month, and 8 days. She was born in Sedgwick. Her father, Daniel Bridges, and her mother, whose maiden name was Mary Withington, were also born in Sedgwick.

November 23, Diana Beckwith died at Pittston at the age of 102 years, and 9 months. She and also her parents were born in Canada. Her father's name was Robert Wilcox. Her mother's name is not given.

March 7, Elizabeth Tower died at Washburn at the age of 102 years, and 1 month. She and her father, whose name was James Easler, were born in New Brunswick. The name and birthplace of her mother were unknown.

March 22, Amanda Walker died at Palermo at the age of 100 years. She was born in Waldoboro. No facts are known concerning her parents.

Diseases of the Nervous System and of Organs of Special Sense.—The number of deaths registered under the causes included in this group was 1,648 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, 1,728 in 1899, 1,652 in 1900, 1,615 in 1901, 1600 in 1902, 1,641 in 1903, and 1,578 in 1904), or 23.06 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 216 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, 273 in 1899, 251 in 1900, 264 in 1901, 211 in 1902, 243 in 1903, and 212 in 1904), 119 males and 97 females. Of these, 107 were in the cities. The death-rate from the several diseases grouped under this head was 4.46.

Ages: Under 1, 88; 1-5, 48; 5-10, 4; 10-20, 26; 20-40, 19; 40-60, 20; over 60, 11.

Apoplexy.—From this cause 751 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1807, 558 in 1898, 629 in 1809, 583 in 1900, 595 in 1901, 674 in 1902, 712 in 1903, and 714 in 1904), 364 males and 387 females. Of these, 238 were in the cities. The State's death-

rate from apoplexy was, therefore, 10.51; that of the cities, 9.92.

The largest number of deaths from apoplexy, 204, occurred in the spring; the largest number in any one month was 75 in November.

In 1894, 1896, and 1900, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, 1899, 1901, 1903, and 1904, in the winter; in 1898, in the winter and spring; and in 1902, in the summer.

Conversely, the smallest number of deaths, 47, was in September; the smallest number in any one season was 170 in the summer months. Over 80 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS-1905.

COUNTIES.	January.	February.	March.	Aprill.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,600.
Androseoggin	4	3	5	3	2	4	3	4	1	6	5.	6	-	46	8.09
Aroostook	-	3	1	4	4	5	-	-	-	2	1	1	-	21	3.17
Cumberland	13	6	13	7	14	13	14	11	6	13	20	14	-	144	13.64
Franklin	1	1	-	-	3	2	-	1	2	3	1	- 1	-	14	7.31
Hancock	2	5	1	4	3	1	3	1	2	4	2	5	-	33	8.86
Kennebee	6	8	4	7	9	4	5	5	5	7	10	13	_	83	13.79
Knox	2	-	2	6:	2	5	3	1	2	2	3	5	-	33	10.85
Lincoln	1	2	2	1	-	5	-	-	1	1	1	3	-	17	8.64
Oxford	4	-6	5	3	2	1	1	1	4	3	3	- 1	-	33	9.98
Penobscot	7	5	12	8	8	3	7	5	8	2	9	5	-	79	10.14
Piscataquis	- 1	3	1	1	1	2	-	1	1	-	-	1	-	12	6.91
Sagadahoe	2	2	3	$^{2}$	6	3	2	6	-	4	3	3	-	36	17.33
somerset	- 1	5	9	.2	3	2	4	5	6	2	4	1	1	45	13.06
Waldo	4	2	1	4	3	2	3	-	2	-	2	3	-	26	10.75
Washington	1	ã	2	4	3	2	2	2	4	3	3	1	-	32	7.02
York	-11	-11	. 10	3	11	11	-6	9	3	10	8	4	-	97	14.72
State	60	67	71	59	74	65	53	52	47	62	75	65	1	751	10.51

The following is a tabular exhibit by sex and age-groups of the deaths from apoplexy:

#### APOPLEXY BY SEX AND AGE-PERIODS-1905.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	69-70.	70-20.	OV: 1 30	Not stated	Total.
Males	7	2	1	3	2	2	14	50	103	116	62	2	364
Females	5	2	2	2	5	5	18	39	108	133	67	1	387
Total	12	4	3	5	7	7	32	89	211	249	1.29	3	751

# APOPLEXY 1905 AND 1893-1905.

	1905		893-19	905.
COUNTIES.	Number of deaths	Death-rate per lo,000.	v te transfer	Mean death-rate per 10,000
Androscoggin	46	8,09	628	8.49
Aroostook	21	3.17	186	2.16
Cumberland	144	13.64	36 →	9,95
Franklin	1+	7.31	196	7.88
Hancock	33	8.86	519	6.59
Kennebec	83	13.19	801	10.24
Knox	33	10.85	363	9.18
Lincoln	17	8.64	229	8.96
Oxford	33	9.98	362	8.11
Penobscot	79	10.14	738	7.28
Piscataquis	12	6.91	14 L	6.24
Sngadahoe	36	17.33	273	10.11
Somerset	45	13.06	391	8.73
Waldo	26	10.75	303	9.63
Washington	32	7.02	370	6.24
York	97	14.72	916	10.69
State	751	10-51	7,551	8.16

Softening of the Brain.—From cerebral softening there were 29 deaths—those of 18 males and 11 females.

Ages: From 40-50, 2; 50-60, 4; 60-70, 7; 70-80, 11; over 80, 5.

Paralysis.—Of the 235 deaths from paralysis, 106 persons were males and 120 were females.

Ages: Under 1, 0; 1-5, 3; 5-10, 0; 10-20, 2; 20-30, 0; 30-40, 5; 40-50, 14; 50-60, 30; 60-70, 64; 70-80, 71; 80-90, 42; over 90, 4.

Epilepsy.—Twenty-three males and 14 females died of epilepsy, 37 in all.

Ages: Under 1, 2; 1-5, 2; 10-20, 5; 20-40, 10; 40-60, 5; over 60, 12; not stated, 1.

Tetanus.—This disease was the cause of 7 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, 11 in 1899, 7 in 1900, 5 in 1901, 7 in 1902, 11 in 1903, and 14 in 1904). The decedents were 6 males and 1 female. Of these 7 deaths from tetanus, 1 occurred in each of the months January, June, August, and September; and 3 in July, all from the 3rd to the 9th.

Ages: 1-5, 1; 5-10, 2; 10-20, 2; 40-50, 1; over 70, 1.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,222 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, 1,028 in 1899, 1,045 in 1900, 1,076 in 1901, 1,097 in 1902, 1,153 in 1903, and 1,191 in 1904). The following exhibits the age and sex distribution of each form of disease for the year 1905:

DISEASES.	Under 1	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Males.	Females.	Totals.
Pericarditis	-	-	-	2	2	5	_	4	5	9
Endocarditis	2	1	4	3	17	30	-	30	25	57
Organic diseases of heart	16	7	17	69	228	728	3	601	467	1,068
\ngina pectoris	-	1	-	4	24	59	-	45	43	88
Total	18	9	21	78	271	822	-3	682	540	1,222

For the year 1905, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and county:

Counties.	Number of deaths.	Rate.	Counties.	Number of deaths.	Rate.
Androscoggin	80	14.06	Oxford	61	18.45
Aroostook	45	7.24	Penobscot	118	15.14
Cumberland	226	21.41	Piscataquis	21	12.10
Franklin	27	14.11	Sagadahoe	44	21 19
Hancock	62	16.65	Somerset	58	16.83
Kennebee	115	19.61	Waldo	56	23.15
Knox	64	21.65	Washington	85	18.64
Lincoln	85	17.79	York	119	18.05
			State	1,222	17.10

As may be noted, Waldo county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 17.10.

The whole number of deaths from diseases of the heart arranged by sex and age-groups was as follows:

HEART DISEASE BY SEX AND AGE-PERIODS-1905.

Sex.	Under 1.	1-5	5-10.	10-20.	20-50.	30-40.	40-50.	50-69.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	14	2	5	7	16	23	42	98	200	191	82	2	682
Females	4	. 1	5	10	2.0	19	40	82	114	167	65	1	540
Total	18	3	10	17	36	42	91	180	314	358	150	3	1,222

Discases of the Respiratory System.—Without the inclusion of tuberculosis, 1,391 persons died from the various respiratory diseases, as tabulated on page 95 (1,769 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, 1,455 in 1899, 1,513 in 1900, 1,405 in 1901, 1,380 in 1902, 1,348 in 1903, and 1,428 in 1904). From these diseases there were, therefore, 378 fewer deaths than in 1892, 16 fewer than in 1893, 79 more than in 1894, 226 more than in 1805, 250 more than in 1896, 44 more than in 1897, 267 more than in 1898, 64 fewer than in 1899, 122 fewer than in 1900,

14 fewer than in 1901, 11 more than in 1902, 43 more than in 1903, and 37 fewer than in 1904.

Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases, in 1905 the number of deaths was 863 smaller than in 1892, 421 smaller than in 1893, 289 smaller than in 1894, 75 smaller than in 1895, 28 smaller than in 1896, 190 smaller than in 1897, 140 larger than in 1898, 175 smaller than in 1899, 255 smaller than in 1900, 153 smaller than in 1901, 65 smaller than in 1902, 36 larger than in 1903, and 159 smaller than in 1904.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1905 was 19.46 in each 10,000 of population, as compared with 20.56 in 1904, 19.41 in 1903, 19.87 in 1902, 20.23 in 1901, 21.79 in 1900, 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, 27.16 in 1892.

Pncumonia.—The number of deaths registered under this cause was 1.053 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, 936 in 1897, 769 in 1898, 1,067 in 1899, 1,067 in 1900, 994 in 1901, 987 in 1902, 999 in 1903, and 1.050 in 1904), of which 507 were males and 546 were females. The death-rate from this disease was, therefore, 14.73 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, 15.44 in 1899, 15.36 in 1900, 14.31 in 1901, 14.21 in 1902, 14.39 in 1903, and 15.12 in 1904). As 386 of the deaths occurred in the cities, the urban death-rate was 14.05.

The age distribution of pneumonia by sex and age-groups is shown in the following table:

TNEOM	-			-					J-1 1J			1905.	
SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males	94	51	6	16	16	32	50	45	60	84	48	2	507
Females	74	56	2	14	15	24	32	38	88	133	68	2	546
Total	168	107	8	30	34	56	82	- 83	148	217	116	4	1,053

PNEUMONIA BY SEX AND AGE-PERIODS-1905

PNEUMONIA BY COUNTIES AND MONTHS, WITH DEATH-RATE PER 10,000—1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	5	18	10	16	17	7	2	2	4	7	6	9	1	104	18.28
Aroostook	5	7	11	9	9	s	3	1	2	3	6	3	-	67	10.10
Cumberland	16	22	14	12	11	7	3	-	5	8	9	11	-	118	11.18
Franklin	-	6	12	3	3	-	-	-	-	1	1	3	-	29	15.15
Hancock	5	6	17	10	6	-	3	2	4	6	4	4	-	67	17.99
Kennebec	21	16	27	10	5	3	-	1	3	1	8	10	-	105	17.45
Knox	2	3	6	4	2	1	-	1	2	3	-	1	-	25	8.22
Lincoln	5	3	3	1	2	~	-	-	- '	1	-	-	-	15	7.63
Oxford	6	9	11	5	3	-	-	-	1	-	1	3	-	39	11.80
Penobscot	12	31	24	12	12	5	3	3	6	6	10	8	1	133	17.07
Piscataquis	3	3	1	3	4	1	1	1	1	1	1	2	-	22	12.68
Sagadahoc	7	10	14	6	-	3	1	-	-	1	3	1	-	46	22.15
Somerset	7	10	10	9	7	3	-	-	3	3	-	4	-	56	16.25
Waldo	3	8	10	2	1	2	-	-	4	3	1	1	-	35	14.47
Washington	12	8	13	13	7	6	3	1	2	4	s	5	-	82	17.98
York	16	16	20	20	13	2	-	4	1	5	2	11	_	110	16.69
State	125	176	203	135	102	48	19	16	38	53	60	76	2	1,053	14.73

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the thirteen years 1893-1905:

PNEUMONIA—1893	-1905.
----------------	--------

By Counties.	By months.	By age-periods.
Androscoggin 936	January 1,796	Under 1 1,834
Aroostook 648	February 1,668	1-5 1,245
Cumberland 2,027	March 1,882	5-10
Franklin 360	April 1,634	10-20 451
Hancock 649	Мау 1,243	20-30 629
Kennebec 1,204	June 670	30-40 729
Knox 475	July 308	40-50 885
Lincoln 340	Angust 271	50-60 1,106
Oxford 633	September 390	60-70 1,768
Penobscot 1,521	October 653	70-80 2,180
Piscataquis 282	November 886	Over 80 1,547
Sagadahoc 363	December 1,269	Not stated 54
Somerset 614	Not stated 11	Total 12,68
Waldo 448	Total12,681	
Washington 769		
York 1,382		
State		

Bronchitis.—From this cause, including both acute and chronic bronchitis, 218 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, 233 in 1899, 262 in 1900, 222 in 1901, 241 in 1902, 209 in 1903, and 223 in 1904). Among these decedents, 105 were males and 113 were females. Of these 218 deaths, 67 were in the cities. The largest number of deaths in any one month was 42 in March. In August occurred the smallest number of deaths, 4. The largest number of deaths in three consecutive months was 101 in January, February, and March; the smallest number in any three consecutive months was 24 in July, August, and September. The number of deaths by quarters was 101, 51, 24, and 41, and 1 not stated.

The bronchitis death-rate of the State was 3.05; of the cities, 2.79.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life.

Under	I	year,	57	40-50 years,	3
	1-5	years,	18	50-60 years,	15
	5-10	years,	2	60-70 years,	18
	10-20	years,	2	70-80 years,	55
	20-30	years,	3	Over 80 years,	40
	30-40	years,	5		

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rate of counties and State:

#### BRONCHITIS—1905.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Death-rate per 10,000.
Androscoggin	1	1	6	-	1	1	-	-	3	2	1	7	-	17	2.99
Aroostook	2	1	7	2	3	-	-	-	1	-	3	1	-	20	3.02
Cumberland	5	5	2	5	4	1	4	-	2	ì	1	2	-	32	3.03
Franklin	-	-	-	1	1	-	-	-	-	1	-	-	-	3	1.57
Hancock	1	1	1	2	1	3	-		1	1	2	2	-	15	4.03
Kennebec	5	3	3	4	- 1	-	-	1	-	-	1	3	-	21	3.49
Knox	1	-	-	-	ì	-	-	1	-	-	-	2	-	5	1.64
Lincoln	1	1	1	-	-	-	1	-	1	-	-	-	-	5	2.54
Oxford	1	1	1	4	-	1	1	-	1	2	-	-	-	12	3.63
Penobscot	2	- 6	6	2	2	1	- '	-	1	1	1	1	1	24	3.08
Piscataquis	-	1	3	1	-	1	-	-	1	-	~	1	-	8	4.61
Sagadahoe	2	-		-	-	1	1	-	-	-	1	1	-	- 6	2.89
Somerset	2	-:	1	-	1	-	-	-	-	-	-	-	-	4	1.16
Waldo	-	2	1	-	-	-	1	-	-	2	1	1	-	8	3.31
Washington	3	2	3	-	-	1	-	-	-	1	-	-	-	10	2.19
York	6	3	7	3	-	2	-	2	1	-	-	4	-	28	4.25
State	32	27	42	24	15	12	- 8	4	12	11	11	19	1	218	3.05

Pleurisy.—Twenty-one deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, 17 in 1898, 24 in 1899, 28 in 1900, 24 in 1901, 16 in 1902, 17 in 1903, and 24 in 1904),—12 males and 9 females.

Ages: Under I, I; 10-20, I; 20-30, I; 30-40, 5; 40-50, 2; 50-60, 4; 60-70, I; over 70, 6.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 1,303 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, 1,411 in 1899, 1,411 in 1900, 1,202 in 1901, 973 in 1902, 1,087 in 1903, and 1,076 in 1904), or a death-rate of 18.23. The distribution of these under their several causes will be found on page 96.

Diarrheal Discases.—The total number of deaths caused by the diseases under this group was 719 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, 662 in 1899, 805 in 1900, 684 in 1901, 476 in 1902, 566 in 1903, and 514 in 1904). The death-rate from this group of diseases was 10.06 per 10.000.

Infantile Diarrhea.—This, as synonymous with cholera infantum or including it, was the cause of 561 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, 565 in 1899, 680 in 1900, 567 in 1901, 360 in 1902, 403 in 1903, and 369 in 1904). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 35 deaths from this cause; in the second quarter, 28; in the third quarter, 391; and in the fourth quarter, 107. The largest number of deaths occurred in August, 168.

Of the children dying from this cause, 58 per cent. were less than 6 months old, and another 29 per cent. were less than 1 year of age, making 87 per cent. of deaths within the first year of age.

Ages: Under 3 months, 151; 3-6 months, 225; 6-9 months, 80; 9-12 months, 41; 12-18, months, 56; 18 months—2 years, 8,

In the classification of deaths from diarrheal diseases, only the deaths among children under 2 years of age are included under "infantile diarrhea." The deaths from diarrheal diseases, other than those under this cause, were: cholera morbus, 12; dysentery, 35; and diarrhea, 111.

Of the 561 deaths from infantile diarrhea, 239 were returned from the cities. This represents an urban death-rate from this cause of 9.96 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, 11.77 in 1899, 14.84 in 1900, 10.09 in 1901, 6.89 in 1902, 6.49 in 1903, and 6.26 in 1904), which is in contrast with 4.51, the rate for

the villages and rural districts (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, 5.05 in 1897, 8.00 in 1898, 6.47 in 1899, 7.37 in 1900, 7.24 in 1901, 4.37 in 1902, 5.50 in 1903, and 4.86 in 1904).

INFANTILE DIARRHEA BY COUNTIES AND MONTHS—
1905.

	_			_			-							
COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin	1	3	-	2	-	-	18	22	15	10	2	-	73	12.83
Aroostook	4	2	1	3	1	2	6	31	35	25	4	2	116	17.49
Cumberland	_ :	-	-	-	-	1	12	20	21	8	1	1	64	6.06
Franklin	-	2	-	-	-	-	-	1	7	1	-	-	11	5.75
Hancock	-	-	2	-	-	-	1	6	8	5	1	-	23	6.18
Kennebec	-	2	4	2	1	1	1	7	15	5	1	-	39	6.48
Knox	1	-	-	-	-	-	-	7	4	1	1	-	14	4.60
Lincoln	-	-	-	-	-	-	1	-	-	-	2	-	3	1.53
Oxford	-	-	1	-	-	1	1	7	5	3	-	-	18	5.44
Penobscot	1	-	2	4	1	-	9	32	16	4	4	3	76	9.75
Piscataquis	-	-	-	-	-	1	1	1	4	2	-	-	9	5.19
Sagadahoe	-	-	1	-	1	-	1	2	2	-	-	-	7	3.37
Somerset	-	1	1	-	-	-	-	5	8	4	-	2	21	6,09
Waldo	-	-	-	-	-	-	-	-	2	2	1	-	5	2.07
Washington	2	-	2	1	1	-	1	5	11	3	-	-	26	5.70
York	-	1	1	-	3	2	7	22	11	6	2	1	56	8 50
State	ç	11	15	12	8	8	59	168	164	79	19	9	561	7.85

The preceding table exhibits the number of deaths from infantile diarrhea in 1905, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the thirteen years 1893-1905, by counties, months, and age-groups.

# INFANTILE DIARRHEA BY COUNTIES, MONTHS, AND AGE-PERIODS—1893-1905.

BY COUNTIES.	By months.	By age-periods.
Androscoggin 827	January 90	Under 6 months 3,610
Aroostook 1,255	February 81	6-12 months 2,194
Cumberland 818	March 102	1-2 years 894
Franklin 108	April 114	Over 2 years
Hancock 186	May 109	Unknown 1
Kennebec 668	June 174	Total 6,72
Knox 176	July 904	
Lincoln 44	Angust 2,173	
Oxford 197	September 1,945	
Penobscot 644	October 780	
Piscataquis 82	November 152	
Sagadahoc 133	December 93	
Somerset 191	Not stated 3	
Waldo 78	Total 6,720	
Washington 420		
York 893		
State		

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years 1898-1905:

INFANTILE DIARRHEA IN THE CITIES-1898-1905.

CITIES.	1898.	1899.	1900.	1901.	1902.	1903.	1964.	1905.	Total.
Auburn	17	9	9	7	3	4	2	s	59
Augusta	20	24	19	18	11	12	14	19	137
Bangor	18	. 6	13	8	4	16	$\epsilon$	12	83
Bath	6	8	17	4	4	7	2	4	52
Belfast	1	1	4	-	1	-	3	1	11
Biddeford	50	39	43	48	42	19	19	19	279
Brewer	3	S	9	7	2	4	7	13	53
Calais	7	11	12	12	7	9	1	9	68
Eastport	13	5	15	15	-	3	2	2	55
Ellsworth	1	1	1	-	-	1	-	-	4
Gardiner	4	2	2	8	-	-	1	3	18
Hallowell	1	-	2	-	-	1,	2	1	7
Lewiston	69	60	63	43	26	20	29	55	365
Old Town	11	11	11	9	11	4	2	20	79
Portland	40	36	70	19	18	24	23	57	267
Roekland	5	2	5	5	4	6	1	9	37
Saco	4	6	10	3	4	2	3	4	5€
South Portland	-	3	7	1	3	1	2	6	28
Waterville	17	25	6	12	9	10	13	9	101
Westbrook	s	5	13	8	6	3	9	10	69
Total	295	262	331	227	155	146	141	239	1,796

Peritonitis.—There were 90 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, 83 in 1899, 105 in 1900, 99 in 1901, 81 in 1902, 55 in 1903, and 63 in 1904), 36 males and 54 females. Thirty-one of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

3

90

			, ,						
By Counties.		By months.		By age periods.					
Androscoggin	7	January	6	Under 1	4				
Aroostook	9	February	5	1-5,	4				
Cumberland	11	March	6	5-10	8				
Franklin	1	April	7	10-20	20				
Hancock	8	Мау	6	20-30	11				
Kennebec	11	June	11	30-40	8				
Knox	2	July	8	40-50	11				
Lincoln	1	August	11	50-60	7				
Oxford	3	September	4	60~70	9				

15

3

70-80.....

Over 80 .....

Total .....

#### PERITONITIS-1905.

October .....

November.....

December.....

Total .....

Penobscot .....

Piscataquis ......

Sagadahoc .....

Somerset ..... Waldo ..... Washington ..... York .....

State ......

11

4

4

Appendicitis.—Of the deaths classified under this cause, 68 in number, 32 were males and 36 were females. The number of deaths in each month was: January, 5; February, 3; March, 9; April, 6; May, 9; June, 4; July, 4; August, 8; September, 6; October, 6; November, 6; December, 2.

Ages: Under 1, 1; 1-5, 4; 5-10, 5; 10-20, 19; 20-30, 16; 30-40, 7; 40-50, 6; 50-60, 5; 60-70, 3; over 70, 2.

Cirrhosis of the Liver.-Forty-four deaths were ascribed to cirrhosis of the liver-those of 26 men and 18 women. Of these 44 deaths, 8 were in the cities, and 36 in the rural parts of the State. The death-rate in the State from this one cause was 0.62 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, 0.52 in 1899; 0.79 in 1900; 0.63 in 1901; 0.63 in 1902; 0.92 in 1903, and 0.66 in 1904).

Diseases of the Genito-Urinary System and its Adnexa .-There were 773 deaths referred to the diseases under this group, equivalent to a death-rate of 10.82.

Nephritis.—Acute nephritis caused the death of 47 persons, 23 males and 24 females. The death-rate from nephritis was, therefore, 0.66.

Ages: Under 1, 1; 1-5, 3: 5-10, 2; 10-20, 5; 20-30, 10; 30-40, 7; 40-50, 5: 50-60, 4; 60-70, 6; 70-80, 3, not stated, 1.

\*Bright's Disease.—This was the cause of 599 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, 262 in 1899, 443 in 1900, 471 in 1901, 523 in 1902, 573 in 1903, and 575 in 1904), 335 males and 264 females. Of these deaths, 217 were in the cities.

The sex and age-group distribution of Bright's disease is as follows:

BRIGHT'S DISEASE BY SEX AND AGE-PERIODS—1905.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	76-80.	Over 80.	Not stated.	Total.
Males	1	-	1	5	12	12	20	62	97	91	33	1	335
Females	2	-	2	2	18	17	28	46	74	63	10	2	264
Tota1	3	-	3	7	30	29	48	108	171	154	45	-3	599

<sup>\*</sup> This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; amyloid kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated: Uremia, uremic eclampsia; uremic defirum; uremic coma.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	Counties.	Number of deaths.	Rate.
Androscoggin	39	6.86	Oxford	24	7.26
Aroostook	29	4.37	Penobscot	58	7.44
Cumberland	125	11.84	Piscataquis	10	5.76
Franklin	20	10.45	Sagadahoc	24	11.56
Hancock	28	7.52	Somerset	27	7.84
Kennebec	50	8.31	Waldo	23	9.51
Knox	18	5 92	Washington	30	6.58
Lincoln	20	10 17	York	74	11.28
			State	599	8.38

The Puerperal State.—Under this class of accidents and diseases of reproduction, 51 deaths were registered, not including puerperal fever. (69 in 1892, 50 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, 40 in 1899, 50 in 1900, 52 in 1901, 69 in 1902, 94 in 1903, and 72 in 1904). This is equivalent to a special death-rate of 0.71.

Deaths from External Causes.—Under this class there were 518 deaths.

Fractures caused 68 deaths—fracture of skull, 31; of thigh, 14; of hip, 11; of spine, 5; of ribs, 3; of neck, 2; of leg, 1; not stated, 1.

Burns and scalds caused 39 deaths—14 were from clothing taking fire; 7, explosion of lamp; 5, scalded with hot water; 2, lighting fire with kerosene; 1, playing with matches; 1, explosion of oil stove; 1, by overturning of oil stove; 1, by overturning lamp; the rest, unspecified.

Sunstroke caused I death. Four persons died from exposure to cold.

From accidental drowning, 87 deaths occurred.

Other accidental injuries caused the death of 142 persons; 33 were from railway injuries; 28, from falls; 25, from pistol and gunshot wounds; 11, working in a mill; 6, from falling

timber; 4. by electric cars; 4. from explosions; 3, run over by teams; 2, crushed by buildings; 2, by runaway horses; 1, crushed by cart; 1, tramped on by cow; 1, tramped on by horse; 1, crushed by logs; 1, by swallowing piece of glass; 1, working in shoe shop; and the rest were unspecified.

From acute poisoning there were 24 deaths.

Fifty people met their death from other external violence, including 14 murders.

The death-rate in the State under this class was 7.25.

Suicide.—Within the year 84 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, 93 in 1899, 66 in 1900, 81 in 1901, 73 in 1902, 77 in 1903, and 107 in 1904), 67 males and 17 females. Of the males, the occupation of 18 was farmer; of 8, laborer; of 6, carpenter; of 3, bookkeeper; of 2 each, merchant and soldier; of 1 each, barber, blacksmith, brakeman, clerk, dentist, doctor, engineer, expressman, foreman, lawyer, machinist, master mariner, packer, painter, potato buyer, railroad employee, sailor, shoe factory employee, spool maker, stone cutter, teamster, telegraph operator; while of 6 no occupation was given.

Of the females, the occupation of 7 was registered as house-wife; 3, as housekeeper; 1, as teacher; 1, as domestic; and not stated, 5.

As to the means employed, 25 committed suicide by shooting; 23, by hanging; 11, by poisoning; 13, by drowning; 9, by cutting throat; 1, asphyxiation by illuminating gas; and not stated, 2.

SUICIDES BY AGES, MONTHS, AND COUNTIES-1905.

age-Periods.	Months.	Counties.		Rate per 10,000 of population.
10-20 1	January 3	Androscoggin	6	1.05
20-30 14	February 4	Aroostook	3	0.43
30-40	March 10	Cumberland	16	1.5
10-50 22	April 10	Franklin	5	2.61
50-60 16	May 8	Haneock	3	0.81
50-70	June 8	Kennebec	6	1.00
70-80	July 6	Knox	7	2.30
Over 80 4	August 6	Lincoln	2	1.09
Total 8t	September 12	Oxford	6	1.8
	October 7	Penobsect	7	0.90
	November 5	Piseataquis	3	1.73
	December 5	Sagadahoe	3	1.4
	Total 84	Somerset	4	1.16
		Waldo	2	0.88
		Washington	2	0.4
		York	9	1.3
		State	84	1.18

The youngest suicide was a boy of 14 years; the oldest, a man of 87 years. The largest number of suicides in any month was 15 in September. By quarters, the suicides were 17, 26, 24, and 17. The largest number in any county was 16 in Cumberland. The highest death-rate from suicide was in Franklin county. The rate for the State per 10,000 of population was 1.18.

# LIST OF TABLES.

PAC	
	Table No. 1.—Deaths from some of the Leading Causes
	Table No. 2.—Population in 1890 and 1900, and Estimated
	Population for 1905
	Table No. 3.—Births, Marriages, and Deaths, 1897-1905
	Table No. 4.—Estimated Population of 1905; Births, Mar-
	riages and Deaths, with the rate of each to
	1,000 of population for the year ending
	December 31, 1905
	Table.—Summary of Births, Marriages and Deaths
:	Table No. 5.—Births and Deaths in each County
:	Table No. 6.—Births and Deaths in the Cities
	Table No. 7.—Births, Marriages, and Deaths by Counties
12-6	and Towns
62-6	Table No. 8.—Births, Marriages, and Deaths by Counties
	Table No. 9.—Births and Birth-Rates by Counties, for the
(	years 1898-1905
	Table No. 10.—Births, by Counties, showing the proportion
	of males to females, 1905
	Table No. 11.—Number of Births in each month of 1898-
	1905, with Monthly ratio compared with a
	Standard of 100
	Table No. 12.—Births by Sex and Months by Counties, 1905.
	Table No. 13.—Births in Cities, for 1905, with rate per 1,000
	of population
	Table No. 14.—Percentage of American and Foreign Burths
	by Counties, 1905
	Table No. 15.—Percentage of American and Foreign Births
	by Cities, 1905
	Table No. 16.—Twin Births by Months and Counties, 1905
	Table No. 17Twin Births by Sex and Parentage, by Coun-
	' ties, 1905
	Table. No 18.—Still-Births by Sex and Parentage, by Coun-
	ties, 1905
	Table No. 19.—Still-Births by Seasons, 1905
	Table No. 20Marriages and Marriage Rates by Counties
	for the years 1808-1905
	Table No. 21.—Marriages by Counties and Nativity, 1905
	Table No. 22.—Marriages by Months and Counties, 1905

LIST OF TABLES.	207
	PAGE
Table No. 23.—Number of Marriages in each month of 1898-	
1905, with Monthly Ratio compared with a	_
Standard of 100	80
Table No. 24.—Marriages by Ages and Counties, 1905	18
Table No. 25.—Interesting facts in Relation to Marriages	82-83
Table No. 26.—Divorces decreed by the Supreme Court of	06.0
Maine in the year 1905	86-87
Table No. 27.—Divorces by Causes, sex of Libellants and	00
the Number of years married, 1905	88
Table No. 28.—Deaths and Death-Rates by Counties, for the	
years 1898-1905	90
Table No. 29.—Number of Deaths in each Month of 1898-	
1905, with Monthly Ratio compared with a	
Standard of 100	91
Table No. 30.—The number of Deaths in the State, and in	
each County, arranged by Classes and	00.07
Counties	92-97 98-101
Table No. 31.—Deaths from All Causes, by Months Table No. 32.—Deaths from All Causes, by Age-Groups,	90-101
1901-1905	102-119
Table No. 33.—Deaths in each Town from Special Causes,	102-119
Mostly Infectious Diseases	120-137
Table No. 34.—Deaths in each Town from Certain Diseases	120-137
and Groups of Diseases	138-159
Table No. 35.—Deaths by Ages, Sex, and Months, by Coun-	130 139
ties	160-161
Table No. 36.—Number of Deaths from Several Specified	100 101
. Causes, of each sex, in each month, which	
were registered during fourteen years,	
1892-1905	162
Table No. 37.—Mortality by Months, reduced to a Standard	
Mean of 100; Fourteen years, 1892-1905	163
Table.—Deaths in each Month for the years 1892-1905	166
Table.—Mortality from Ten Prominent Causes, 1898-1905	168
Table.—Six Infectious Diseases by Counties, 1905	169
Table.—Six Infectious Diseases by Cities, 1905	170
Table.—Infectious Diseases, 1898-1905	171
TableMeasles by Counties, Months, and Age-Periods,	
1896-1905	172
TableScarlet Fever by Counties, Months, and Age-Per-	
iods, 1893-1905	173
Table.—Grippe by Counties and Months, 1905	174
TableWhooping Cough by Counties, Months and Age-	
Periods, 1905	175
TableDiphtheria by Counties and Months. 1905	176
Table.—Diphtheria by Counties, Months, and Age-Periods,	
1893-1905	177
Table.—Typhoid Fever by Counties and Months, 1905	178

	PAGE
Table.—Typhoid Fever by Counties, Months, and Age-Per-	
iods, 1893-1905	179
Table.—Consumption by Counties and Months, 1905	181
Table.—Consumption by Sex and Age-Periods, 1905	181
Table Consumption by Counties, Months, and Age-Per-	
iods, 1893-1905	182
Table.—Rheumatism by Counties, Months, and Age-Periods,	
1905	184
Table.—Rheumatism by Counties, Months, and Age-Periods,	
1893-1905	185
Table.—Cancer by Sex and Age-Periods, 1905	186
Table.—Cancer by Counties and Age-Periods, 1905 and 1893-	
1905	186
Table.—Old Age by Counties, 1905	187
Table.—Apoplexy by Counties and Months, 1905	189
Table.—Apoplexy by Sex and Age-Periods, 1905	189
Table.—Apoplexy, 1905 and 1893-1905	190
Table.—Diseases of the Heart by Ages	191
Table.—Diseases of the Heart by Counties	192
Table.—Heart Disease by Sex and Age-Periods, 1905	192
Table.—Pneumonia by Sex and Age-Periods, 1905	193
Table.—Pneumonia by Counties and Months with Death-	
Rates per 10,000, 1905	194
TablePneumonia by Counties Months, and Age-Periods,	
1893-1905	195
Table.—Bronchitis by Counties and Months, 1905	196
Table.—Infantile Diarrhea by Counties and Months, 1905	198
TableInfantile Diarrhea by Counties, Months, and Age-	
Periods, 1893-1905	199
Table.—Infantile Diarrhea in the Cities, 1898-1905	200
TablePeritonitis by Counties, Months, and Age-Periods,	
1905	201
Table.—Brights' Disease by Sex and Age-Periods, 1905	202
Table.—Bright's Disease by Counties, 1905	203
Table.—Suicides by Ages, Months, and Counties, 1905	205

# INDEX.

	PAGE
Age and Mortality	167
Appendicitis	201
Apoplexy	188
1905 and 1893-1905	190
by counties and months	189
by sex and age-periods, 1905	190
Birth-rate	75
Birth-rates	8, 9
Births and birth-rates, by counties and years	64
by counties, showing proportion of males to females	65
by seasons	76
by sex and months, by counties	67
in cities, for 1905 with rate	68
in each month, by years	66
notes on	75
parentage of	75
percentage of American and foreign, by cities	70
by counties	69
relation to deaths	10
twin	77
by months and counties	71
by sex and parentage	72
marriages and deaths, in each town	12-63
Brain or membranes, inflammation of	188
softening of the	190
Bright's Disease	202
Bronchitis	195,196
Cancer	185
1905 and 1893-1905	186
by sex and age-periods, 1905	186
Centenarians	188
Cirrhosis of the liver	201


	PAGE
Consumption, by counties and months	181
by counties, months, and age-periods, 1893-	
1905	182
by sex and age-periods, 1905	181
Deaths, age and mortality	167
causes of	167
by ages, sex and months, by counties	160-161
months, reduced to a standard mean for fourteen	
years	163
in each month, for the years 1892-1905	166
The state of the s	
in each town, from special causes	120-138
from certain diseases and groups of	0 (
diseases	138-160
in the State and Counties, by classes and counties	92-97
from all Causes, by months	98-101
from all Causes, by age-groups, 1901-1905	102-119
from several specified causes in fourteen years	162
notes on, and the causes of death	164
number in each month, by years	91
seasons and mortality	164
sex and mortality	167
and death-rates, by counties and years	90
Death-rates	8, 9
compared	167
Diabetes	187
Diarrheal Diseases	197
Digestive system, diseases of the	197
Diphtheria	175
by counties and months	176
by counties, months, and age-periods, 1893-1905	177
	88
Divorces by causes, sex of libellants, etc	86-87
decreed in 1905	
notes on	89
Epilepsy	191
External causes, deaths from	203
Genito-Urinary system and its adnexa, diseases of the	201
Grippe	173
deaths from, by counties and months	174
Heart, diseases of the	191
Infantile Diarrhea	197
by counties and months	198
by counties, months, and age-periods,	
1893-1905	199
in cities, 1898-1905	200
Infectious diseases	168
1898-1905	171
six by cities	170
six by counties	160


INDEX. 2II

Marriages, interesting facts relating to.       82-83         rates       8, 9, 84         ages       84         and rates, by counties       78         by ages and counties       81         by counties and nativity       79         by months and counties       79         nativity       84         notes on       84         number of, in each month, by years       80         seasons       84         Malarial diseases       179         Measles       171         by counties, months, and age-periods, 1896-1905       172         Mortality from ten prominent causes, 1898-1905       168         Nephritis       202         Nervous system, diseases of the       188         Old Age       187         Paralysis       191         Peritonitis       200         by counties, months, and age-periods, 1905       201		PAGE
rates 8, 9, 84	Liver, cirrhosis of	
ages		
and rates, by counties		
by ages and counties	-	•
by counties and nativity		•
by months and counties		
nativity         84           notes on         84           number of, in each month, by years         80           seasons         84           Malarial diseases         179           Measles         171           by counties, months, and age-periods, 1896-1905         172           Mortality from ten prominent causes, 1898-1905         168           Nephritis         202           Nervous system, diseases of the         188           Old Age         187           Paralysis         191           Peritonitis         200           by counties, months, and age-periods, 1905         201           Pluerisy         196           Pneumonia         193           1893-1905         195           by counties and months, with death-rates         194           by sex and age-periods, 1905         193           Population         7           Puerperal fever, by months and counties, 1905         183           Puerperal state, the         203           Respiratory system, diseases of the         192           Rheumatism         183           by counties, months, and age-periods         184, 185           Scarlet fever         172		
notes on.         84           number of, in each month, by years.         80           seasons         84           Malarial diseases.         179           Measles         171           by counties, months, and age-periods, 1896-1905.         172           Mortality from ten prominent causes, 1898-1905.         168           Nephritis         202           Nervous system, diseases of the.         188           Old Age.         187           Paralysis         191           Peritonitis         200           by counties, months, and age-periods, 1905.         201           Pluerisy         196           Pneumonia         193           1893-1905         195           by counties and months, with death-rates         194           by sex and age-periods, 1905.         193           Population         7           Puerperal fever, by months and counties, 1905.         183           Puerperal state, the.         203           Respiratory system, diseases of the.         192           Rheumatism         183           by counties, months, and age-periods.         174           Sex and mortality.         167           Smallpox	•	
number of, in each month, by years         80           seasons         84           Malarial diseases         179           Measles         171           by counties, months, and age-periods, 1896-1905         172           Mortality from ten prominent causes, 1898-1905         168           Nephritis         202           Nervous system, diseases of the         188           Old Age         187           Paralysis         191           Peritonitis         200           by counties, months, and age-periods, 1905         201           Pluerisy         196           Pneumonia         193           1893-1905         195           by counties and months, with death-rates         194           by sex and age-periods, 1905         193           Pourperal fever, by months and counties, 1905         183           Puerperal state, the         203           Respiratory system, diseases of the         192           Rheumatism         183           by counties, months and age-periods         184, 185           Scarlet fever         172           by counties, months, and age-periods         173           Sex and mortality         167 <t< td=""><td>•</td><td></td></t<>	•	
seasons         84           Malarial diseases         179           Measles         171           by counties, months, and age-periods, 1896-1905         172           Mortality from ten prominent causes, 1898-1905         168           Nephritis         202           Nervous system, diseases of the         188           Old Age         187           Paralysis         191           Peritonitis         200           by counties, months, and age-periods, 1905         201           Pluerisy         196           Pneumonia         193           1893-1905         195           by counties and months, with death-rates         194           by sex and age-periods, 1905         193           Population         7           Puerperal fever, by months and counties, 1905         183           Puerperal state, the         203           Respiratory system, diseases of the         192           Rheumatism         183           by counties, months and age-periods         184, 185           Scarlet fever         172           by counties, months, and age-periods         173           Sex and mortality         176           Smallpox         <		
Malarial diseases       179         Measles       171         by counties, months, and age-periods, 1896-1905       172         Mortality from ten prominent causes, 1898-1905       168         Nephritis       202         Nervous system, diseases of the       188         Old Age       187         Paralysis       191         Peritonitis       200         by counties, months, and age-periods, 1905       201         Pluerisy       196         Pneumonia       193         1893-1905       195         by counties and months, with death-rates       194         by sex and age-periods, 1905       193         Population       7         Puerperal fever, by months and counties, 1905       183         Puerperal state, the       203         Respiratory system, diseases of the       192         Rheumatism       184         by counties, months and age-periods       184, 185         Scarlet fever       172         by counties, months, and age-periods       173         Sex and mortality       167         Smallpox       171         Still-births       77         by seasons       74		
Measles       171         by counties, months, and age-periods, 1896-1905       172         Mortality from ten prominent causes, 1898-1905       168         Nephritis       202         Nervous system, diseases of the       188         Old Age       187         Paralysis       191         Peritonitis       200         by counties, months, and age-periods, 1905       201         Pluerisy       196         Pneumonia       193         1893-1905       195         by counties and months, with death-rates       194         by sex and age-periods, 1905       193         Population       7         Puerperal fever, by months and counties, 1905       183         Puerperal state, the       203         Respiratory system, diseases of the       192         Rheumatism       183         by counties, months and age-periods       184, 185         Scarlet fever       172         by counties, months, and age-periods       173         Sex and mortality       167         Smallpox       171         Still-births       77         by seasons       74         by sex and parentage       73		•
by counties, months, and age-periods, 1896-1905. 172  Mortality from ten prominent causes, 1898-1905. 168  Nephritis		
Mortality from ten prominent causes, 1898-1905.       168         Nephritis       202         Nervous system, diseases of the       188         Old Age.       187         Paralysis       191         Peritonitis       200         by counties, months, and age-periods, 1905       201         Pluerisy       196         Pneumonia       193         1893-1905       195         by counties and months, with death-rates       194         by sex and age-periods, 1905       193         Population       7         Puerperal fever, by months and counties, 1905       183         Puerperal state, the       203         Respiratory system, diseases of the       192         Rheumatism       184         by counties, months and age-periods       184         Scarlet fever       172         by counties, months, and age-periods       173         Sex and mortality       167         Smallpox       171         Still-births       77         by seasons       74         by seasons       74         by sex and parentage       73         Suicide       204         by ages, months, and cou		-
Nephritis       202         Nervous system, diseases of the       188         Old Age.       187         Paralysis       191         Peritonitis       200         by counties, months, and age-periods, 1905       201         Pluerisy       196         Pneumonia       193         1893-1905       195         by counties and months, with death-rates       194         by sex and age-periods, 1905       193         Population       7         Puerperal fever, by months and counties, 1905       183         Puerperal state, the       203         Respiratory system, diseases of the       192         Rheumatism       183         by counties, months and age-periods       184, 185         Scarlet fever       172         by counties, months, and age-periods       173         Sex and mortality       167         Smallpox       171         Still-births       77         by seasons       74         by sex and parentage       73         Suicide       204         by ages, months, and counties, 1905       205         Tetanus       191         Tuberculosis       179 </td <td></td> <td></td>		
Nervous system, diseases of the       188         Old Age.       187         Paralysis       191         Peritonitis       200         by counties, months, and age-periods, 1905       201         Pluerisy       196         Pneumonia       193         1893-1905       195         by counties and months, with death-rates       194         by sex and age-periods, 1905       193         Population       7         Puerperal fever, by months and counties, 1905       183         Puerperal state, the       203         Respiratory system, diseases of the       192         Rheumatism       184         by counties, months and age-periods       184, 185         Scarlet fever       172         by counties, months, and age-periods       173         Sex and mortality       167         Smallpox       171         Still-births       77         by seasons       74         by sex and parentage       73         Suicide       204         by ages, months, and counties, 1905       205         Tetanus       191         Tuberculosis       179		
Old Age.         187           Paralysis         191           Peritonitis         200           by counties, months, and age-periods, 1905         201           Pluerisy         196           Pneumonia         193           1893-1905         195           by counties and months, with death-rates         194           by sex and age-periods, 1905         193           Population         7           Puerperal fever, by months and counties, 1905         183           Puerperal state, the         203           Respiratory system, diseases of the         192           Rheumatism         183           by counties, months and age-periods         184, 185           Scarlet fever         172           by counties, months, and age-periods         173           Sex and mortality         167           Smallpox         171           Still-births         77           by seasons         74           by sex and parentage         73           Suicide         204           by ages, months, and counties, 1905         205           Tetanus         191           Tuberculosis         179	•	
Paralysis         191           Peritonitis         200           by counties, months, and age-periods, 1905         201           Pluerisy         196           Pneumonia         193           1893-1905         195           by counties and months, with death-rates         194           by sex and age-periods, 1905         193           Population         7           Puerperal fever, by months and counties, 1905         183           Puerperal state, the         203           Respiratory system, diseases of the         192           Rheumatism         183           by counties, months and age-periods         184, 185           Scarlet fever         172           by counties, months, and age-periods         173           Sex and mortality         167           Smallpox         171           Still-births         77           by seasons         74           by sex and parentage         73           Suicide         204           by ages, months, and counties, 1905         205           Tetanus         191           Tuberculosis         179	• ,	
Peritonitis       200         by counties, months, and age-periods, 1905       201         Pluerisy       196         Pneumonia       193         1893-1905       195         by counties and months, with death-rates       194         by sex and age-periods, 1905       193         Population       7         Puerperal fever, by months and counties, 1905       183         Puerperal state, the       203         Respiratory system, diseases of the       192         Rheumatism       183         by counties, months and age-periods       184, 185         Scarlet fever       172         by counties, months, and age-periods       173         Sex and mortality       167         Smallpox       171         Still-births       77         by seasons       74         by sex and parentage       73         Suicide       204         by ages, months, and counties, 1905       205         Tetanus       191         Tuberculosis       179		
Pluerisy     196       Pneumonia     193       1893-1905     195       by counties and months, with death-rates     194       by sex and age-periods, 1905     193       Population     7       Puerperal fever, by months and counties, 1905     183       Puerperal state, the     203       Respiratory system, diseases of the     192       Rheumatism     183       by counties, months and age-periods     184, 185       Scarlet fever     172       by counties, months, and age-periods     173       Sex and mortality     167       Smallpox     171       Still-births     77       by seasons     74       by sex and parentage     73       Suicide     204       by ages, months, and counties, 1905     205       Tetanus     191       Tuberculosis     179		-
Pneumonia       193         1893-1905       195         by counties and months, with death-rates       194         by sex and age-periods, 1905       193         Population       7         Puerperal fever, by months and counties, 1905       183         Puerperal state, the       203         Respiratory system, diseases of the       192         Rheumatism       183         by counties, months and age-periods       184, 185         Scarlet fever       172         by counties, months, and age-periods       173         Sex and mortality       167         Smallpox       171         Still-births       77         by seasons       74         by sex and parentage       73         Suicide       204         by ages, months, and counties, 1905       205         Tetanus       191         Tuberculosis       179		201
1893-1905       195         by counties and months, with death-rates       194         by sex and age-periods, 1905       193         Population       7         Puerperal fever, by months and counties, 1905       183         Puerperal state, the       203         Respiratory system, diseases of the       192         Rheumatism       183         by counties, months and age-periods       184, 185         Scarlet fever       172         by counties, months, and age-periods       173         Sex and mortality       167         Smallpox       171         Still-births       77         by seasons       74         by sex and parentage       73         Suicide       204         by ages, months, and counties, 1905       205         Tetanus       191         Tuberculosis       179	Pluerisy	196
by counties and months, with death-rates 194 by sex and age-periods, 1905. 193 Population 7 Puerperal fever, by months and counties, 1905. 183 Puerperal state, the 203 Respiratory system, diseases of the 192 Rheumatism 183 by counties, months and age-periods 184, 185 Scarlet fever 172 by counties, months, and age-periods 173 Sex and mortality 167 Smallpox 171 Still-births 77 by seasons 74 by seasons 74 by seasons 77 by seasons 77 Cuicide 204 by ages, months, and counties, 1905 205 Tetanus 191 Tuberculosis 179	Pneumonia	193
by sex and age-periods, 1905.         193           Population         7           Puerperal fever, by months and counties, 1905.         183           Puerperal state, the         203           Respiratory system, diseases of the         192           Rheumatism         183           by counties, months and age-periods         184, 185           Scarlet fever         172           by counties, months, and age-periods         173           Sex and mortality         167           Smallpox         171           Still-births         77           by seasons         74           by sex and parentage         73           Suicide         204           by ages, months, and counties, 1905         205           Tetanus         191           Tuberculosis         179	1893-1905	195
Population         7           Puerperal fever, by months and counties, 1905         183           Puerperal state, the         203           Respiratory system, diseases of the         192           Rheumatism         183           by counties, months and age-periods         184, 185           Scarlet fever         172           by counties, months, and age-periods         173           Sex and mortality         167           Smallpox         171           Still-births         77           by seasons         74           by sex and parentage         73           Suicide         204           by ages, months, and counties, 1905         205           Tetanus         191           Tuberculosis         179	by counties and months, with death-rates	194
Puerperal fever, by months and counties, 1905.       183         Puerperal state, the.       203         Respiratory system, diseases of the.       192         Rheumatism       183         by counties, months and age-periods       184, 185         Scarlet fever       172         by counties, months, and age-periods       173         Sex and mortality       167         Smallpox       171         Still-births       77         by seasons       74         by sex and parentage       73         Suicide       204         by ages, months, and counties, 1905       205         Tetanus       191         Tuberculosis       179	by sex and age-periods, 1905	193
Puerperal state, the       203         Respiratory system, diseases of the       192         Rheumatism       183         by counties, months and age-periods       184, 185         Scarlet fever       172         by counties, months, and age-periods       173         Sex and mortality       167         Smallpox       171         Still-births       77         by seasons       74         by sex and parentage       73         Suicide       204         by ages, months, and counties, 1905       205         Tetanus       191         Tuberculosis       179	Population	7
Respiratory system, diseases of the     192       Rheumatism     183       by counties, months and age-periods     184, 185       Scarlet fever     172       by counties, months, and age-periods     173       Sex and mortality     167       Smallpox     171       Still-births     77       by seasons     74       by sex and parentage     73       Suicide     204       by ages, months, and counties, 1905     205       Tetanus     191       Tuberculosis     179	Puerperal fever, by months and counties, 1905	183
Rheumatism         183           by counties, months and age-periods         184, 185           Scarlet fever         172           by counties, months, and age-periods         173           Sex and mortality         167           Smallpox         171           Still-births         77           by seasons         74           by sex and parentage         73           Suicide         204           by ages, months, and counties, 1905         205           Tetanus         191           Tuberculosis         179		203
by counties, months and age-periods. 184, 185 Scarlet fever		192
Scarlet fever         172           by counties, months, and age-periods         173           Sex and mortality         167           Smallpox         171           Still-births         77           by seasons         74           by sex and parentage         73           Suicide         204           by ages, months, and counties, 1905         205           Tetanus         191           Tuberculosis         179		
by counties, months, and age-periods.         173           Sex and mortality.         167           Smallpox         171           Still-births         77           by seasons         74           by sex and parentage         73           Suicide         204           by ages, months, and counties, 1905         205           Tetanus         191           Tuberculosis         179	, , , , , , , , , , , , , , , , , , , ,	
Sex and mortality.       167         Smallpox       171         Still-births       77         by seasons       74         by sex and parentage       73         Suicide       204         by ages, months, and counties, 1905       205         Tetanus       191         Tuberculosis       179		-
Smallpox         171           Still-births         77           by seasons         74           by sex and parentage         73           Suicide         204           by ages, months, and counties, 1905         205           Tetanus         191           Tuberculosis         179	•	
Still-births       77         by seasons       74         by sex and parentage       73         Suicide       204         by ages, months, and counties, 1905       205         Tetanus       191         Tuberculosis       179	·	
by seasons       74         by sex and parentage       73         Suicide       204         by ages, months, and counties, 1905       205         Tetanus       191         Tuberculosis       179	•	
by sex and parentage.       73         Suicide       204         by ages, months, and counties, 1905.       205         Tetanus       191         Tuberculosis       179		
Suicide       204         by ages, months, and counties, 1905       205         Tetanus       191         Tuberculosis       179		
by ages, months, and counties, 1905.       205         Tetanus       191         Tuberculosis       179		
Tetanus         191           Tuberculosis         179		
Tuberculosis		_
-,,		_
		-,,
other forms		
pulmonary		

# REGISTRATION REPORT.

	PAGE
Typhoid fever	177
by counties and months, 1905	178
by counties, months, and age-periods, 1893-	
1905	179
Whooping cough	174
by counties, months, and age-periods	175
by counties, months, and age-periods	175











CONTRACTOR LORGICAL

The second secon 

The Property of Company of the Property of Company

gradien de la companya de la company

te volum zalike

and the second